

PRODUCT RANGE 2012



TECHNICAL SYMBOLS

Workshop Furniture		1/2" Range		Striking Tools		Pneumatic	
Boxes and cases		1/4" Range		Measuring and Marking		VDE	
Wrenches		3/4" Range		Pliers		Lamps	
Screwdrivers		3/8" Range		Clamps		Installation	
Socket Sets		Torque Wrenches		Cutting, Filing, Drilling		Merchandising	
Hexagon bolster (m)						Hexagon bolster (f)	
Square (m)						Square (f)	
Rastoflex®		Ground		Magnetic		Slotted	
Readyflex®		Roll-forged		Hammer Head		PH	
Conterflex®		SDS Plus		Suitable for impact screwdrivers		PZ	
72 Teeth		Acute angle		Load		TORX®	
Slim Line		Hammer drill		Swivel		TORX® with hole	
15° Angle		Twist drills		reversible I		hex (f)	
1000 V		Masonry drills		reversible II		INBUS®	
Actuation accuracy		Length		Internal Retaining Rings		octagonal	
Double Open Ended Spanners		Width		External Retaining Rings		bi-hexagon (f)	
Double Box Ratchet Wrench		Extension		INBUS® with Ball End		Spline	
Double Ended Ring Spanners		Wobble extension		Strap wrenches		XZN	
Flexible Combination Ratchet		Sliding-T Extension		Flexible Head		SIT	
Ratchet Wrenches		Clamping Capacity		Single-hand		TRI-WING	
Combination Spanners		Spreading Capacity		Set		LED	

INBUS® = reg. trademark of Acument GmbH & Co. OHG, 56567 Neuwied, Germany

TORX® = reg. trademark of Acument Intellectual Properties, LLC. USA

			Page
Cases / Assortments	1		04-13
Workshop Furniture	2		14-29
Wrenches	3		30-39
1/4" Range 3/8" Range 1/2" Range 3/4" Range	4		40-73
Socket Sets	5		74-87
Air Tools	6		88-95
Torque Wrenches	7		96-101
Screwdrivers / Bits	8		102-119
Pliers	9		120-127
Clamps	10		128-131
Striking Tools	11		132-139
Measuring and Marking	12		140-143
Cutting / Filing / Drilling	13		144-151
Installation	14		152-155
Lamps	15		156-157
1000 V	16		158-161
Merchandising	17		162-165



CAROLUS NEW ITEMS 2012



PAGE 39



PAGE 91



PAGE 131



PAGE 163



PAGE 98



PAGE 72



PAGE 160

NEW



PAGE 157



PAGE 147



PAGE 13



PAGE 164



PAGE 05



PAGE 43, 53, 60



PAGE 52





① All can - nothing must



Valuables need to be protected - choose our easily transportable and water tight tool cases. Ideal for a hard day's work - robust fittings, safety hinges and the best possible protection from corrosion included. You can also find extensive and complete sets - supplied with carolus tools.


2200.000 UNIVERSAL SET "BASIC" 70 PIECES

Contents:

- * Engineers' hammer 300 g
- * Combination pliers 180 mm
- * Heavy-duty side cutter 200 mm
- * Pincer 180 mm
- * Multifunctional saw
- * Tape measure 3 m
- * Pencil
- * Screwdriver slotted 4 5.5 6.5 mm
- * Screwdriver cross-slotted PZ 1 PZ 2
- * Hexagon socket key set, 8 pieces, 2 2.5 3 4 5 6 8 10 mm
- * VDE Screwdriver slotted 3 mm
- * VDE Screwdriver cross-slotted PH 2
- * Flat cold chisel 125 mm
- * Water pump pliers 10"
- * Voltage tester
- * VDE Cable knife
- * Half-round file
- * Utility knife with pencil sharpener
- * Adjustable wrench 8"
- * Bit-Box, 31 pieces
- * Handle Minimus®
- * Double open ended spanner set, 8 pieces, 6x7 8x9 10x11 12x13 14x15 16x17 18x19 20x22 mm
- * Spirit level 300 mm

 Code
2255936

 Art.#
2200.000

5.6

Illustrations similar.
Empty storage products
are also available - see pages 12 - 13

223X.000 UNIVERSAL SET "BASIC" IN CASE/BOX

	Code	Art.#	Description	kg
	2661764	2230.000	Tool case + Universal set BASIC, 70 pcs	10.6
	2661942	2232.000	Tool box + Universal set BASIC, 70 pcs	10.5
	2661837	2234.000	Tool case + Universal set BASIC, 70 pcs	10.4
	2662019	2236.000	Combi-bag + Universal set BASIC, 70 pcs	8.2



2200.010 UNIVERSAL SET "ALLROUND" 56 PIECES







Contents:

- * Combination spanner 8 9 10 11 12 13 14 15 16 17 18 19 21 22 24 27 mm
- * Adjustable wrench 6" 12"
- * Carbide scriber with clip 150 mm
- * Wood sectioned folding ruler 2 m
- * Screwdriver slotted 4 5,5 6,5 mm
- * Screwdriver cross-slotted PH 1 PH 2
- * Screwdriver cross-slotted PZ 1 PZ 2
- * Hexagon socket key set, 8 pieces, 2 2,5 3 4 5 6 8 10 mm
- * Hexagon socket key set, 7 pieces, TORX® T10 T15 T20 T25 T27 T30 T40
- * Voltage tester
- * Combination pliers 180 mm
- * Side cutter 160 mm
- * Water pump pliers 10"
- * Engineers' hammer 300 g 800 g
- * Flat cold chisel 250 mm
- * Cross-cut chisel 200 mm
- * Drift punch 3 4 5 mm
- * Centre punch 5 mm
- * Flat file
- * Round file

Code	Art.#	kg
2255944	2200.010	8.6

Illustrations similar.
Empty storage products
are also available - see pages 12 - 13

223X.010 UNIVERSAL SET "ALLROUND" IN CASE/BOX

	Code	Art.#	Description	kg
	2661772	2230.010	Tool case + Universal set ALLROUND, 56 pcs	13.6
	2661950	2232.010	Tool box + Universal set ALLROUND, 56 pcs	13.5
	2661861	2234.010	Tool case + Universal set ALLROUND, 56 pcs	13.4
	2662027	2236.010	Combi-bag + Universal set ALLROUND, 56 pcs	11.2

2200.020 UNIVERSAL SET "MECHANIC" 57 PIECES



Contents:

- * Combination spanner 6 7 8 9 10 11 12 13 14 15 16 17 18 19 mm
- * Screwdriver slotted 3 4 5.5 6.5 mm
- * Screwdriver slotted, stubby 4 mm
- * Screwdriver cross-slotted PH 1 PH 2
- * Screwdriver cross-slotted, stubby PH 1
- * Voltage tester
- * Hexagon socket key set, 8 pieces, 2 2.5 3 4 5 6 8 10 mm
- * Socket 1/2" hexagon 8 10 11 12 13 14 15 16 17 18 19 22 24 mm
- * Ratchet 1/2"
- * Extension 1/2" 125 250 mm
- * Universal joint 1/2"
- * Spark plug socket 1/2" 16 20 mm
- * Holding rail 8"
- * Adaptor 1/2" for holding rail
- * Combination pliers 180 mm
- * Side cutter 160 mm
- * Water pump pliers 10"
- * Engineers' hammer 300 g
- * Tape measure 3 m






Code
2255952

Art.#
2200.020

 kg
5.5

Illustrations similar.
Empty storage products
are also available - see pages 12 - 13

223X.020 UNIVERSAL SET "MECHANIC" IN CASE/BOX

	Code	Art.#	Description	 kg
	2661780	2230.020	Tool case + Universal set MECHANICS, 57 pcs	10.5
	2661969	2232.020	Tool box + Universal set MECHANICS, 57 pcs	10.4
	2661888	2234.020	Tool case + Universal set MECHANICS, 57 pcs	10.3
	2662000	2236.020	Combi-bag + Universal set MECHANICS, 57 pcs	8.1



2200.030 UNIVERSAL SET "ALL-IN" 109 PIECES

Contents:




- * Ratchet 1/2"
- * Extension 1/2" 125 250 mm
- * Universal joint 1/2"
- * Socket 1/2" hexagon 8 10 11 12 13 14 15 16 17 18 19 22 24 27 30 32 mm
- * Holding rail 8"
- * Adaptor 1/2" for holding rail
- * Ratchet 1/4"
- * Extension 1/4" 100 mm
- * Socket 1/4" hexagon 4 4.5 5 5.5 6 7 8 9 10 11 12 13 14 mm
- * Bit-Box, 31 pieces
- * Handle Minimus®
- * Hexagonal shaft with 1/4" drive for fittings
- * Universal joint 1/4"
- * Holding rail 6"
- * Adaptor 1/4" for holding rail
- * Ratchet wrench 8 9 10 11 12 13 14 15 17 19 mm
- * Screwdriver slotted 3 4 5.5 6.5 mm
- * Screwdriver cross-slotted PH 1 PH 2
- * Hexagon socket key set, 8 pieces, 2 2.5 3 4 5 6 8 10 mm
- * Combination pliers 180 mm
- * Heavy-duty side cutter 200 mm
- * Telephone pliers, straight pattern 200 mm
- * Water pump pliers 10"
- * Engineers' hammer 500 g
- * Flat cold chisel 150 mm
- * Centre punch 10 mm
- * Pin punch 4 mm
- * Drift punch 4 mm
- * Utility knife with pencil sharpener
- * Tape measure 5 m



Code	Art.#	kg
2255960	2200.030	8.6

Illustrations similar.
Empty storage products
are also available - see pages 12 - 13

223X.030 UNIVERSAL SET "ALL-IN" IN CASE/BOX

	Code	Art.#	Description	kg
	2661802	2230.030	Tool case + Universal set ALL-IN, 109 pcs	13.6
	2651858	2232.030	Tool box + Universal set ALL-IN, 109 pcs	13.5
	2661896	2234.030	Tool case + Universal set ALL-IN, 109 pcs	13.4

2200.040 SPECIAL SET "ELECTRO-TECHNICS" 42 PIECES

Contents:

- * Double open ended spanner 6x7 8x9 10x11 12x13 14x15 16x17 18x19 20x22 21x23 24x27 mm
- * Engineers' hammer 300 g
- * Club hammer 1000 g
- * Carbide scriber with clip 150 mm
- * Centre punch 12 mm
- * Flat cold chisel 250 mm
- * Point chisel 250 mm
- * Electricians' chisel 250 mm
- * Universal voltage tester
- * Voltage tester
- * Wood sectioned folding ruler 2 m
- * Scraper 60 mm
- * Plaster bowl
- * VDE Screwdriver slotted 2.5 3 4 5.5 mm
- * VDE Screwdriver cross-slotted PH 1 PH 2
- * VDE Combination pliers 180 mm
- * VDE Side cutter 160 mm
- * VDE Telephone pliers, angled pattern 200 mm
- * VDE Cable knife
- * Hexagon socket key set, 8 pieces, 2 2.5 3 4 5 6 8 10 mm
- * Spirit level 300 mm
- * Pencil

Code
2255979

Art.#
2200.040

kg
7.0



Illustrations similar.
Empty storage products[®]
are also available - see pages 12 - 13

223X.040 SPECIAL SET "ELECTRO-TECHNICS" IN CASE/BOX

	Code	Art.#	Description	kg
	2661810	2230.040	Tool case + Universal set ELECTRO-TECHNICS, 42 pcs	12.0
	2661977	2232.040	Tool box + Universal set ELECTRO-TECHNICS, 42 pcs	11.9
	2661918	2234.040	Tool case + Universal set ELECTRO-TECHNICS, 42 pcs	11.8
	2662043	2236.040	Combi-bag + Universal set ELECTRO-TECHNICS, 42 pcs	9.6



2200.050 SPECIAL SET "INSTALLATION" 46 PIECES

Contents:





- * Double open ended spanner 6x7 8x9 10x11 12x13 14x15 16x17 20x22 21x23 24x27 30x32 mm
- * Reversible ratchet wrench 10 13 17 mm
- * Engineers' hammer 500 g
- * Club hammer 1000 g
- * Flat cold chisel 250 mm
- * Point chisel 250 mm
- * Protective hand guard
- * Carbide scriber with clip 150 mm
- * Wood sectioned folding ruler 2 m
- * Screwdriver slotted 4 5.5 6.5 mm
- * Screwdriver cross-slotted PH 1 PH 2
- * Combination pliers 180 mm
- * Side cutter 160 mm
- * Water pump pliers 10" with automatic single-hand adjustment
- * Small pipe cutter 3-22 mm
- * Pipe cutter 3-35 mm
- * Pipe deburring reamer (plastic) 4-32 mm
- * Pipe deburring reamer (aluminium) 10-56 mm
- * Elbow pipe wrench S-pattern 1.1/2"
- * Pin punch 8 10 mm
- * Flat file
- * Multifunctional saw
- * Scraper 60 mm
- * Plaster bowl
- * Installation wrench M10, 17x19 mm
- * Utility knife with pencil sharpener
- * Cartridge caulking gun
- * Acrylic/Silicone fugue scraper
- * Spirit level 300 mm 1000 mm
- * Pencil



Code	Art.#	
2255987	2200.050	12.5

Illustrations similar.
Empty storage products
are also available - see pages 12 - 13

223X.050 SPECIAL SET "INSTALLATION" IN CASE/BOX

	Code	Art.#	Description	
	2661829	2230.050	Tool case + Universal set INSTALLATION, 46 pcs	17.5
	2661985	2232.050	Tool box + Universal set INSTALLATION, 46 pcs	17.4
	2661926	2234.050	Tool case + Universal set INSTALLATION, 46 pcs	17.3

2200.060 SPECIAL SET "METAL WORK" 60 PIECES






Contents:

- * Double open ended spanner 6x7 8x9 10x11 12x13 14x15 16x17 18x19 20x22 21x23 24x27 30x32 mm
- * Double ended ring spanner 6x7 8x9 10x11 12x13 14x15 16x17 18x19 20x22 21x23 24x27 30x32 mm
- * Adjustable wrench 6" 12"
- * Reversible ratchet wrench 8 10 13 17 19 mm
- * Carbide scriber with clip 150 mm
- * Wood sectioned folding ruler 2 m
- * Screwdriver Slotted 4 5,5 6,5 mm
- * Screwdriver Cross-slotted PH 1 PH 2
- * Screwdriver Cross-slotted PZ 1 PZ 2
- * Screwdriver with T-handle 2,5 3 4 5 6 8 10 mm
- * Combination pliers 200 mm
- * Heavy-duty side cutter 180 mm
- * Water pump pliers 10" with automatic single-hand adjustment
- * Curved jaw locking pliers 10"
- * Engineers' hammer 300 g 800 g
- * Flat cold chisel 250 mm
- * Cross-cut chisel 200 mm
- * Drift punch 2 3 4 mm
- * Centre punch 12 mm
- * Flat file
- * Round file
- * Multifunction saw

Code	Art.#	kg
2255995	2200.060	12.3

Illustrations similar.
Empty storage products
are also available - see pages 12 - 13

223X.060 SPECIAL SET "METAL WORK" IN CASE/BOX

	Code	Art.#	Description	kg
	2544504	2230.060	Tool case + special set METAL WORK, 60 pcs	17.3
	2661993	2232.060	Tool box + special set METAL WORK, 60 pcs	17.3
	2661934	2234.060	Tool case + special set METAL WORK, 60 pcs	17.1



EMPTY TOOL CASES

2030.00 TOOL CASE

- * Made from sheet steel
- * 5 compartments
- * Dimensions: W 535 x H 260 x D 210 mm
- * Without tools



This item is also available
including tools -
please refer to page 5 - 11

Code
1887831

Art.#
2030.00

kg
5.0

2032.00 TOOL BOX

- * From polypropylene
- * Includes four sorting boxes with adjustable compartments for small parts
- * Additional generous stowage under lid. The compartment is large enough for standard-size power tools
- * Stable and ergonomic seat
- * Recessed folding handle allows convenient transport and use as a seat
- * The box is capable of carrying a 150 kg load, allowing use as a step stool
- * Dimensions: L 420 x D 303 x H 400 mm
- * Without tools



This item is also available
including tools -
please refer to page 5 - 11

Code
2247674

Art.#
2032.00

kg
4.9



This item is also available
including tools -
please refer to page 5 - 11

2034.00 TOOL CASE

- * Made of ABS, high thickness ABS vacuum formed shells
- * Very light, compact and resistant case featuring the best quality / price ratio
- * Large and thick aluminium trim, makes the case ideal for daily use

Features:

- * 1 lid tool pallet with pouches plus on 2 sides
- * 1 bottom tool pallet with pouches on one side
- * 2 metal locks with keys
- * 2 metal lid safety support stays
- * Ergonomic soft grip handle
- * Document area
- * Bottom area with removable dividers
- * Dimensions: L 470 x D 175 x H 355 mm

Code
2247682

Art.#
2034.00


4.8



This item is also available
including tools -
please refer to page 5 - 11

2036.00 COMBIBAG

- * Combined tool and laptop bag made from easy-care Polytex
- * Large padded compartment in the bag centre for safe transport of laptop and accessories
- * The large central compartment is also ideal for documents or files
- * The bag also includes three tool panels
- * The outside tool pouches are zipped to the central laptop bag, allowing them to be detached and used as separate bags
- * Additional front and rear pouches with velcro fasteners for small parts
- * Padded carry handle and shoulder strap for comfortable transport
- * Dimensions: W 500 x H 340 x D 220 mm (empty)

Code
2247690

Art.#
2036.00


2.6



2035.00 TOOLBOX 16"

- * Impact-proof plastic
- * High design for bulky tools
- * Small parts compartments in the lid
- * Interior compartments with handle
- * Hasp for padlock
- * 2 locks
- * Dimensions: W 405 x H 176 x D 174 mm

Code
2681218

Art.#
2035.00


1.0



② Quality Build Storage units



Keep your tools safe and secure. Our heavy duty storage units have been manufactured from powder coated sheet metal and inside the drawers we provide dividers to enable you to organise your tools. carolus tool trolleys are built to last - save money and buy the best.





2060 WORKSHOP TROLLEY

- * In strong, sheet steel construction, torsionally rigid, designed with safety edge folding to take high loadings
- * Worktop in ABS with recesses for small parts
- * Side walls with square perforation for accessories
- * Drawers with telescopic full extension and individual locking device
- * Individual locking device on every drawer prevents them from opening when the trolley is in motion
- * Load capacity 25 kg per drawer, variable partitionable
- * Drawer size inside: H 482 x D 345 mm, front height 3x 75 mm, 3x 150 mm
- * Central locking with cylinder lock, supplied with two keys
- * Two swivel castors Ø 100 mm, one with double wheel locking, two fixed castors Ø 140 mm, laterally protruding, therefore high stability
- * Load capacity 210 kg
- * Dimensions: H 930 x W 720 x D 410 mm (incl. handle), H 930 x W 630 x D 410 mm (without handle)

Code	Art.#	Colour	H	W	D	kg
2266520	2060.1300	red/anthracite	930	630	410	48.0
2266768	2060.2400	blue/light-grey	930	630	410	48.0



2062 TOOL CHEST

- * With 4 drawers, front height 4x 75 mm, with telescopic full extension
- * Load capacity of the drawer 25 kg
- * Individual locking of each drawer over practical single-hand-system
- * Worktop in ABS with recesses for small parts
- * Central locking with cylinder lock and 2 keys
- * Practical carrying handles on either side
- * Side panels with perforation
- * Can be combined with tool trolleys 2060 + 2020.14

Code	Art.#	Colour	H	W	D	kg
2266571	2062.1300	red/anthracite	403	630	410	27.0
2267179	2062.2400	blue/light-grey	403	630	410	27.0

2020.14 TOOL TROLLEY

- * 4 drawers each 75 mm high
- * Large lockable storage area with front shutter
- * Side walls with square perforation for accessories
- * Cranked handle
- * Maximal loading per drawer: 20 kg
- * Total loading capacity: 180 kg
- * Drawer size: 482 x 345 mm
- * Dimensions: H 930 x W 630 x D 410 mm
- * Colour RAL 3002



Code
1928767

Art.#
2020.14

H
930

W
630

D
410


42.0



2020.140X TOOL TROLLEY WITH ASSORTMENT

2020.1401 Tool trolley with assortment, 80 pieces

- * 2020.14 Tool trolley
- * 2020.93 Pliers set in 1/3 module
- * 2020.94 Hammer and chisel set in 1/3 module
- * 2020.95 Screwdriver set in 1/3 module
- * 2020.96 Socket set 1/2" in 1/3 module
- * 2020.97 Ratchet and accessories 1/2" in 1/3 module
- * 2020.710 Combination spanner set and Hexagon socket keys in 2/3 module
- * 2020.721 Screwdriver set in 1/3 module
- * 2020.700 1/3 Tool module empty
- * 9112.00 Utility knife



2020.1402 Tool trolley with assortment, 120 pieces

- * 2020.14 Tool trolley
- * 2020.85 Socket set 1/4" in 1/3 module
- * 2020.93 Pliers set in 1/3 module
- * 2020.94 Hammer and chisel set in 1/3 module
- * 2020.95 Screwdriver set in 1/3 module
- * 2020.96 Socket set 1/2" in 1/3 module
- * 2020.97 Ratchet and accessories 1/2" in 1/3 module
- * 2020.710 Combination spanner set and Hexagon socket keys in 2/3 module
- * 2020.721 Screwdriver set in 1/3 module
- * 9112.00 Utility knife
- * 9534.03 Tape measure 3 m



2020.1403 Tool trolley with assortment, 160 pieces

- * 2020.14 Tool trolley
- * 2020.85 Socket set 1/4" in 1/3 module
- * 2020.91 Double ended ring spanner set in 1/3 module
- * 2020.93 Pliers set in 1/3 module
- * 2020.94 Hammer and chisel set in 1/3 module
- * 2020.96 Socket set 1/2" in 1/3 module
- * 2020.97 Ratchet and accessories 1/2" in 1/3 module
- * 2020.711 Reversible ratchet wrench set in 2/3 module
- * 2020.720 Screwdriver set in 1/3 module
- * 2020.721 Screwdriver set in 1/3 module
- * 2020.724 Circlip pliers set in 1/3 module
- * 2020.700 1/3 Tool module empty
- * 9112.00 Utility knife
- * 9534.03 Tape measure 3 m
- * 9000.00 Digital measuring calliper
- * 2820.10 Curved jaw locking pliers 10"
- * 9340.00 Half-round file
- * 9010.00 Feeler gauge set
- * 3600.00 (De)magnetizer
- * 3000.01 Bit box 1/4"

Code
2267411
2266776
2266784

Art.#
2020.1401
2020.1402
2020.1403

Description
Tool trolley with assortment, 80 pcs
Tool trolley with assortment, 120 pcs
Tool trolley with assortment, 160 pcs

kg
52.3
53.2
58.0



2067 WORKSHOP TROLLEY

- * In strong, sheet steel construction, torsionally rigid, designed with safety edge folding to take high loadings
- * Rear wall and side walls with square perforation for accessories
- * Impact protection on the rear wall edges
- * With sturdy working surface in ABS, with recesses for small parts
- * Large strong handle with holders for screwdrivers
- * With 6 drawers, with 100 % extension, load capacity 25 kg
- * Drawer size inside: W 570 x D 340 mm, front height 4x 75 mm, 2x 150 mm
- * Drawers with individual locking, and easy to remove, with double locking
- * Individual locking device on every drawer prevents them from opening when the trolley is in motion
- * The drawers close flush with the body
- * Central locking of all drawers using flush-mounted cylinder lock, supplied with 2 keys
- * Four large wheels, Ø 125 mm, two swivel castors with dead stop brake to hold the trolley firmly in place, with solid rubber tyres
- * Load capacity 300 kg
- * Dimensions: H 930 x W 775 x D 470 mm (incl. handle), H 930 x W 700 x D 470 mm (without handle)

Code	Art.#	Colour	H	W	D	
2266431	2067.1300	red/anthracite	930	700	470	64.0

2063 WORKSHOP TABLE TROLLEY

- * With worktop in beech wood, laminated, W 1200 x D 600 x H 25 mm
- * Cupboard element on the left with lockable door and a shelf
- * Cylinder lock with two keys
- * Two shelves on the right in multiplex beech wood
- * 2 swivel castors with brake, 2 fixed castors, Ø 200 mm
- * Load capacity 500 kg



Code	Art.#	Colour	H	W	D	
2267217	2063.3100	red/anthracite	835	1300	600	75.0
2267225	2063.4200	blue/light-grey	835	1300	600	75.0



2065.2090 WASTE BASKET

- * Easy expansion of storage space
- * For all workshop trolleys with perforated panels
- * Can be hooked in or screwed on
- * Colour RAL 7016 Anthracite-grey

Code
2267543

Art.#
2065.2090

H
60

W
210

D
85

 kg
3.5



2065.2080 CAN HOLDER

- * Optimisation of the storage area
- * For all workshop trolleys with perforated panels
- * Can be hooked in or screwed on
- * Colour RAL 7016 Anthracite-grey

Code
2267586

Art.#
2065.2080

H
100

W
300

D
160

 kg
1.0



2065.2050 PAPER ROLL HOLDER

- * For all workshop trolleys with perforated panels
- * Can be hooked in or screwed on
- * Colour RAL 7016 Anthracite-grey
- * For paper rolls up to Ø 300 mm, tube diameter 20 mm

Code
2267551

Art.#
2065.2050

H
300

W
300

D
160

 kg
3.0



2023 WORKBENCH 2 M




- * With worktop in beech wood, laminated, 2000 x 700 x 40 mm
- * Base made from sturdy welded sheet steel
- * A door each on the right and the left hand side
- * In the middle three drawers, roller bearings, front panel height 180 mm, load capacity per drawer approx. 60 kg
- * Central locking with cylinder lock



Code	Art.#	Colour	H	W	D	kg
2267187	2023.3101	red/anthracite	840	2000	700	114.0
2267195	2023.4201	blue/light-grey	840	2000	700	114.0

2023 WORKBENCH 1.5 M



- * With worktop in beech wood, laminated, 1500 x 700 x 40 mm
- * Base made from sturdy welded sheet steel
- * Left hand side with three drawers, roller bearings, front panel height 180 mm, load capacity per drawer approx. 60 kg
- * Right hand side with a door
- * Central locking with cylinder lock



Code	Art.#	Colour	H	W	D	kg
2266644	2023.3102	red/anthracite	840	1500	700	87.0
2267209	2023.4202	blue/light-grey	840	1500	700	87.0



2052 LOCKER WITH HINGED DOORS

- * In high-quality sheet steel, welded
- * With reinforced doors and 3-point-safety locking
- * Four height adjustable shelves in zinc-plated sheet steel
- * Load capacity per shelf 50 kg evenly distributed

Code
2267233
2267535

Art.#
2052.3100
2052.3101

Colour
red/anthracite
red/anthracite

H
1900
1900

W
950
950

D
500
400

 kg
83.0
70.0



2053 CLOTHES LOCKER

- * In high-quality sheet steel, spot welded
- * With base, two compartments, compartment width 300 mm
- * Doors separately lockable with latch for padlock
- * Compartments with hat shelf, clothes rail, three sliding clothes hooks, towel holder
- * Colour RAL 7035 (Light-grey)

Code
2267268


Art.#
2053.4400

H
1850

W
600

D
500

 kg
43.0



2058 TOOL CABINET

- * In sturdy sheet steel construction
- * Rear wall with square perforation, 10x38 mm, without hook assortment
- * Two doors, individual lockable with cylinder lock
- * Two compartments, each with a height-adjustable shelf




Code	Art.#	Colour	H	W	D	
2266695	2058.3100	red/anthracite	750	1000	200	26.0
2267276	2058.4200	blue/light-grey	750	1000	200	26.0




2071 PANEL WITH SQUARE PERFORATION

- * Sturdy design in 1.25 mm high-quality sheet steel
- * With welded-on reinforcements, edges rounded off on all sides
- * With symmetrical perforation, perforation squares 10x10 mm, distance centre-to-centre 38 mm



Code	Art.#	Colour	H	W	
2266725	2071.3001	anthracite	988	494	4.0
2266741	2071.3002	anthracite	1482	494	6.0
2267284	2071.4001	light-grey	988	494	4.0
2267292	2071.4002	light-grey	1482	494	6.0

2082.8901 HOOK ASSORTMENTS 25 PIECES



Contents:

- * 5x Tool hook straight
- * 20x Tool hook angled

Code
2271060

Art.#
2082.8901

 0.8



2082.8902 HOOK ASSORTMENTS 44 PIECES


Contents:

- * 10x Tool hook straight
- * 30x Tool hook angled
- * 2x Tool clip
- * 1x Screwdriver holder
- * 1x Spanner holder

Code
2271079

Art.#
2082.8902

 2.0



2082.8903 HOOK ASSORTMENTS 49 PIECES

Contents:

- * 10x Tool hook straight
- * 30x Tool hook angled
- * 5x Tool clip
- * 1x Screwdriver holder
- * 1x Spanner holder
- * 1x Machine holder
- * 1x Cable holder

Code
2271087

Art.#
2082.8903

 2.3



TOOL MODULES



2020.91 DOUBLE ENDED RING SPANNER SET IN 1/3 MODULE

Contents:

- * Double ended ring spanners 6x7 8x9 10x11 12x13 14x15 16x17 18x19 20x22 mm

Code
1928996

Art.#
2020.91


1490



2020.92 DOUBLE OPEN ENDED SPANNER SET IN 1/3 MODULE

Contents:

- * Double open ended spanner 6x7 8x9 10x11 12x13 14x15 16x17 18x19 20x22 mm

Code
1929003

Art.#
2020.92


970



2020.710 COMBINATION SPANNER SET AND HEXAGON SOCKET KEYS IN 2/3 MODULE

Contents:

- * Combination spanners 6 7 8 9 10 11 12 13 14 15 16 17 18 19 21 22 24 mm
- * Hexagon socket keys INBUS® 2 2.5 3 4 5 6 8 10 mm

Code
2266911

Art.#
2020.710


2232



2020.711 REVERSIBLE RATCHET WRENCH SET IN 2/3 MODULE

Contents:

- * Reversible ratchet wrench 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 mm
- * Hexagon socket keys INBUS® 2 2.5 3 4 5 6 8 10 mm

Code
2266938

Art.#
2020.711


3297





2020.709 RATCHET WRENCH SET IN 1/3 MODULE

Contents:

* Ratchet wrench 8 10 12 13 14 15 16
17 19 mm



Code
2656442

Art.#
2020.709


1479



2020.712 RATCHET WRENCH SET IN 1/3 MODULE

Contents:

* Ratchet wrench 8 10 12 13 14 15 16
17 18 19 mm



Code
2266946

Art.#
2020.712


1680



2020.714 FLEXIBLE COMBINATION RATCHET WRENCH SET IN 1/3 MODULE

Contents:


* Flexible combination ratchet wrench 8 10 12 13
14 15 16 17 18 19 mm



Code
2266970

Art.#
2020.714


1960



2020.715 DOUBLE BOX RATCHET WRENCH IN 1/3 MODULE

Contents:

* Double box ratchet wrench 8x9 8x10 10x11
12x13 14x15 16x18 17x19 mm



Code
2266989

Art.#
2020.715


1000



2020.85 SOCKET SET 1/4" IN 1/3 MODULE



Contents:

- * Ratchet 1/4"
- * Sockets 1/4" hexagon 4 4.5 5 5.5 6 7 8 9 10 11 12 13 mm
- * Screwdriver bit sockets 1/4"
- * TORX® with hole TXB10 TXB15 TXB20 TXB25 TXB27 TXB30 TXB40
- * INBUS® 3 4 5 6 8 10 mm
- * Slotted 5.5 6.5 mm
- * Cross-slotted PH 1 2 3
- * Cross-slotted PZ 1 2
- * Extension 1/4" 100 mm long
- * Universal joint 1/4"
- * Tommy bar with sliding T 1/4"
- * Handle Minimus®
- * Hexagonal shaft with 1/4" drive for fittings

Code
1986732

Art.#
2020.85


870

2020.716 SOCKET SET 1/4" IN 1/3 MODULE



Contents:

- * Ratchet 1/4"
- * Sockets 1/4" SPLINE 4 5 5.5 6 7 8 9 10 11 12 13 14 mm
- * Screwdriver bit sockets 1/4"
- * TORX® T10 T15 T20 T25 T27 T30 T40
- * Slotted 5.5 6.5 mm
- * Cross-slotted PZ 1 2
- * Cross-slotted PH 1 2 3
- * INBUS® 3 4 5 6 8 10 mm
- * Extension 1/4" 100 mm long
- * Universal joint 1/4"
- * Tommy bar with sliding T 1/4"
- * Handle Minimus®
- * Hexagonal shaft with 1/4" drive for fittings

Code
2266997

Art.#
2020.716


650

2020.97 RATCHET AND ACCESSORIES 1/2" IN 1/3 MODULE



Contents:

- * Ratchet 1/2"
- * Tommy bar with sliding T 1/2"
- * Universal joint 1/2"
- * Extensions 1/2" 125 and 250 mm

Code
1929062

Art.#
2020.97


1880



2020.96 SOCKET SET 1/2" IN 1/3 MODULE

Contents:

- * Sockets 1/2" hexagon 10 11 12 13 14 15 16 17 18 19 21 22 23 24 26 27 28 30 32 mm
- * Screwdriver bit socket 1/2" INBUS® 6 7 8 9 10 12 14 mm

Code
1929054

Art.#
2020.96


1700



2020.717 SOCKET SET 1/2" IN 1/3 MODULE

Contents:

- * Sockets 1/2" bi-hexagon 8 9 10 11 12 13 14 15 16 17 18 19 21 22 23 24 27 30 32 mm
- * Screwdriver bit socket 1/2" INBUS® 6 7 8 9 10 12 14 mm

Code
2267004

Art.#
2020.717


2300



2020.718 SCREWDRIVER BIT SOCKET SET 1/2" IN 1/3 MODULE

Contents:

- * Screwdriver bit socket 1/2" INBUS®
- * 60 mm long: 5 6 7 8 9 10 12 14 17 mm
- * 80 mm long: 5 6 8 mm
- * 140 mm long: 10 12 14 mm

Code
2267020

Art.#
2020.718


2124



2020.719 SCREWDRIVER BIT SOCKET SET 1/2" IN 1/3 MODULE

Contents:

- * Sockets 1/2" 10 11 12 13 14 15 16 17 19 21 22 24 mm
- * Safety rings and pins (10 each)



Code
2267039

Art.#
2020.719


2840



2020.95 SCREWDRIVER SET IN 1/3 MODULE

Contents:

- * Screwdrivers
- * Slotted 4 5.5 6.5 8 mm
- * Cross-slotted PH 1 2

Code
1929046

Art.#
2020.95


670



2020.720 SCREWDRIVER SET IN 1/3 MODULE

Contents:

- * Screwdrivers
- * Slotted 4 5.5 6.5 8 mm
- * Cross-slotted PZ 1 2

Code
2267047

Art.#
2020.720


820



2020.721 SCREWDRIVER SET IN 1/3 MODULE

Contents:

- * Screwdriver TORX® T10 T15 T20 T25 T30 T40

Code
2267101

Art.#
2020.721


680



2020.723 VDE SCREWDRIVER SET IN 1/3 MODULE

Contents:

- * VDE Screwdriver
- * Slotted 2.5 3 4 5.5 mm
- * Cross-slotted PH 1 2

Code
2267144

Art.#
2020.723


680



2020.724 CIRCLIP PLIERS SET IN 1/3 MODULE

Contents:

- * Circlip pliers for external retaining rings, straight 19-60 mm
- * Circlip pliers for external retaining rings, angled 19-60 mm
- * Circlip pliers for internal retaining rings, straight 19-60 mm
- * Circlip pliers for internal retaining rings, angled 19-60 mm

Code
2267152

Art.#
2020.724


1136



2020.93 PLIERS SET IN 1/3 MODULE

Contents:

- * Water pump pliers 10", 245 mm
- * Combination plier 180 mm
- * Telephone plier 160 mm
- * Side cutter 160 mm

Code
1929011

Art.#
2020.93


1100



2020.94 HAMMER AND CHISEL SET IN 1/3 MODULE


Contents:

- * Engineers' hammer 300 g
- * Flat cold chisel 125 mm 150 mm
- * Cross-cut chisel 125 mm
- * Drift punch 3 mm
- * Centre punch 4 mm
- * Pin punch 4 mm

Code
1929038

Art.#
2020.94


1075




3 Tools Which Perform



Our extensive spanner range offers affordable quality and a vast selection.

Whatever the size you need, carolus wrenches are forged from high-quality steel and manufactured to perfection - for optimum grip in every situation.





1700 RATCHET WRENCH

- * Straight pattern
- * Chrome-vanadium steel
- * Chrome-plated
- * Jaw set at 15°
- * Ratchet mechanism with 72 teeth
- * Smallest return angle



Code	Art.#	mm	mm
2246724	1700.08	8	134.4
2246732	1700.09	9	158.5
2246740	1700.10	10	158.5
2246759	1700.11	11	164.6
2246767	1700.12	12	167.7
2246775	1700.13	13	177.4
2246783	1700.14	14	189.5
2246791	1700.15	15	198.4
2246805	1700.16	16	205.4
2246813	1700.17	17	224.4
2246821	1700.18	18	235.4
2246848	1700.19	19	246.4
2246856	1700.20	20	280.0
2246864	1700.21	21	280.0
2246872	1700.22	22	280.0
2246880	1700.24	24	310.0
2246899	1700.27	27	330.0
2246902	1700.30	30	425.0
2255758	1700.32	32	425.0
2246910	1700.34	34	460.0
2246929	1700.36	36	490.0



Sets

1700 RATCHET WRENCH SETS

- * Straight pattern
- * Chrome-vanadium steel
- * Chrome-plated
- * Jaw set at 15°
- * Ratchet mechanism with 72 teeth
- * Smallest return angle

Code	Art.#	Contents	g
2246937	1700.005	8 10 13 17 19	699
2246945	1700.012	8 9 10 11 12 13 14 15 16 17 18 19	1569



1710 REVERSIBLE RATCHET WRENCH

- * Ring offset to 15°, reversible for right and left hand operation
- * Chrome-vanadium steel
- * Chrome-plated
- * Jaw set at 15°
- * Ratchet mechanism with 72 teeth
- * Smallest return angle




Code	Art.#	mm	mm
2246953	1710.08	8	134.0
2246961	1710.09	9	158.0
2246988	1710.10	10	158.0
2246996	1710.11	11	164.0
2247003	1710.12	12	167.0
2247011	1710.13	13	177.0
2247038	1710.14	14	189.4
2247046	1710.15	15	198.0
2247054	1710.16	16	204.0
2247062	1710.17	17	224.0
2247070	1710.18	18	245.0
2247089	1710.19	19	245.0
2247097	1710.20	20	280.0
2247100	1710.21	21	280.0
2247119	1710.22	22	280.0
2247127	1710.24	24	310.0
2247135	1710.27	27	330.0
2247143	1710.30	30	425.0
2255766	1710.32	32	425.0
2247151	1710.34	34	460.0
2247178	1710.36	36	480.0

1710 REVERSIBLE RATCHET WRENCH SETS



Sets

Code	Art.#	Contents	
2247186	1710.005	8 10 13 17 19	688
2247194	1710.012	8 9 10 11 12 13 14 15 16 17 18 19	1576



1507.00 RATCHET WRENCH SET 12 PIECES



Code
1597175

Art.#
1507.00

2322

- * Sheet metal case, 325 x 180 x 45 mm
- * With lever ratchet, head offset to 15°

Contents:

- * Ratchet wrenches 8 10 12 13 15 17 19 mm

Adaptor square

- * 1/4" x 10 mm
- * 3/8" x 15 mm
- * 1/2" x 19 mm

Bit-Adaptor hexagon

- * 1/4" x 8 mm
- * 5/16" x 13 mm

1512.00 RATCHET WRENCH SET 17 PIECES



Code
1597167

Art.#
1512.00

2926

- * Sheet metal case, 325 x 180 x 45 mm
- * With lever ratchet, head offset to 15°

Contents:

- * Ratchet wrenches 8 9 10 11 12 13 14 15 16 17 18 19 mm

Adaptor square

- * 1/4" x 10 mm
- * 3/8" x 15 mm
- * 1/2" x 19 mm

Bit-Adaptor hexagon

- * 1/4" x 8 mm
- * 5/16" x 13 mm



1720 FLEXIBLE COMBINATION RATCHET WRENCH

- * With 180° swivel head
- * Chrome-vanadium steel
- * Chrome-plated
- * Jaw set at 15°
- * Ratchet mechanism with 72 teeth
- * Smallest return angle



Code	Art.#	mm	mm	g
2247208	1720.08	8	136	50
2247216	1720.09	9	158	80
2247224	1720.10	10	158	80
2247232	1720.11	11	175	105
2247240	1720.12	12	175	100
2247259	1720.13	13	185	120
2247267	1720.14	14	193	140
2247275	1720.15	15	213	212
2247283	1720.16	16	213	210
2247291	1720.17	17	231	330
2247305	1720.18	18	249	296
2247313	1720.19	19	249	289
2247321	1720.20	20	280	480
2247348	1720.21	21	280	470
2247356	1720.22	22	280	470
2247364	1720.24	24	310	560

1720 FLEXIBLE COMBINATION RATCHET WRENCH SETS



- * With 180° swivel head
- * Chrome-vanadium steel
- * Chrome-plated
- * Jaw set at 15°
- * Ratchet mechanism with 72 teeth
- * Smallest return angle



Sets

Code	Art.#	Contents	g
2247372	1720.008	8 9 10 11 13 14 17 19	1158
2247380	1720.016	8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 24	4108


1730 DOUBLE BOX RATCHET WRENCH



- * Straight pattern
- * Chrome-vanadium steel
- * Chrome-plated
- * Ratchet mechanism with 72 teeth
- * Smallest return angle



Code	Art.#	mm	mm
2247399	1730.0809	8 x 9	130.4
2247402	1730.0810	8 x 10	130.4
2247410	1730.1011	10 x 11	144.4
2247429	1730.1213	12 x 13	166.0
2247437	1730.1415	14 x 15	181.4
2247445	1730.1618	16 x 18	205.9
2247453	1730.1719	17 x 19	224.4



Sets

1730 DOUBLE BOX RATCHET WRENCH SET 6 PIECES

- * Straight pattern
- * Chrome-vanadium steel
- * Chrome-plated
- * Ratchet mechanism with 72 teeth
- * Smallest return angle

Code
2247461

Art.#
1730.006

Contents
8x9 10x11 12x13 14x15 16x18 17x19

865



1740 DOUBLE BOX RATCHET WRENCH 4IN1

- * The four most common sizes in one tool:
10, 13, 17, 19 mm
- * Reversible
- * Straight pattern

Code
2263181

Art.#
1740.00

210



1520.00 RATCHET WRENCH SET 19 PIECES

- * Straight pattern with continuous inserts
- * Inserts engage securely in ring socket
- * Chrome-vanadium steel
- * Chrome-plated
- * Ratchet mechanism with 72 teeth
- * Return angle 5°
- * In red anodised aluminium case with foam insert

Contents:

- * 1x Ratchet wrench 14x19 mm, with holding spring
- * 9x Insert hexagon 8 9 10 11 12 13 15 16 17 mm
- * 9x Insert TORX® E8 E10 E11 E12 E14 E16 E18 E20 E22

Code
1892266

Art.#
1520.00

664



DOUBLE ENDED RING SPANNERS

01 DOUBLE ENDED RING SPANNERS

- * According to DIN 838, ISO 3318, ISO 1085, ISO 10104
- * Rings offset
- * Chrome-vanadium, chrome-plated



Code	Art.#	mm	mm	
1655574	0106.07	6 x 7	170	82
1655582	0108.09	8 x 9	182	65
1846469	0108.10	8 x 10	182	70
1655590	0110.11	10 x 11	195	95
1655604	0110.13	10 x 13	212	100
1655612	0112.13	12 x 13	212	110
1655620	0113.15	13 x 15	225	155
1655639	0113.17	13 x 17	245	170
1655647	0114.15	14 x 15	225	155
1655655	0116.17	16 x 17	245	210
1655663	0117.19	17 x 19	265	430
1655671	0118.19	18 x 19	265	260
1655698	0119.22	19 x 22	287	325
1655701	0120.22	20 x 22	287	325
1655728	0121.23	21 x 23	305	635
1655736	0122.24	22 x 24	307	410
1655752	0124.26	24 x 26	325	475
1655760	0124.27	24 x 27	325	475
1846485	0124.30	24 x 30	345	600
1655779	0125.28	25 x 28	345	580
1846493	0127.30	27 x 30	345	600
1655795	0127.32	27 x 32	370	680
1655817	0130.32	30 x 32	370	680
1846507	0132.36	32 x 36	400	880
1655825	0136.41	36 x 41	440	1210


0100 DOUBLE ENDED RING SPANNER SETS

- * According to DIN 838, ISO 3318, ISO 1085, ISO 10104
- * Rings offset
- * Chrome-vanadium, chrome-plated



Sets

Code	Art.#	Contents	
1693948	0100.08	6x7 8x9 10x11 12x13 14x15 16x17 18x19 20x22	1400
1693980	0100.100	6x7 8x9 10x11 12x13 14x15 16x17 18x19 20x22 24x27 30x32	2750
1694006	0100.120	6x7 8x9 10x11 12x13 14x15 16x17 18x19 20x22 21x23 24x27 25x28 30x32	3550


05 DOUBLE OPEN ENDED SPANNERS

- * According to DIN 3110, ISO 3318, ISO 1085, ISO 10102
- * Chrome-vanadium, chrome-plated



Code	Art.#	mm	mm	g
1655833	0506.07	6 x 7	122	25
1655841	0508.09	8 x 9	140	40
1846515	0508.10	8 x 10	140	40
1655868	0510.11	10 x 11	157	40
1655876	0510.13	10 x 13	172	60
1655884	0512.13	12 x 13	172	55
1846523	0512.14	12 x 14	172	75
1846531	0513.14	13 x 14	178	80
1655892	0513.15	13 x 15	188	70
1655906	0513.17	13 x 17	205	100
1655914	0514.15	14 x 15	188	100
1655930	0516.17	16 x 17	205	110
1655949	0517.19	17 x 19	222	155
1655957	0518.19	18 x 19	222	155
1655965	0519.22	19 x 22	236	210
1655973	0520.22	20 x 22	236	210
1655981	0521.23	21 x 23	247	240
1656015	0522.24	22 x 24	250	240
1656023	0524.26	24 x 26	266	300
1656031	0524.27	24 x 27	266	300
1846566	0524.30	24 x 30	280	395
1656058	0525.28	25 x 28	280	460
1846574	0527.30	27 x 30	302	475
1656066	0527.32	27 x 32	302	460
1656074	0530.32	30 x 32	302	460
1846582	0532.36	32 x 36	328	650
1656104	0536.41	36 x 41	380	830


Sets
0500 DOUBLE OPEN ENDED SPANNER SETS

- * According to DIN 3110, ISO 3318, ISO 1085, ISO 10102
- * Chrome-vanadium, chrome-plated

Code	Art.#	Contents	g
1694324	0500.08	6x7 8x9 10x11 12x13 14x15 16x17 18x19 20x22	700
1694359	0500.100	6x7 8x9 10x11 12x13 14x15 16x17 18x19 20x22 24x27 30x32	1800
1694375	0500.120	6x7 8x9 10x11 12x13 14x15 16x17 18x19 20x22 21x23 24x27 25x28 30x32	2150

COMBINATION SPANNERS

09 COMBINATION SPANNERS

- * According to DIN 3113, Form A, ISO 3318, ISO 7738
- * Ring offset to 15°
- * Chrome-vanadium, chrome-plated



Code	Art.#	mm	mm	
1655302	0900.06	6	100	16
1655329	0900.07	7	110	21
1655337	0900.08	8	120	25
1655345	0900.09	9	130	31
1655353	0900.10	10	140	35
1655361	0900.11	11	150	35
1655388	0900.12	12	160	50
1655396	0900.13	13	170	65
1655418	0900.14	14	180	75
1655426	0900.15	15	190	90
1655434	0900.16	16	200	105
1655442	0900.17	17	210	120
1655450	0900.18	18	220	155
1655469	0900.19	19	230	170
1655477	0900.20	20	240	200
1655485	0900.21	21	262	210
1655493	0900.22	22	262	220
1655507	0900.24	24	282	300
1655515	0900.27	27	310	400
1655531	0900.30	30	340	500
1655558	0900.32	32	370	700
1655566	0900.34	34	420	950

0900 COMBINATION SPANNER SETS

- * According to DIN 3113, Form A, ISO 3318, ISO 7738
- * Ring offset to 15°
- * Chrome-vanadium, chrome-plated



Sets




Code	Art.#	Contents	
1694634	0900.080	8 9 10 11 13 14 17 19	600
1694669	0900.100	8 10 11 12 13 14 15 17 19 22	850
1694707	0900.122	10 11 12 13 14 17 19 22 24 27 30 32	2500
1813552	0900.210	6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 24 27 30 32	3325



0300 ADJUSTABLE WRENCH OPEN END

- * Jaw set at 15°
- * Polished head with lasered scale
- * High torque
- * Hardened approx. 50 HRC
- * Chrome-vanadium steel
- * Chrome-plated

Code	Art.#	l mm	mm	g
2246422	0300.06	155	20	140
2246457	0300.08	205	25	250
2246465	0300.10	255	30	420
2246473	0300.12	305	36	700



0400 4-WAY WHEEL WRENCH FOR CARS

- * For car wheel nuts in metric and inch sizes
- * With a protective central reinforcement
- * Chrome-vanadium steel

Code	Art.#	mm / "AF	g
1683233	0400.00	17x19 (3/4")x21x11/16"	1250



0450 STRAP WRENCH

- * With strong, non-slip fabric strap
- * Chrome-vanadium steel 31CrV3, chrome-plated

Code	Art.#	Description	l mm	mm	g
1680862	0450.00	Strap wrench 215 mm	570	140	220
1782312	0450.01	Spare strap			80



203X.00 TOOL WALLET FOR SPANNERS

- * Water-repellent surface
- * Stable lock with adjustable strap
- * With flexible straps inside
- * For tools up to 240 mm in length
- * With 8 resp. 12 compartments standard and 1 compartment for small parts
- * Without wrenches



Code	Art.#	Description	g
2486814	2037.00	Tool wallet for 8 spanners	160
2486822	2038.00	Tool wallet for 12 spanners	220



4 Wide Range



From small to large tasks, you will find the right ratchet in our range. We deliver everything from single socket to complete socket set in the ranges of 1/4", 3/8", 1/2" and 3/4" of course with the well known carolus value you expect.

RATCHETS 1/4"

7225.00 READYFLEX® 1/4"



- * With lever ratchet
- * Reversible and vertically lockable in 7 positions
- * For use in barely-accessible places
- * Joint lock protects the hand
- * For sockets, accessories etc. with square drive as per DIN 3120 - C 6.3, ISO 1174, with ball retention groove

Code
1519654

Art.#
7225.00

■ "
1/4

↳ mm ↳
140

⚖
130

7290.30 READYFLEX® 1/4"



- * With dial change
- * Fine toothed (72 teeth) with 5° return angle
- * Reversible and vertically lockable in 7 positions
- * For use in barely-accessible places
- * Joint lock protects the hand

Code
1519778

Art.#
7290.30

■ "
1/4

↳ mm ↳
135

⚖
134

4190.50 REVERSIBLE RATCHET 1/4", SLIM SIXTY



- * 60 teeth
- * Lever change
- * The narrow, not very high head and the toothing allow you to work in difficult positions
- * The closed gearbox cover prevents the contamination of the mechanical components and ensures a long service life

Code
2264951

Art.#
4190.50

■ "
1/4

↳ mm ↳
135

⚖
890

4177.20 REVERSIBLE RATCHET 1/4"



- * With lever change
- * Sturdy design
- * Oval head
- * Dual-material handle, for easy handling
- * For sockets, accessories etc. with square drive as per DIN 3120 - C 6.3, ISO 1174, with ball retention groove

Code
1515314

Art.#
4177.20

■ "
1/4

↳ mm ↳
120

⚖
90



Code
1519379

Art.#
7190.30

■ "
1/4

◀ mm ▶
120

⚖
100

7190.30 REVERSIBLE RATCHET 1/4"

- * With dial change
- * Fine toothed (72 teeth) with 5° return angle
- * Dual-material handle, for easy handling



Code
1519662

Art.#
7226.00

◻ "
1/4

◀ mm ▶
140

⚖
130

7226.00 READYFLEX® BIT RATCHET 1/4"

- * With lever ratchet
- * Reversible and vertically lockable in 7 positions
- * With female hexagon drive for bits
- * For use in barely-accessible places
- * Joint lock protects the hand



Code
1515438

Art.#
4177.26

◻ "
1/4

◀ mm ▶
120

⚖
88

4177.26 BIT RATCHET 1/4"

- * With lever change
- * Oval head
- * With female hexagon drive for bits
- * Low space requirements when tightening
- * Dual-material handle, for easy handling


4177 SOCKET 1/4" HEXAGON

* Square drive as per DIN 3120 - C 6.3, ISO 1174, with ball retention groove



1/4"



Code	Art.#	□ "	⌀ mm	↳ mm ↳	⌀ mm	⚖
1515187	4177.04	1/4	4.0	25	12	12
1515446	4177.45	1/4	4.5	25	12	13
1515195	4177.05	1/4	5.0	25	12	13
1515454	4177.55	1/4	5.5	25	12	13
1515209	4177.06	1/4	6.0	25	12	14
1515217	4177.07	1/4	7.0	25	12	14
1515225	4177.08	1/4	8.0	25	11	14
1515233	4177.09	1/4	9.0	25	12	15
1515241	4177.10	1/4	10.0	25	12	17
1515276	4177.11	1/4	11.0	25	13	22
1515284	4177.12	1/4	12.0	25	13	23
1515292	4177.13	1/4	13.0	25	13	25
1515306	4177.14	1/4	14.0	25	13	23

4176 SOCKET 1/4" HEXAGON, LONG PATTERN

* Square drive as per DIN 3120 - C 6.3, ISO 1174, with ball retention groove



1/4"



Code	Art.#	□ "	⌀ mm	↳ mm ↳	⌀ mm	⚖
1515039	4176.04	1/4	4.0	50	12	28
1515160	4176.45	1/4	4.5	50	12	26
1515055	4176.05	1/4	5.0	50	12	30
1515179	4176.55	1/4	5.5	50	12	30
1515063	4176.06	1/4	6.0	50	12	29
1515071	4176.07	1/4	7.0	50	12	25
1515098	4176.08	1/4	8.0	50	12	24
1515101	4176.09	1/4	9.0	50	12	32
1515128	4176.10	1/4	10.0	50	12	39
1515136	4176.11	1/4	11.0	50	13	50
1515144	4176.12	1/4	12.0	50	13	55
1515152	4176.13	1/4	13.0	50	13	55

4180 SOCKET 1/4" SPLINE

* Square drive as per DIN 3120 - C 6.3, ISO 1174, with ball retention groove

* Multiprofile



1/4"



Code	Art.#	□ "	⌀ mm	⌀ "AF	⚙	XZN
2252090	4180.040	1/4	4.0	5/32	E5	
2252104	4180.045	1/4	4.5		E6	
2252112	4180.050	1/4	5.0	3/16		
2252120	4180.055	1/4	5.5			
2252139	4180.060	1/4	6.0		E8	
2252155	4180.070	1/4	7.0	9/32		
2252163	4180.080	1/4	8.0	5/16	E10	
2252171	4180.090	1/4	9.0	11/32	E11	
2252201	4180.100	1/4	10.0	3/8	E12	10
2252228	4180.110	1/4	11.0	7/16	E14	11
2252236	4180.120	1/4	12.0	15/32	E16	12
2252244	4180.130	1/4	13.0	1/2		
2252252	4180.140	1/4	14.0	9/16	E18	14



4174 SOCKET 1/4" PROTRUDING TORX®

* Square drive as per DIN 3120 - C 6.3, ISO 1174, with ball retention groove



Code	Art.#	□ "	⊗	↳ mm ↳	Ø mm	⚖
1514784	4174.05	1/4	E5	25	12	13
1514792	4174.06	1/4	E6	25	12	14
1514806	4174.07	1/4	E7	25	12	14
1514814	4174.08	1/4	E8	25	12	15
1514822	4174.10	1/4	E10	25	12	15

4171 SCREWDRIVER BIT SOCKET 1/4" TORX®

* Square drive as per DIN 3120 - C 6.3, ISO 1174, with ball retention groove



Code	Art.#	□ "	⊗	↳ mm ↳	⚖
2252287	4171.10	1/4	T10	26	10
2252295	4171.15	1/4	T15	26	10
2252309	4171.20	1/4	T20	26	10
2252317	4171.25	1/4	T25	26	10
2252325	4171.27	1/4	T27	26	10
2252333	4171.30	1/4	T30	26	10
2252341	4171.40	1/4	T40	26	10

4173 SCREWDRIVER BIT SOCKET 1/4" TORX® WITH HOLE

* Square drive as per DIN 3120 - C 6.3, ISO 1174, with ball retention groove



Code	Art.#	□ "	⊗	↳ mm ↳	⚖
2252260	4173.08	1/4	TXB8	26	10
2252279	4173.09	1/4	TXB9	26	10
1514709	4173.10	1/4	TXB10	26	11
1514717	4173.15	1/4	TXB15	26	12
1514725	4173.20	1/4	TXB20	26	12
1514733	4173.25	1/4	TXB25	26	13
1514741	4173.27	1/4	TXB27	26	13
1514768	4173.30	1/4	TXB30	26	13
1514776	4173.40	1/4	TXB40	26	13



4178 SCREWDRIVER BIT SOCKET 1/4" INBUS®

* Square drive as per DIN 3120 - C 6.3, ISO 1174, with ball retention groove

Code	Art.#	□ "	mm	mm	g
1515470	4178.03	1/4	3	26	13
1515489	4178.04	1/4	4	26	13
1515497	4178.05	1/4	5	26	14
1515500	4178.06	1/4	6	26	15
1515519	4178.08	1/4	8	26	16
1515535	4178.10	1/4	10	26	19



4179 SCREWDRIVER BIT SOCKET 1/4" SLOTTED

* Square drive as per DIN 3120 - C 6.3, ISO 1174, with ball retention groove

Code	Art.#	□ "	mm	mm	g
1515632	4179.04	1/4	4.0	26	13
1515667	4179.55	1/4	5.5	26	14
1515713	4179.65	1/4	6.5	26	14



4179 SCREWDRIVER BIT SOCKET 1/4" PH

* Square drive as per DIN 3120 - C 6.3, ISO 1174, with ball retention groove

Code	Art.#	□ "	PH	mm	g
1515756	4179.10	1/4	0	26	13
1515764	4179.20	1/4	1	26	13
1515772	4179.30	1/4	2	26	13
1515780	4179.40	1/4	3	26	13



4172 SCREWDRIVER BIT SOCKET 1/4" PZ

* Square drive as per DIN 3120 - C 6.3, ISO 1174, with ball retention groove

Code	Art.#	□ "	PZ	mm	g
1514660	4172.00	1/4	0	26	13
1514679	4172.10	1/4	1	26	13
1514687	4172.20	1/4	2	26	13
1514695	4172.30	1/4	3	26	13



ACCESSORIES 1/4"

4179 EXTENSION 1/4"

* For hand-operated sockets with square drive



Code	Art.#
1515616	4179.50
1515608	4179.00
1515624	4179.15

□ "	■ "	↳ mm	g
1/4	1/4	50	29
1/4	1/4	100	50
1/4	1/4	150	70

4120.00 DRIVING HANDLE 1/4"

- * For hand-operated sockets with square drive
- * With bit adaptor also suitable for 1/4" bits
- * Easy access to deep-fitting screws in confined areas
- * The danger of the tool canting, when carrying out work with extensions, is reduced by the central positioning of the square drive
- * Female square in the handle suitable for use with a ratchet



Code	Art.#
2252430	4120.00

■ "	↳ mm	↳ mm	g
1/4	61	171	120

4125.00 BIT SCREWDRIVER 1/4"

- * 2-component handle
- * Hex recess drive for bits 1/4"
- * With powerful magnetic holder



Code	Art.#
2255928	4125.00

□ "	↳ mm	↳ mm	g
1/4	100	210	110

4179.70 TOMMY BAR WITH SLIDING T 1/4"

- * For hand-operated sockets with square drive, with ball locking device



Code	Art.#
1515799	4179.70

■ "	g
1/4	43



Code
1515802

Art.#
4179.80

1/4"

1/4"

24

4179.80 UNIVERSAL JOINT 1/4"

- * For hand-operated sockets with square drive, with ball locking device



Code
1519220

Art.#
7060.00

1/4"

8.0

6

7060.00 BIT ADAPTOR 1/4" X 8 MM WITH MAGNET

- * Can be used with 8 mm and 5/16"
- * For hand-operated sockets with square drive, with ball locking device



Code
1597132

Art.#
4115.10

1/4"

10.0

10

4115.10 ADAPTOR 1/4" X 10 MM

- * Hexagon drive 10 mm
- * Square drive 1/4"
- * All tools with size 10 mm can be used to drive 1/4" sockets etc.



Code
1519212
1519247

Art.#
7055.00
7075.00

1/4"

1/4"

25
37

7055.00 - 7075.00 ADAPTOR 1/4" WITH MAGNET

- * With hexagon and female hexagon
- * With magnetic holder
- * Chrome-plated, pin gun-metal finish



7070.00 QUICK CHANGE ADAPTOR 1/4" WITH MAGNET

- * Quick-grip system for hex bits
- * The bit release path is away from the bit

Code
1519239

Art.#
7070.00

○ "
1/4

● "
1/4

⚖
31



7080.00 ADAPTOR 1/4"

- * Hexagon drive
- * Square drive
- * Turns a bit-ratchet 1/4" into a ratchet with 1/4" square

Code
1519255

Art.#
7080.00

● "
1/4

■ "
1/4

⚖
10



7080.50 ADAPTOR 1/4"

- * Hexagon drive
- * Can also be used with Minimus® handle

Code
1519263

Art.#
7080.50

● "
1/4

■ "
1/4

⚖
14



4178.60 ADAPTOR 1/4"

- * With female hexagon and female square
- * Suitable for all 1/4" bits

Code
1515551

Art.#
4178.60

○ "
1/4

□ "
1/4

⚖
21



4178.50 MAGNETIC PICK-UP 1/4"

- * With strong magnets suitable for lifting up to 750 g

Code
1515543

Art.#
4178.50

□ "
1/4

⚖
18



4002.42 HANDLE MINIMUS®

- * Multi-functional handle for the reception of tools with 1/4" machine drive suitable for 7080.50, 7070.00, 7055.00 etc.



Code
1513834

Art.#
4002.42

1/4"

50

4002.40 HEXAGONAL SHAFT 1/4"



- * Hexagon drive
- * Square drive
- * Also suitable for battery screwdrivers without impact effect
- * For use with Minimus® handle



Code
1513826

Art.#
4002.40

1/4"

1/4"

88

36

4080.40 MINIMUS® SET ESSENTIAL

Contents:

- * Handle Minimus® 1/4" 4002.42
- * Hexagonal shaft with recessed 1/4" bit drive 4002.40
- * Adaptor 1/4" 7080.50
- * Adapter 1/4" with magnet 7055.00



4002.42



4002.40



7080.50



7055.00



Code
2252422

Art.#
4080.40

1/4"

1/4"

230



RASTOFLEX®TK

* The Rastoflex®tk system is also compatible to any standard 1/4" (SD) tool, e.g. extensions, sockets or universal joints.



21 One handle with at least
different tool combinations.
Also available as set - see page 79

Code
1519395

Art.#
7200.00tk

1/4"

78

7200.00TK RASTOFLEX®TK CONTROL HANDLE 1/4"

- * The Rastoflex®tk system: Only one handle - combinable with all Rastoflex®tk fittings
- * Tried and in Europe patented Rastoflex® system



Code
1519433

Art.#
7200.30

1/4"

1/4"

68

7200.30 RATCHET HEAD 1/4" WITH DIAL CHANGE

- * Rastoflex®tk system
- * Fine toothed (72 teeth)
- * Can be used individually in confined spaces or as ratchet in combination with handle 7200.00tk



Code
1519409

Art.#
7200.25

1/4"

1/4"

64

7200.25 RATCHET HEAD 1/4" WITH LEVER CHANGE

- * Rastoflex®tk system
- * Can be used individually in confined spaces or as ratchet in combination with handle 7200.00tk



Code
1519417

Art.#
7200.26

1/4"

1/4"

66

7200.26 RATCHET HEAD 1/4" WITH RECESSED BIT DRIVE, LEVER CHANGE

- * Rastoflex®tk system
- * Can be used individually in confined spaces or as ratchet in combination with handle 7200.00tk



1/4"

7220 OPEN END FITTINGS 1/4"

- * Rastoflex@tk system
- * For use with handle 7200.00tk, or all tools with 1/4" square (extension etc.)

Code	Art.#	□ "	mm	g
1519557	7220.08	1/4	8	24
1519565	7220.09	1/4	9	22
1519581	7220.10	1/4	10	22
1519603	7220.11	1/4	11	28
1519611	7220.12	1/4	12	30
1519638	7220.13	1/4	13	32



1/4"

7230 RING END FITTINGS 1/4"

- * Rastoflex@tk system
- * For use with handle 7200.00tk, or all tools with 1/4" square (extension etc.)

Code	Art.#	□ "	mm	g
1519670	7230.08	1/4	8	28
1519689	7230.09	1/4	9	28
1519697	7230.10	1/4	10	28
1519700	7230.11	1/4	11	30
1519719	7230.12	1/4	12	30
1519727	7230.13	1/4	13	28



1/4"

7210 RATCHET RING FITTINGS 1/4"

- * Rastoflex@tk system
- * For use with handle 7200.00tk, or all tools with 1/4" square (extension etc.)

Code	Art.#	□ "	mm	g
1519476	7210.08	1/4	8	20
1519484	7210.09	1/4	9	36
1519492	7210.10	1/4	10	34
1519506	7210.11	1/4	11	36
1519514	7210.12	1/4	12	42
1519522	7210.13	1/4	13	42



RATCHETS 3/8"

6225.00 READYFLEX® 3/8"



- * With lever ratchet
- * Reversible and vertically lockable in 7 positions
- * For use in barely-accessible places
- * Joint lock protects the hand
- * For sockets, accessories etc. with square drive as per DIN 3120 - C 10, ISO 1174, with ball retention groove

Code
1696556

Art.#
6225.00

■ "
3/8

l mm r
225

g
440

6290.00 READYFLEX® 3/8"



- * With dial change
- * Fine toothed (72 teeth) with 5° return angle
- * Reversible and vertically lockable in 7 positions
- * For use in barely-accessible places
- * Joint lock protects the hand

Code
1696572

Art.#
6290.00

■ "
3/8

l mm r
225

g
420

6190.50 REVERSIBLE RATCHET 3/8", SLIM SIXTY



- * 60 teeth
- * Lever change
- * The narrow, not very high head and the toothing allow you to work in difficult positions
- * The closed gearbox cover prevents the contamination of the mechanical components and ensures a long service life

Code
2264994

Art.#
6190.50

■ "
3/8

l mm r
195

g
226

6190.20 REVERSIBLE RATCHET 3/8"



- * With lever change
- * Oval head
- * Dual-material handle, for easy handling
- * For sockets, accessories etc. with square drive as per DIN 3120 - C 10, ISO 1174, with ball retention groove

Code
1518038

Art.#
6190.20

■ "
3/8

l mm r
210

g
300

6190.30 REVERSIBLE RATCHET 3/8"



- * With dial change
- * Fine toothed (72 teeth) with 5° return angle
- * Dual-material handle, for easy handling

Code
1518046

Art.#
6190.30

■ "
3/8

l mm r
210

g
230


6100 SOCKET 3/8" HEXAGON

* Square drive as per DIN 3120 - C 10, ISO 1174, with ball retention groove



3/8"



Code	Art.#	□"	mm	mm	d ₁	d ₂	
2252457	6100.06	3/8	6	26	17.0	9.8	21
2252465	6100.07	3/8	7	26	17.0	10.5	22
1517708	6100.08	3/8	8	26	17.0	11.7	23
2252473	6100.09	3/8	9	26	17.0	13.3	24
1517716	6100.10	3/8	10	26	17.0	14.4	26
1517724	6100.11	3/8	11	26	17.0	15.6	26
1517732	6100.12	3/8	12	26	17.0	16.8	27
1517740	6100.13	3/8	13	26	17.0	17.9	30
1517759	6100.14	3/8	14	26	17.0	19.9	28
1517767	6100.15	3/8	15	26	18.0	21.5	43
1517775	6100.16	3/8	16	26	18.0	21.8	39
1517783	6100.17	3/8	17	30	18.4	23.8	50
1517791	6100.18	3/8	18	30	20.5	23.8	55
1517805	6100.19	3/8	19	30	20.5	25.6	60
2252481	6100.20	3/8	20	30	20.5	27.8	64
2252503	6100.21	3/8	21	30	20.5	27.8	66
1517813	6100.22	3/8	22	30	20.5	29.8	66
1517821	6100.24	3/8	24	30	19.9	31.3	70

6180 SOCKET 3/8" SPLINE

* Square drive as per DIN 3120 - C 10, ISO 1174, with ball retention groove

* Multiprofile



3/8"



Code	Art.#	□"	mm	"AF		XZN
2340402	6180.060	3/8	6		E8	
2340437	6180.070	3/8	7	9/32		
2340445	6180.080	3/8	8	5/16	E10	
2340453	6180.090	3/8	9	11/32	E11	
2340461	6180.100	3/8	10	3/8	E12	10
2340488	6180.110	3/8	11	7/16	E14	11
2340496	6180.120	3/8	12	15/32	E16	12
2340518	6180.130	3/8	13	1/2		
2340526	6180.140	3/8	14	9/16	E18	14
2340534	6180.150	3/8	15	19/32		
2340542	6180.160	3/8	16	5/8	E20	16
2340550	6180.170	3/8	17			
2340569	6180.180	3/8	18		E22	18
2340577	6180.190	3/8	19	3/4	E24	
2340585	6180.200	3/8	20	25/32		20
2340593	6180.210	3/8	21	13/16		
2340607	6180.220	3/8	22	7/8		22
2340615	6180.240	3/8	24	15/16		24

6300 SOCKET 3/8" PROTRUDING TORX®

* Square drive as per DIN 3120 - C 10, ISO 1174, with ball retention groove



3/8"



Code	Art.#	□"		mm	mm	
1518178	6300.04	3/8	E4	26	17	23
1518186	6300.05	3/8	E5	26	17	23
1518194	6300.06	3/8	E6	26	17	21
1518208	6300.07	3/8	E7	26	17	24
1518216	6300.08	3/8	E8	26	17	23
1518224	6300.10	3/8	E10	26	17	25
2252511	6300.11	3/8	E11	26	17	25
1518232	6300.12	3/8	E12	26	17	28
1518240	6300.14	3/8	E14	26	17	29
1518259	6300.16	3/8	E16	26	17	30
2252538	6300.18	3/8	E18	26	17	20
2252546	6300.20	3/8	E20	26	17	20



6080 SPARK PLUG SOCKET 3/8" WITH MAGNET

- * Square drive as per DIN 3120 - C 10, ISO 1174, with ball retention groove
- * Size 14 mm bi-hexagonal



Code	Art.#	□ "	○ mm	└─ mm ─┐	Ø mm	⚖
2252562	6080.14	3/8	14.0	70	21	80
1517449	6080.16	3/8	16.0	70	21	90
2252570	6080.18	3/8	18.0	70	25	122
1517457	6080.21	3/8	20.8	70	27	140

ACCESSORIES 3/8"



6150 EXTENSION 3/8"

- * For hand-operated sockets with square drive, with ball locking device



Code	Art.#	□ "	■ "	└─ mm ─┐	⚖
1517902	6150.45	3/8	3/8	45	50
2252589	6150.125	3/8	3/8	125	105
1517899	6150.15	3/8	3/8	150	110
2252597	6150.250	3/8	3/8	250	180



6151 LOCKABLE EXTENSION 3/8"

- * For hand-operated sockets with square drive, with ball locking device
- * Secure hold on the square drive for all tools with retention groove



Code	Art.#	□ "	■ "	└─ mm ─┐	⚖
1850458	6151.15	3/8	3/8	150	152
1850466	6151.25	3/8	3/8	250	244
1850474	6151.30	3/8	3/8	300	291



3/8" 3/8"

Code
1517880

Art.#
6130.00

□ "
3/8

■ "
3/8

⚖
60

6130.00 UNIVERSAL JOINT 3/8"

* For hand-operated sockets with square drive, with ball locking device



3/8" 5/16"

Code
1517406

Art.#
6070.10

□ "
5/16

□ "
3/8

⚖
36

6070.10 ADAPTOR 3/8" X 5/16"

* With female hexagon and female square
* Suitable for all bits and tools with 5/16" male hexagon



3/8" 5/16"

Code
1517392

Art.#
6070.00

■ "
3/8

⬡ "
5/16

⚖
20

6070.00 ADAPTOR 5/16" X 3/8"

* Turns a bit-ratchet 5/16" into a ratchet with 3/8" square



3/8" 1/4"

Code
1517430

Art.#
6070.60

□ "
3/8

□ "
1/4

⚖
32

6070.60 ADAPTOR 3/8" X 1/4"

* With female hexagon and female square
* Suitable for all bits and tools with 1/4" male hexagon



3/8" 15

Code
1597159

Art.#
6015.15

■ "
3/8

⬡ "
15.0

⚖
28

6015.15 ADAPTOR 3/8" X 15 MM

* For hand-operated sockets with square drive, with ball locking device
* Hexagon drive 15 mm
* Square drive 3/8"
* All tools with size 15 mm can be used to drive 3/8" sockets etc.



Code
1517422

Art.#
6070.50

■ "
1/2

● "
5/16

⚖
37

6070.50 ADAPTOR 5/16" X 1/2"

- * For hand-operated sockets with square drive, with ball locking device
- * Turns a bit-ratchet 5/16" into a ratchet with 1/2" square



Code
1597140

Art.#
6015.13

○ "
5/16

●
13.0

⚖
32

6015.13 ADAPTOR 5/16" X 13 MM WITH MAGNET

- * Hexagon drive 13 mm
- * Square drive 5/16"
- * All tools with size 13 mm can be used to drive 5/16" sockets etc.



Code
1517414

Art.#
6070.40

○ "
5/16

● "
5/16

⚖
60

6070.40 ADAPTOR 5/16" WITH MAGNET

- * With magnetic holder



Code
1516655

Art.#
5160.00

□ "
1/2

○ "
5/16

⚖
60

5160.00 ADAPTOR 1/2" X 5/16"

- * With female hexagon and female square
- * Suitable for all bits and tools with 5/16" male hexagon



Code
2681870
2681889
2681897
2681900

Art.#
6435.06
6435.07
6435.08
6435.10

□ "
3/8
3/8
3/8
3/8

● mm
6
7
8
10

◁ mm ▷
52
52
52
52

⚖
41
43
47
57

6435 IMPACT SOCKET 3/8"

- * With square socket as per DIN 3121 - G 10, ISO 1174
- * Suitable for all standard electric and air tools

6400 IMPACT SOCKET 3/8"

- * With square socket as per DIN 3121 - G 10, ISO 1174
- * Suitable for all standard electric and air tools



Code	Art.#	□ "	mm	mm	mm
2681919	6400.006	3/8	6	32	30
2681927	6400.007	3/8	7	32	31
2681935	6400.008	3/8	8	32	32
2681943	6400.009	3/8	9	32	33
2682176	6400.010	3/8	10	32	34
2682184	6400.011	3/8	11	32	36
2682192	6400.012	3/8	12	32	38
2682206	6400.013	3/8	13	32	40
2682214	6400.014	3/8	14	32	51
2682222	6400.015	3/8	15	32	54
2682230	6400.016	3/8	16	32	55
2682249	6400.017	3/8	17	32	55
2682257	6400.018	3/8	18	32	55
2682265	6400.019	3/8	19	32	59

6406 IMPACT SOCKET 3/8" LONG PATTERN

- * With square socket as per DIN 3121 - G 10, ISO 1174
- * Suitable for all standard electric and air tools



Code	Art.#	□ "	mm	mm	mm
2682303	6406.08	3/8	8	63	48
2682311	6406.10	3/8	10	63	58
2682338	6406.11	3/8	11	63	64
2682346	6406.12	3/8	12	63	80
2682354	6406.13	3/8	13	63	85
2682362	6406.14	3/8	14	63	92
2682370	6406.15	3/8	15	63	110
2682389	6406.16	3/8	16	63	108
2682397	6406.17	3/8	17	63	108
2682400	6406.18	3/8	18	63	129
2682419	6406.19	3/8	19	63	138

6450 IMPACT SOCKET EXTENSION 3/8"

- * With square socket as per DIN 3121 - G 10, ISO 1174
- * Suitable for all standard electric and air tools



Code	Art.#	□ "	□ "	mm	mm
2682273	6450.075	3/8	3/8	75	76
2682281	6450.150	3/8	3/8	150	145



RATCHETS 1/2"

5225.00 READYFLEX® 1/2"



- * With lever ratchet
- * Reversible and vertically lockable in 7 positions
- * For use in barely-accessible places
- * Joint lock protects the hand
- * For sockets, accessories etc. with square drive as per DIN 3120 - C 12.5, ISO 1174, with ball retention groove

Code
1696041


Art.#
5225.00

"
1/2

mm
270

g
740

5290.00 READYFLEX® 1/2"



- * With dial change
- * Fine toothed (72 teeth) with 5° return angle
- * Reversible and vertically lockable in 7 positions
- * For use in barely-accessible places
- * Joint lock protects the hand

Code
1696068

Art.#
5290.00

"
1/2

mm
260

g
660

5190.50 REVERSIBLE RATCHET 1/2", SLIM SIXTY



- * 60 teeth
- * Lever change
- * The narrow, not very high head and the toothing allow you to work in difficult positions
- * The closed gearbox cover prevents the contamination of the mechanical components and ensures a long service life

Code
2265001

Art.#
5190.50

"
1/2

mm
250

g
442



5190.20 REVERSIBLE RATCHET 1/2"

- * With lever change
- * Oval head
- * Dual-material handle, for easy handling
- * For sockets, accessories etc. with square drive as per DIN 3120 - C 12.5, ISO 1174, with ball retention groove

1/2"

Code
1516698

Art.#
5190.20

"
1/2

mm
280

g
580



5190.30 REVERSIBLE RATCHET 1/2"

- * With dial change
- * Fine toothed (72 teeth) with 5° return angle
- * Dual-material handle, for easy handling

1/2"



Code
1516701

Art.#
5190.30

"
1/2

mm
280

g
526



5170.00 RATCHET 1/2" WITH SQUARE COUPLER

- * Dual-material handle, for easy handling
- * With square coupler
- * Also suitable for use with stepped keys and radiator nipple keys

1/2"

Code
1920995

Art.#
5170.00

"
1/2

mm
270

g
520



SOCKETS 1/2"

5100 SOCKET 1/2" HEXAGON

* Square drive as per DIN 3120 - C 12.5, ISO 1174, with ball retention groove



Code	Art.#	□ "	⌀ mm	↳ mm ↲	⌀ mm	g
2252759	5100.08	1/2	8	36	22	20
2252767	5100.09	1/2	9	36	22	20
1516329	5100.10	1/2	10	36	22	50
1516345	5100.11	1/2	11	36	22	50
1516353	5100.12	1/2	12	36	22	50
1516388	5100.13	1/2	13	36	22	50
1516418	5100.14	1/2	14	36	22	50
1516426	5100.15	1/2	15	36	22	60
1516434	5100.16	1/2	16	36	22	60
1516442	5100.17	1/2	17	36	22	70
1516450	5100.18	1/2	18	36	24	80
1516469	5100.19	1/2	19	36	24	80
1516477	5100.20	1/2	20	36	24	90
1516485	5100.21	1/2	21	36	26	100
1516493	5100.22	1/2	22	36	27	100
1516507	5100.23	1/2	23	36	27	110
1516515	5100.24	1/2	24	36	28	120
1516523	5100.26	1/2	26	36	28	130
1516531	5100.27	1/2	27	40	30	150
1516558	5100.28	1/2	28	40	30	150
1516566	5100.30	1/2	30	40	32	180
1516574	5100.32	1/2	32	40	34	200
2252775	5100.34	1/2	34	40	36	500

5180 SOCKET 1/2" SPLINE

* Square drive as per DIN 3120 - C 12.5, ISO 1174, with ball retention groove

* Multiprofile



Code	Art.#	□ "	⌀ mm	⌀ "AF	⊕	XZN
2252821	5180.080	1/2	8	5/16	E10	
2252848	5180.090	1/2	9	11/32	E11	
2252856	5180.100	1/2	10	3/8	E12	10
2252864	5180.110	1/2	11	7/16	E14	11
2252880	5180.120	1/2	12	15/32	E16	12
2252899	5180.130	1/2	13	1/2		
2252902	5180.140	1/2	14	9/16	E18	14
2252910	5180.150	1/2	15	19/32		
2340623	5180.160	1/2	16	5/8	E20	16
2252937	5180.170	1/2	17			
2252945	5180.180	1/2	18			
2252953	5180.190	1/2	19	3/4	E22	18
2252961	5180.200	1/2	20	25/32	E24	
2340631	5180.210	1/2	21	13/16		20
2252996	5180.220	1/2	22	7/8		22
2253003	5180.230	1/2	23			
2253011	5180.240	1/2	24	15/16		24
2253038	5180.260	1/2	26			
2253046	5180.270	1/2	27	1.1/16		
2253054	5180.280	1/2	28			
2253062	5180.300	1/2	30	1.1/8		30
2253070	5180.320	1/2	32	1.1/4		32
2253089	5180.340	1/2	34			

5106 SOCKET 1/2" HEXAGON, LONG PATTERN

* Square drive as per DIN 3120 - C 12.5, ISO 1174, with ball retention groove



Code	Art.#	□ "	mm	mm	mm	g
1848690	5106.10	1/2	10	77	22	67
2253097	5106.11	1/2	11	77	22	60
1848704	5106.12	1/2	12	77	22	86
1848712	5106.13	1/2	13	77	22	96
1848720	5106.14	1/2	14	77	22	100
1848739	5106.15	1/2	15	77	22	98
2253100	5106.16	1/2	16	77	22	100
1848747	5106.17	1/2	17	77	22	121
2253119	5106.18	1/2	18	77	22	140
1848755	5106.19	1/2	19	77	22	150
1848763	5106.21	1/2	21	77	26	208
1848771	5106.22	1/2	22	77	26	195
1848798	5106.23	1/2	23	77	26	229
1848801	5106.24	1/2	24	77	26	256
1848828	5106.27	1/2	27	77	28	281
1848836	5106.30	1/2	30	77	28	283
1848844	5106.32	1/2	32	77	28	310
2253127	5106.34	1/2	34	77	28	280

5112 SOCKET 1/2" BI-HEXAGON

* Square drive as per DIN 3120 - C 12.5, ISO 1174, with ball retention groove



Code	Art.#	□ "	mm	mm	mm	g
2252791	5112.08	1/2	8	36	22	40
2252805	5112.09	1/2	9	36	22	60
1850482	5112.10	1/2	10	36	22	42
1850490	5112.11	1/2	11	36	22	42
1854976	5112.12	1/2	12	36	22	44
1850504	5112.13	1/2	13	36	22	46
1850512	5112.14	1/2	14	36	22	50
1850520	5112.15	1/2	15	36	22	50
1850539	5112.16	1/2	16	36	22	45
1850547	5112.17	1/2	17	36	22	59
1850555	5112.18	1/2	18	36	24	75
1850563	5112.19	1/2	19	36	24	71
1850571	5112.20	1/2	20	36	24	75
1850598	5112.21	1/2	21	36	26	88
1850601	5112.22	1/2	22	36	27	91
1850628	5112.23	1/2	23	36	27	91
1850636	5112.24	1/2	24	36	28	100
1850644	5112.26	1/2	26	36	28	113
1850652	5112.27	1/2	27	40	30	141
1850660	5112.28	1/2	28	40	32	144
1850679	5112.30	1/2	30	40	32	162
1850687	5112.32	1/2	32	40	34	179
2252813	5112.34	1/2	34	40	36	260

5300 SOCKET 1/2" PROTRUDING TORX®

* Square drive as per DIN 3120 - C 12.5, ISO 1174, with ball retention groove



Code	Art.#	□ "	mm	mm	mm	g
1849077	5300.10	1/2	E10	38	22	52
1849085	5300.11	1/2	E11	38	22	53
1849093	5300.12	1/2	E12	38	22	53
1849107	5300.14	1/2	E14	38	22	53
1849115	5300.16	1/2	E16	38	22	57
1849123	5300.18	1/2	E18	38	22	54
1849131	5300.20	1/2	E20	38	22	61
1849158	5300.22	1/2	E22	38	22	78
1849166	5300.24	1/2	E24	40	23	94



5135 - 5142 SCREWDRIVER BIT SOCKET 1/2" INBUS®

* Square drive as per DIN 3120 - C 12.5, ISO 1174,
with ball retention groove



Code	Art.#	□ "	mm	mm	g
2253186	5135.04	1/2	4	60	62
1829319	5135.05	1/2	5	60	63
1848887	5136.05	1/2	5	80	72
1849034	5142.05	1/2	5	180	115
1829327	5135.06	1/2	6	60	64
1848909	5136.06	1/2	6	80	72
1848984	5141.06	1/2	6	140	85
1829335	5135.07	1/2	7	60	67
1848976	5138.07	1/2	7	100	84
1829343	5135.08	1/2	8	60	68
1848917	5136.08	1/2	8	80	82
1849689	5139.08	1/2	8	120	94
1829394	5135.09	1/2	9	60	80
1829351	5135.10	1/2	10	60	80
1848992	5141.10	1/2	10	140	133
1829408	5135.11	1/2	11	60	109
1829378	5135.12	1/2	12	60	112
1849018	5141.12	1/2	12	140	189
1829416	5135.14	1/2	14	60	138
1849026	5141.14	1/2	14	140	242
1829424	5135.17	1/2	17	60	171
2253194	5135.19	1/2	19	60	198

5303 SCREWDRIVER BIT SOCKET 1/2" TORX®

* Square drive as per DIN 3120 - C 12.5, ISO 1174,
with ball retention groove



Code	Art.#	□ "	mm	mm	g
2253224	5303.20	1/2	T20	55	60
2253232	5303.25	1/2	T25	55	100
2253240	5303.27	1/2	T27	55	60
1849174	5303.30	1/2	T30	55	63
1849182	5303.40	1/2	T40	55	63
1849190	5303.45	1/2	T45	55	67
1849204	5303.50	1/2	T50	55	67
1849212	5303.55	1/2	T55	55	77
1849220	5303.60	1/2	T60	55	106
1849239	5303.70	1/2	T70	55	129

5180 SPARK PLUG SOCKET 1/2" WITH MAGNET

* With magnet



Code	Art.#	□ "	mm	mm	g
1696025	5180.16	1/2	16.0	70	90
1696033	5180.21	1/2	20.8	70	140



5150 EXTENSION 1/2"

* For hand-operated sockets with square drive, with ball locking device



Code	Art.#	□ "	■ "	↳ mm ↳	⚖ g
1516647	5150.75	1/2	1/2	75	130
1516620	5150.12	1/2	1/2	125	190
1516639	5150.25	1/2	1/2	250	340

5151 LOCKABLE EXTENSION 1/2"

* For hand-operated sockets with square drive, with ball locking device



Code	Art.#	□ "	■ "	↳ mm ↳	⚖ g
1849042	5151.12	1/2	1/2	125	240
1849050	5151.25	1/2	1/2	250	440
1849069	5151.37	1/2	1/2	375	470

5130.00 UNIVERSAL JOINT 1/2"

* For hand-operated sockets with square drive, with ball locking device



Code	Art.#	□ "	■ "	⚖ g
1516604	5130.00	1/2	1/2	140



1/2"

Code
1516612

Art.#
5140.00

1/2"

380

5140.00 TOMMY BAR WITH SLIDING T 1/2"

- * For hand-operated sockets with square drive, with ball locking device



1/2"

5/16"

Code
1516655

Art.#
5160.00

1/2"

5/16"

60

5160.00 ADAPTOR 1/2" X 5/16"

- * With female hexagon and female square
- * Suitable for all bits and tools with 5/16" male hexagon



1/2"

5/16"

Code
1517422

Art.#
6070.50

1/2"

5/16"

37

6070.50 ADAPTOR 5/16" X 1/2"

- * For hand-operated sockets with square drive, with ball locking device
- * Turns a bit-ratchet 5/16" into a ratchet with 1/2" square



1/2"

19

Code
1597124

Art.#
5115.19

1/2"

19.0

52

5115.19 ADAPTOR 1/2" X 19 MM

- * Hexagon drive 19 mm
- * Square drive 1/2"
- * All tools with size 19 mm can be used to drive 1/2" sockets etc.



5575 IMPACT SOCKET 1/2"

- * Square drive as per DIN 3121 - G 12.5, ISO 1174
- * For controlled tightening of wheel nuts on light-alloy rims

Code	Art.#	□ "	mm	mm	g
1854186	5575.15	1/2	15	85	167
1889893	5575.17	1/2	17	85	182
1889907	5575.19	1/2	19	85	222
1889915	5575.21	1/2	21	85	252
2253135	5575.22	1/2	22	85	260

Code	Art.#	Description	mm
1889966	5575.117	Plastic sleeve 17 mm	17
1889974	5575.119	Plastic sleeve 19 mm	19
1889982	5575.121	Plastic sleeve 21 mm	21
2253143	5575.122	Plastic sleeve 22 mm	22



5435 IMPACT SOCKET 1/2"

- * With square socket as per DIN 3121 - G 12.5, ISO 1174
- * Suitable for all standard electric and air tools

Code	Art.#	□ "	mm	mm	g
2682451	5435.10	1/2	10	60	94
2682478	5435.12	1/2	12	60	103
2682486	5435.14	1/2	14	60	115
2682494	5435.17	1/2	17	60	138
2682508	5435.19	1/2	19	60	154



5400 IMPACT SOCKET 1/2"

* Square drive as per DIN 3121 - G 12.5, ISO 1174



Code	Art.#	□ "	⌀ mm	↳ mm ↳	⌀ mm	⚖
1849387	5400.10	1/2	10	38	25	69
1849395	5400.11	1/2	11	38	25	72
1849409	5400.12	1/2	12	38	25	73
1849417	5400.13	1/2	13	38	25	73
1849425	5400.14	1/2	14	38	25	77
1849433	5400.15	1/2	15	38	25	78
1849441	5400.16	1/2	16	38	25	81
1849468	5400.17	1/2	17	38	26	88
1849476	5400.19	1/2	19	38	28	96
1849484	5400.21	1/2	21	38	30	116
1849492	5400.22	1/2	22	43	30	152
1849506	5400.24	1/2	24	43	30	153
1849514	5400.27	1/2	27	45	30	175
1849522	5400.30	1/2	30	48	30	240
1849530	5400.32	1/2	32	48	30	230

5406 IMPACT SOCKET 1/2" LONG PATTERN

* Square drive as per DIN 3121 - G 12.5, ISO 1174



Code	Art.#	□ "	⌀ mm	↳ mm ↳	⌀ mm	⚖
1849549	5406.10	1/2	10	85	25	124
1849557	5406.11	1/2	11	85	25	133
1849565	5406.12	1/2	12	85	25	148
1849573	5406.13	1/2	13	85	25	153
1849581	5406.14	1/2	14	85	25	176
1849603	5406.15	1/2	15	85	25	178
1849611	5406.16	1/2	16	85	25	205
1849638	5406.17	1/2	17	85	26	224
1849646	5406.19	1/2	19	85	28	244
1849654	5406.21	1/2	21	85	30	269
1849662	5406.22	1/2	22	85	30	331
1849670	5406.24	1/2	24	85	30	352

5430 IMPACT SOCKET 1/2" PROTRUDING TORX®

* Square drive as per DIN 3121 - G 12.5, ISO 1174



Code	Art.#	□ "	⊛	↳ mm ↳	⌀ mm	⚖
1849247	5430.06	1/2	E6	38	25	63
1849255	5430.07	1/2	E7	38	25	63
1849263	5430.08	1/2	E8	38	25	67
1849271	5430.10	1/2	E10	38	25	71
1849298	5430.11	1/2	E11	38	25	69
1849301	5430.12	1/2	E12	38	25	74
1849328	5430.14	1/2	E14	38	25	74
1849336	5430.16	1/2	E16	38	25	74
1849344	5430.18	1/2	E18	38	30	119
1849352	5430.20	1/2	E20	38	30	122
1849360	5430.22	1/2	E22	38	30	125
1849379	5430.24	1/2	E24	42	30	152



5450 IMPACT SOCKET EXTENSION 1/2"



Code	Art.#	□ "	■ "	mm	g
2682427	5450.075	1/2	1/2	75	148
2682435	5450.125	1/2	1/2	125	230
2682443	5450.250	1/2	1/2	250	443



5464.00 IMPACT SOCKET REDUCER 1/2" TO 3/8"

* With square as per DIN 3121, ISO 1174



Code	Art.#	□ "	■ "	g
2682516	5464.00	1/2	3/8	70



5484.00 IMPACT SOCKET EXTENSION PIECE 1/2" TO 3/4"

* With square as per DIN 3121, ISO 1174



Code	Art.#	□ "	■ "	g
2682524	5484.00	1/2	3/4	140



5570 SAFETY SET

- * Consisting of safety ring and safety pin
- * To secure impact sockets
- * Value pack: contains 5 each rings and pins

Code	Art.#	Use	Ø
2253151	5570.751	for size 10-19 mm	19
2253178	5570.752	for size 20-32 mm	24



RATCHETS 3/4"

8170.00 REVERSIBLE RATCHET 3/4"

- * Sturdy design
- * With lever ratchet
- * Oval head



3/4"

Code
1683500

Art.#
8170.00

□ "
3/4

↳ mm ↳
510

⚖
1418

SOCKETS 3/4"


8100 SOCKET 3/4" HEXAGON

- * Female square drive, with ball retaining groove
- * Hand-operated, knurled grip



3/4" 

Code	Art.#	□ "	⬡ mm	⚖
2253410	8100.18	3/4	18	160
1683276	8100.19	3/4	19	160
1683292	8100.21	3/4	21	220
1683306	8100.22	3/4	22	210
1683314	8100.24	3/4	24	220
1683322	8100.27	3/4	27	210
1683330	8100.30	3/4	30	250
1683349	8100.32	3/4	32	260
1683357	8100.33	3/4	33	280
2253429	8100.34	3/4	34	290
1683365	8100.36	3/4	36	350
1683373	8100.38	3/4	38	460
1683381	8100.41	3/4	41	550
1683403	8100.46	3/4	46	600
1683411	8100.50	3/4	50	810
1683438	8100.55	3/4	55	930
1683446	8100.60	3/4	60	1114



8150 EXTENSION 3/4"

* For hand-operated sockets with square drive, with locking pin



Code
1683470
1683462

Art.#
8150.20
8150.40

□ "
3/4
3/4

■ "
3/4
3/4

↳ mm ↳
200
400

⚖
600
1100



8160.00 ADAPTOR 3/4" - 1"

* For hand-operated sockets with square drive, with locking pin



Code
1683497

Art.#
8160.00

□ "
3/4

■ "
1

⚖
300



8130.00 UNIVERSAL JOINT 3/4"

* For hand-operated sockets with square drive, with locking pin



Code
1683489

Art.#
8130.00

□ "
3/4

■ "
3/4

⚖
550



8140.00 TOMMY BAR WITH SLIDING T 3/4"

* For hand-operated sockets with square drive, with locking pin



Code
1683454

Art.#
8140.00

■ "
3/4

⚖
1150



8106 IMPACT SOCKET 3/4"

- * Suitable for all standard electric and air tools
- * Female square drive



Code	Art.#	□ "	mm	g
1852086	8106.17	3/4	17	327
1852094	8106.18	3/4	18	327
1852108	8106.19	3/4	19	340
1852116	8106.22	3/4	22	353
1852124	8106.24	3/4	24	355
1852132	8106.26	3/4	26	378
1852140	8106.27	3/4	27	388
1852167	8106.29	3/4	29	403
1852175	8106.30	3/4	30	432
1852183	8106.32	3/4	32	473
1852191	8106.33	3/4	33	483
1852205	8106.34	3/4	34	506
1852213	8106.35	3/4	35	508
1852221	8106.36	3/4	36	515
1852248	8106.38	3/4	38	565
1852256	8106.41	3/4	41	591

8406 IMPACT SOCKET 3/4" LONG PATTERN

- * Suitable for all standard electric and air tools
- * Female square drive



Code	Art.#	□ "	mm	mm	g
2682605	8406.17	3/4	17	100	420
2682613	8406.19	3/4	19	100	426
2682621	8406.20	3/4	20	100	434
2682648	8406.21	3/4	21	100	456
2682656	8406.22	3/4	22	100	496
2682664	8406.23	3/4	23	100	514
2682672	8406.24	3/4	24	100	470
2682680	8406.25	3/4	25	100	476
2682699	8406.26	3/4	26	100	480
2682702	8406.27	3/4	27	100	506
2682710	8406.28	3/4	28	100	568
2682729	8406.29	3/4	29	100	576
2682737	8406.30	3/4	30	100	626
2682745	8406.32	3/4	32	100	598
2204827	8406.35	3/4	35	100	720

8435 IMPACT SOCKET 3/4"

- * Square drive as per DIN 3121 - H 20, ISO 1174
- * Suitable for all standard electric and air tools



Code	Art.#	□ "	mm	mm	g
2682559	8435.22	3/4	22	90	520
2682567	8435.24	3/4	24	90	561
2682575	8435.27	3/4	27	90	650
2682583	8435.30	3/4	30	90	670
2682591	8435.32	3/4	32	90	740



8450 IMPACT SOCKET EXTENSION 3/4"

- * With square socket as per DIN 3121 - H 20, ISO 1174
- * Suitable for all standard electric and air tools

Code	Art.#	□ "	■ "	l=mm=	g
2682753	8450.100	3/4	3/4	100	641
2682761	8450.175	3/4	3/4	175	923
2682788	8450.250	3/4	3/4	250	1223



8454.00 IMPACT SOCKET REDUCER 3/4" TO 1/2"

- * With square as per DIN 3121, ISO 1174

Code	Art.#	□ "	■ "	g
2682532	8454.00	3/4	1/2	334



8494.00 IMPACT SOCKET EXTENSION PIECE 3/4" TO 1"

- * With square as per DIN 3121, ISO 1174

Code	Art.#	□ "	■ "	g
2682540	8494.00	3/4	1	430



8470 SAFETY SET

- * Consisting of safety ring and safety pin
- * To secure impact sockets
- * Value pack: contains 5 each rings and pins

Code	Art.#	Use	Ø
2253445	8470.750	for size 17-27 mm	33
2280507	8470.751	for size 28-46 mm	37
2280515	8470.752	for size 47-65 mm	44



9630 HOLDING RAILS

- * Holding rail for fitting with socket holders for wrench sockets in drive sizes 1/4" (4195.09) + 3/8" (6195.09) + 1/2" (5195.09)
- * Can also be used in combinations, for individual tool requirements
- * Can be fitted on both sides
- * In various lengths, with two elongated holes for fixing
- * From aluminium
- * Delivery without holder

Code	Art.#	Description	l mm	g
2255480	9630.060	Holding rail 6"	150	30
2255464	9630.080	Holding rail 8"	200	40
2255472	9630.120	Holding rail 12"	305	60
2256622	9630.170	Holding rail 17"	430	90



X195.09 ADAPTOR FOR HOLDING RAIL

- * Patented holder
- * Can be used on holding rails 9630.xxx
- * Bag of 10



Code	Art.#	■ "
2255510	4195.09	1/4
2255502	6195.09	3/8
2255499	5195.09	1/2

9630.471 HOLDING RAIL 8" TORX SOCKETS WITH 1/4" SOCKET HOLDERS

Holding rail with socket holders comprising:

- * Holding rail 200 mm (8") in length
- * Sockets TORX® E5 E6 E7 E8 E10
- * Sockets TORX® T10 T15 T20 T25 T27 T30 T40
- * 2x socket holders 1/4" (20 pces.)



Code	Art.#	g
2684098	9630.471	255



9630.476 HOLDING RAIL 8" LONG SOCKETS WITH 1/4" SOCKET HOLDERS

Holding rail with socket holders comprising:

- * Holding rail 200 mm (8") in length
- * Sockets 4 4.5 5 5.5 6 7 8 9 10 11 12 13 mm
- * 2x socket holders 1/4" (20 pcs.)

Code
2684071

Art.#
9630.476

 537



9630.478 HOLDING RAIL 8" SCREWDRIVER SOCKETS IN-IS-PH WITH 1/4" SOCKET HOLDERS

Holding rail with socket holders comprising:

- * Holding rail 200 mm (8") in length
- * Sockets SW 3 4 5 6 8 10 mm
- * Sockets 4 5.5 6.5
- * Sockets PH 0 1 2 3
- * 2x socket holders 1/4" (20 pcs.)

Code
2684055

Art.#
9630.478

 297



9630.535 HOLDING RAIL 12" SCREWDRIVER SOCKETS WITH 1/2" SOCKET HOLDERS

Holding rail with socket holders comprising:

- * Holding rail 300 mm (12") in length
- * Sockets SW 5 6 7 8 9 10 11 12 14 17 mm
- * 1x socket holder 1/2" (10 pcs.)

Code
2684063

Art.#
9630.535



9630.540 HOLDING RAIL 12" IMPACT SCREWDRIVER SOCKETS WITH 1/2" SOCKET HOLDERS

Holding rail with socket holders comprising:

- * Holding rail 300 mm (12") in length
- * Sockets SW 10 11 12 13 14 15 16 17 19 21 mm
- * 1x socket holder 1/2" (10 pcs.)

Code
2684101

Art.#
9630.540

 954




5 Wide Range



From small to large tasks, you will find the right ratchet in our range. We deliver everything from single socket to complete socket set in the ranges of 1/4", 3/8", 1/2" and 3/4" of course with the well known carolus value you expect.





4400.000 SLIM SIXTY SOCKET SET 1/4"
8 PIECES



Contents:

- * SLIM SIXTY Ratchet 1/4": 60 teeth, lever change, push-button release, slim head

Accessories:

- * Extensions 50 mm, 100 mm
- * Sliding-T reducer extension 3/8" - 1/4", 150 mm
- * Wobble extension 75 mm
- * Universal joint
- * Driving handle
- * Adaptor 1/4" sq. dr. x 1/4" hex dr.

Code
2253577

Art.#
4400.000

982

4400.100 SLIM SIXTY SOCKET SET 1/4"
16 PIECES



Contents:

- * SLIM SIXTY Ratchet 1/4": 60 teeth, lever change, push-button release, slim head

- * Sockets hexagon: 4 4.5 5 5.5 6 7 8 9 10 11 12 13 14 mm

Accessories:

- * Extensions 50 mm, 100 mm

Code
2253585

Art.#
4400.100

966

4430.100 SLIM SIXTY SOCKET SET 1/4"
35 PIECES



Contents:

- * SLIM SIXTY Ratchet 1/4": 60 teeth, lever change, push-button release, slim head

Sockets:

- * hexagon 4 4.5 5 5.5 6 7 8 9 10 11 12 13 14 mm

Bits:

- * TORX® with hole TXB8 TXB10 TXB15 TXB20 TXB25 TXB27 TXB30 TXB40
- * in-hex 3 4 5 6 8 10 mm

Accessories:

- * Extensions 50 mm, 100 mm
- * Universal joint
- * Sliding-T reducer extension 3/8" - 1/4", 150 mm
- * Bit driving handle
- * Adaptor 1/4" hex dr. x 1/4"
- * Adaptor 1/4" sq. dr. x 1/4" hex dr.

Code
2253615

Art.#
4430.100

1513



4430.205 SLIM SIXTY SOCKET SET 1/4" 41 PIECES

Contents:

- * SLIM SIXTY Ratchet 1/4": 60 teeth, lever change, push-button release, slim head

Sockets:

- * SPLINE Multiprofile 4 4.5 5 5.5 6 7 8 9 10 11 12 13 14 mm

Bits:

- * slotted 4.5 5.5 6.5 mm
- * cross-slotted PH 1 2
- * cross-slotted PZ 1 2 3
- * TORX® T10 T15 T20 T25 T27 T30 T40
- * in-hex 3 4 5 6 mm
- * multipoint XZN 5 6 8 mm

Accessories:

- * Extension 100 mm
- * Universal joint
- * Bit driving handle
- * Adaptor 1/4" hex dr. x 1/4" sq. dr.
- * Adaptor 1/4" sq. dr. x 1/4" hex dr.

Code
2253607

Art.#
4430.205

1212

4430.505 SLIM SIXTY SOCKET SET 1/4" 51 PIECES



Contents:

- * SLIM SIXTY Ratchet 1/4": 60 teeth, lever change, push-button release, slim head

Sockets

- * hexagon 4 4.5 5 5.5 6 7 8 9 10 11 12 13 14 mm
- * SPLINE Multiprofile 8 10 13 mm

Bits

- * slotted 4.5 5.5 6.5 8 mm
- * cross-slotted PH 0 1 2 3
- * cross-slotted PZ 1 2 3
- * TORX® T8 T9 T10 T15 T20 T25 T27 T30 T40
- * in-hex 3 4 5 6 8 10 mm

Accessories:

- * Extensions 50 mm, 100 mm
- * Wobble Extension 75 mm
- * Universal joint
- * Sliding-T reducer extension 3/8" - 1/4", 150 mm
- * Bit driving handle
- * Adaptor 1/4" hex dr. x 1/4" sq. dr.
- * Adaptor 1/4" sq. dr. x 1/4" hex dr.

Code
2253623

Art.#
4430.505

2458



4004.77 SOCKET SET 1/4" 33 PIECES

Contents:

- * Reversible ratchet 1/4" with 2-component handle

Sockets:

- * hexagon 4 4.5 5 5.5 6 7 8 9 10 11 12 13 mm

Screwdriver bit sockets:

- * hexagon 3 4 5 6 8 10 mm
- * slotted 4 5.5 6.5 mm
- * cross-slotted PH 0 1 2 3

Accessories:

- * Extensions 50 mm, 100 mm
- * Universal joint
- * Sliding T-handle
- * Minimus® interchangeable handle with hex shaft 1/4" sq. dr.
- * Adaptor 1/4" sq. dr. x 1/4" hex dr.

Code
1514288

Art.#
4004.77

g
1080



4004.79 SOCKET SET 1/4" 33 PIECES

Contents:

- * Reversible ratchet 1/4" with 2-component handle

Sockets:

- * hexagon 4 4.5 5 5.5 6 7 8 9 10 11 12 13 mm

Screwdriver bit sockets:

- * hexagon 3 4 5 6 8 10 mm
- * TORX® T10 T15 T20 T25 T27 T30 T40

Accessories:

- * Extensions 50 mm, 100 mm
- * Universal joint
- * Sliding T-handle
- * Minimus® interchangeable handle with hex shaft 1/4" sq. dr.
- * Adaptor 1/4" sq. dr. x 1/4" hex dr.

Code
1514326

Art.#
4004.79

g
1080



4004.99 SOCKET SET 1/4" 33 PIECES

Contents:

- * Reversible ratchet 1/4" with 2-component handle

Sockets:

- * hexagon 4 4.5 5 5.5 6 7 8 9 10 11 12 13 mm

Screwdriver bit sockets:

- * hexagon 3 4 5 6 8 10 mm
- * TORX® with hole TXB10 TXB15 TXB20 TXB25 TXB27 TXB30 TXB40

Accessories:

- * Extensions 50 mm, 100 mm
- * Universal joint
- * Sliding T-handle
- * Minimus® interchangeable handle with hex shaft 1/4" sq. dr.
- * Adaptor 1/4" sq. dr. x 1/4" hex dr.

Code
1514512

Art.#
4004.99

g
1080



readyflex

4004.90 SOCKET SET 1/4" 33 PIECES

Contents:

- * Readyflex® ratchet 1/4"
- * Particularly suitable for barely accessible places

Sockets:

- * hexagon 4 4.5 5 5.5 6 7 8 9 10 11 12 13 mm

Screwdriver bit sockets:

- * hexagon 3 4 5 6 8 10 mm
- * slotted 4 5.5 6.5 mm
- * cross-slotted PH 0 1 2 3

Accessories:

- * Extensions 50 mm, 100 mm
- * Universal joint
- * Sliding T-handle
- * Minimus® interchangeable handle with hex shaft 1/4" sq. dr.
- * Adaptor 1/4" sq. dr. x 1/4" hex dr.
- * Bit adaptor 1/4" with magnet

Code
1514431

Art.#
4004.90

1100

4004.91 SOCKET SET 1/4" 33 PIECES

Contents:

- * Readyflex® ratchet 1/4"
- * Particularly suitable for barely accessible places

Sockets:

- * hexagon 4 4.5 5 5.5 6 7 8 9 10 11 12 13 mm

Screwdriver bit sockets:

- * hexagon 3 4 5 6 8 10 mm
- * TORX® with hole TXB10 TXB15 TXB20 TXB25 TXB27 TXB30 TXB40

Accessories:

- * Extensions 50 mm, 100 mm
- * Universal joint
- * Sliding T-handle
- * Minimus® interchangeable handle with hex shaft 1/4" sq. dr.
- * Adaptor 1/4" sq. dr. x 1/4" hex dr.
- * Bit adaptor 1/4" with magnet

Code
1514458

Art.#
4004.91

1100



readyflex

4004.84 SOCKET SET 1/4" 37 PIECES

Contents:

- * Readyflex® ratchet 1/4"
- * Particularly suitable for barely accessible places

Sockets:

- * hexagon 4 4.5 5 5.5 6 7 8 9 10 11 12 13 mm

Screwdriver bit sockets:

- * hexagon 4 5 6 mm
- * slotted 5.5 mm
- * cross-slotted PH 2
- * cross-slotted PZ 2
- * TORX® with hole TXB10 TXB15 TXB20 TXB25 TXB27 TXB30 TXB40

Accessories:

- * Extensions 50 mm, 100 mm
- * Universal joint
- * Magnetic pick-up
- * Minimus® interchangeable handle with double bits
- * slotted 2.5 + 3.5, cross-slotted PH 0 + 1
- * Bit adaptor 1/4" with magnet
- * Adaptor 1/4" sq. dr. x 1/4" hex dr.

Code
1514377

Art.#
4004.84

1100



readyflex



- * All in one: The Rastoflex®TK system sets in extensive compilations
- * Single Rastoflex®TK tools are also available, see page 50.

7200.100 RASTOFLEX®TK SET 1/4" 34 PIECES

Contents:

- * Rastoflex® control handle 1/4"
- * Ratchet head 1/4" with lever change
- * Open end fittings 1/4" 8 9 10 11 12 13 mm
- * Ring end fittings 1/4" 8 9 10 11 12 13 mm
- * Ratchet ring fittings 1/4" 8 9 10 11 12 13 mm
- * Sockets 1/4", hexagon 4 4.5 5 5.5 6 7 8 9 10 11 12 13 14 mm
- * Adjustable wrench, open end 155 mm
- * Extension 100 mm



Code
2253836

Art.#
7200.100

1050

7200.300 RASTOFLEX®TK SET 1/4" 55 PIECES

Contents:

- * Rastoflex® control handle 1/4"
- * Ratchet head 1/4" with recessed bit drive, lever change
- * Open end fittings 1/4" 8 9 10 11 12 13 mm
- * Ring end fittings 1/4" 8 9 10 11 12 13 mm
- * Ratchet ring fittings 1/4" 8 9 10 11 12 13 mm
- * Handle Minimus®
- * Adaptor 1/4"
- * Adaptor 1/4" with magnet
- Screwdriver bits 1/4":**
- * TORX® T8 T9 T10 T15 T20 T25 T27 T30 T40
- * TORX® with hole TXB10 TXB15 TXB20 TXB25 TXB27 TXB30 TXB40
- * INBUS® 2 3 4 5 6 8 mm
- * Slotted 3 4.5 5.5 6.5 mm
- * Cross-slotted PH 1 2 3
- * Cross-slotted PZ 1 2 3



Code
2253852

Art.#
7200.300

940



3/8" SQUARE DRIVE

6600.000 SLIM SIXTY SOCKET SET 3/8" 6 PIECES



Contents:

- * SLIM SIXTY Ratchet 3/8": 60 teeth, lever change, push-button release, slim head

Accessories:

- * Extensions 125 mm, 250 mm
- * Sliding-T reducer extension 1/2" - 3/8", 200 mm
- * Wobble extension 75 mm
- * Universal joint



Code
2253631

Art.#
6600.000

1791

6600.100 SLIM SIXTY SOCKET SET 3/8" 12 PIECES



Contents:

- * SLIM SIXTY Ratchet 3/8": 60 teeth, lever change, push-button release, slim head
- * Sockets hexagon 6 7 8 9 10 11 13 14 17 19 mm

Accessories:

- * Sliding-T reducer extension 1/2" - 3/8", 200 mm



Code
2253658

Art.#
6600.100

1379



6600.300 SLIM SIXTY SOCKET SET 3/8" 22 PIECES

Contents:

- * SLIM SIXTY Ratchet 3/8": 60 teeth, lever change, push-button release, slim head
- * Sockets hexagon 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 mm

Accessories:

- * Extensions 125 mm, 250 mm
- * Universal joint
- * Sliding-T reducer extension 1/2" - 3/8", 200 mm



Code	Art.#	
2253666	6600.300	3076

6600.400 SLIM SIXTY SOCKET SET 3/8" 26 PIECES

Contents:

- * SLIM SIXTY Ratchet 3/8": 60 teeth, lever change, push-button release, slim head
- * Sockets TORX® E4 E5 E6 E7 E8 E10 E11 E12 E14 E16 E18 E20
- * Screwdriver bit sockets TORX® T8 T10 T15 T20 T25 T27 T30 T40 T50

Accessories:

- * Extensions 125 mm, 250 mm
- * Universal joint
- * Sliding-T reducer extension 1/2" - 3/8", 200 mm



Code	Art.#	
2253674	6600.400	3126

6600.500 SLIM SIXTY SOCKET SET 3/8" 40 PIECES

Contents:

- * SLIM SIXTY Ratchet 3/8": 60 teeth, lever change, push-button release, slim head

Sockets

- * TORX® E10 E11 E12 E14 E16 E18 E20
- * hexagon 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 24 mm

Screwdriver bit sockets

- * TORX® T10 T15 T20 T25 T27 T30 T40

Accessories:

- * Extensions 125 mm, 250 mm
- * Sliding-T reducer extension 1/2" - 3/8", 200 mm
- * Spark plug socket hexagon: 16 18 mm
- * Spark plug socket bi-hexagon: 14 mm
- * Universal joint



Code	Art.#	
2253682	6600.500	4694



1/2" SQUARE DRIVE



1/2" SLIM 6

5500.000 SLIM SIXTY SOCKET SET 1/2" 6 PIECES

Contents:

- * SLIM SIXTY Ratchet 1/2": 60 teeth, lever change, push-button release, slim head

Accessories:

- * Extensions 125 mm, 250 mm
- * Sliding-T reducer extension 1/2" - 3/8", 200 mm
- * Universal joint

Code	Art.#	
2253690	5500.000	3106



1/2" SLIM 12

5500.100 SLIM SIXTY SOCKET SET 1/2" 12 PIECES

Contents:

- * SLIM SIXTY Ratchet 1/2": 60 teeth, lever change, push-button release, slim head
- * Sockets hexagon 10 11 13 14 15 17 19 22 24 27 mm

Accessories:

- * Sliding-T reducer extension 1/2" - 3/8", 200 mm

Code	Art.#	
2253704	5500.100	2467



1/2" SLIM 32

5500.400 SLIM SIXTY SOCKET SET 1/2" 32 PIECES

Contents:

- * SLIM SIXTY Ratchet 1/2": 60 teeth, lever change, push-button release, slim head

Sockets

- * hexagon 8 10 11 12 13 14 15 16 17 18 19 20 21 22 24 27 30 32 34 mm

Screwdriver bit sockets

- * in-hex 5 6 7 8 10 12 14 17 mm

Accessories:

- * Extension 125 mm
- * Universal joint
- * Sliding-T reducer extension 1/2" - 3/8", 250 mm

Code	Art.#	
2253720	5500.400	5894



5500.525 SLIM SIXTY SOCKET SET 1/2" 33 PIECES

Contents:

- * SLIM SIXTY Ratchet 1/2": 60 teeth, lever change, push-button release, slim head

Sockets

- * bi-hexagon 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 24 27 30 32 34 mm

Screwdriver bit sockets

- * TORX® T20 T25 T27 T30 T40 T45 T50 T55 T60

Accessories:

- * Wobble extensions 125 mm, 250 mm
- * Sliding-T reducer extension 1/2" - 3/8", 200 mm

Code
2253739

Art.#
5500.525

5674



5544.400 SLIM SIXTY SOCKET SET 1/2" + 1/4" 34 PIECES

Contents:

- * SLIM SIXTY Ratchet 1/2": 60 teeth, lever change, push-button release, slim head

Sockets

- * hexagon 14 15 16 17 18 19 20 21 22 24 27 30 32 34 mm

Accessories:

- * Extension 250 mm
- * Universal joint
- * SLIM SIXTY Ratchet 1/4": 60 teeth, lever change, push-button release, slim head

Sockets

- * hexagon 4 4.5 5 5.5 6 7 8 9 10 11 12 13 mm


Accessories:

- * Extension 100 mm
- * Universal joint
- * Spark plug socket hexagon, magnetic: 16 20.8 mm

Code
2253755

Art.#
5544.400

5274



5544.550 SLIM SIXTY SOCKET SET 1/2" + 1/4" 77 PIECES

Contents:

- * SLIM SIXTY Ratchet 1/2": 60 teeth, lever change, push-button release, slim head

Sockets

- * hexagon 8 10 11 12 13 14 15 16 17 18 19 20 21 22 24 27 30 32 mm

Screwdriver bit sockets

- * in-hex 7 8 10 12 14 mm
- * slotted 8 10 mm
- * cross-slotted PH 3

Accessories:

- * Extension 125 mm
- * Universal joint
- * Sliding-T reducer extension 1/2" - 3/8", 250 mm
- * SLIM SIXTY Ratchet 1/4": 60 teeth, lever change, push-button release, slim head

Sockets

- * hexagon 4 4.5 5 5.5 6 7 8 9 10 11 12 13 mm

Bits

- * slotted 4.5 5.5 6.5 8 mm
- * cross-slotted PH 0 1 2 3
- * cross-slotted PZ 0 1 2 3
- * TORX® T8 T9 T10 T15 T20 T25 T27 T30 T40
- * in-hex 3 4 5 6 8 10 mm

Accessories:

- * Extensions 50 mm, 150 mm
- * Universal joint
- * Bit driving handle
- * Adaptor 1/4" hex x 1/4"
- * Adaptor 1/4" x 1/4"

Code	Art.#	
2253747	5544.550	6300

5000.00 SOCKET SET 1/2" 24 PIECES



Contents:

- * Reversible ratchet 1/2" with 2-component handle
- * Sockets hexagon 10 11 12 13 14 15 16 17 18 19 21 22 24 27 28 30 32 mm

Accessories:

- * Extensions 75 mm, 125 mm, 250 mm
- * Universal joint
- * Sliding T-handle
- * Adaptor 1/2" sq. dr. x 5/16" hex dr.

Code	Art.#	
1516191	5000.00	5160

5012.00 SOCKET SET 1/2" 24 PIECES



Contents:

- * Reversible ratchet 1/2" with 2-component handle
- * Sockets bi-hexagon 10 11 12 13 14 15 16 17 18 19 21 22 24 27 28 30 32 mm

Accessories:

- * Extensions 75 mm, 125 mm, 250 mm
- * Universal joint
- * Sliding T-handle
- * Adaptor 1/2" sq. dr. x 5/16" hex dr.

Code	Art.#	
1893793	5012.00	5160

5800.00 SOCKET SET 1/2" + 1/4" 49 PIECES



Contents:

- * Reversible ratchet 1/2" with 2-component handle
- * 1/2" Sockets hexagon 10 11 12 13 14 15 16 17 18 19 21 22 24 mm
- * Extensions 1/2" 75 mm, 125 mm, 250 mm
- * Universal joint 1/2"
- * Adaptor 1/2" sq. dr. x 5/16" hex dr., can also be used as 8 mm socket

Tools on module:

- * Ratchet 1/4" with 2-component handle
- * 1/4" Sockets hexagon 4 4.5 5 5.5 6 7 8 9 10 11 12 13 mm
- * Screwdriver bit sockets 1/4":
 - * hexagon 4 5 6 8 mm
 - * slotted 5.5 mm
 - * cross-slotted PH 2
 - * cross-slotted PZ 2
- * TORX® with hole TXB10 TXB15 TXB20 TXB25 TXB27 TXB30 TXB40
- * Extensions 1/4" 50 mm, 100 mm
- * Universal joint 1/4"

Code	Art.#	
1516906	5800.00	4900



5560.00 SOCKET SET 1/2" 14 PIECES

- * For deep-fitting screws, studs etc.
- * Length: 75 mm
- Contents:**
- * Sockets hexagon 10 12 13 14 15 17 19 21 22 23 24 27 30 32 mm



Code	Art.#	
1825054	5560.00	3740

5530.00 SOCKET SET 1/2" TORX® 16 PIECES

- Contents:**
- * Sockets protruding TORX® E10 E11 E12 E14 E16 E18 E20 E22 E24
- * Screwdriver bit sockets recessed TORX® T30 T40 T45 T50 T55 T60 T70



Code	Art.#	
1852035	5530.00	1700

5565.00 IMPACT SOCKET SET 1/2" 12 PIECES

- * For deep-fitting screws, studs etc.
- * Length: 85 mm
- Contents:**
- * Impact sockets hexagon, long: 10 11 12 13 14 15 16 17 19 21 22 24 mm



Code	Art.#	
1852078	5565.00	3400



5540.00 IMPACT SOCKET SET 1/2" 12 PIECES

Contents:

- * Impact sockets hexagon 10 11 12 13 14 15 16 17 19 21 22 24 mm

Code
1852051

Art.#
5540.00

kg
1600



5575.00 IMPACT SOCKET SET 1/2" 3 PIECES

- * Plastic sleeves protect sensitive surfaces, e.g. light-alloy rims, chromed-plates parts, etc.
- * For controlled tightening of wheel nuts on light-alloy rims
- * Different colours for quick access to the required size
- * Length: 85 mm

Contents:

- * Impact sockets 17 19 21 mm

Code
1854178

Art.#
5575.00

kg
845

3/4" SQUARE DRIVE



8100.00 SOCKET SET 3/4" 14 PIECES

Contents:

- * Ratchet 3/4"
- * Sockets hexagon 22 24 27 30 32 36 38 41 46 50 mm

Accessories:

- * Extensions 200 mm, 400 mm
- * Sliding T-handle

Code
1683268

Art.#
8100.00

kg
10.3



⑥ From zero to tight in 2 seconds



Faster than a speeding bullet! Change your class of screwdriver and let it rip!

The new carolus pneumatic screwdriver is very ergonomic, has more power than you need and conjures up a real Formula 1 feeling.



4250.200 AIR GUN 1/4" SHORT VERSION

- * For 1/4" sockets
- * Short version for confined spaces
- * Easy to use
- * Fast change-over
- * Incl. connection plug

Specifications:

- * Input pressure max. 6.2 bar
- * Velocity 300 rpm
- * Air consumption max. 51 l/min
- * Connection size 3/8"
- * Torque 34 N·m
- * up to 6 mm

Code	Art.#	
2662795	4250.200	490



6250.400 AIR GUN 3/8" SHORT VERSION

- * For 3/8" sockets
- * Short version for confined spaces
- * Easy to use
- * Fast change-over
- * Incl. connection plug

Specifications:

- * Input pressure max. 6.2 bar
- * Velocity 280 rpm
- * Air consumption max. 68 l/min
- * Connection size 3/8"
- * Torque 40 N·m
- * up to 10 mm

Code	Art.#	
2662779	6250.400	740



6250.500 AIR GUN 3/8" LONG VERSION

- * Stable housing
- * Protected drive
- * Easy to use
- * Fast change-over
- * Incl. connection plug

Specifications:

- * Input pressure max. 6.2 bar
- * Velocity 160 rpm
- * Air consumption max. 71.4 l/min
- * Connection size 3/8"
- * Torque 95 N·m
- * up to 10 mm

Code	Art.#	
2662787	6250.500	1300

For suitable sockets for
pneumatic tools -
refer to page 56 and following

For suitable sockets for
pneumatic tools -
refer to page 56 and following



5250.500 AIR GUN 1/2" LONG VERSION

- * For 1/2" sockets
- * Stable housing
- * Protected drive
- * Easy to use
- * Fast change-over
- * Incl. connection plug

Specifications:

- * Input pressure max. 6.2 bar
- * Velocity 160 rpm
- * Air consumption max. 72 l/min
- * Connection size 3/8"
- * Torque 95 N·m
- * up to size 13 mm

Code	Art.#	
2662744	5250.500	1300



6250.200 AIR TOOL 3/8"

- * Stable aluminium housing
- * One-handed change-over
- * Handle insulated against cold
- * Incl. connection plug

Specifications:

- * Input pressure max. 6.2 bar
- * Velocity 10000 rpm
- * Air consumption max. 75 l/min
- * Connection size 3/8"
- * Torque 271 N·m

Code	Art.#	
2662760	6250.200	1280



5250.100 AIR TOOL 1/2"

- * Stable aluminium housing
- * One-handed change-over
- * Incl. connection plug

Specifications:

- * Input pressure max. 6.2 bar
- * Velocity 8000 rpm
- * Air consumption max. 150 l/min
- * Connection size 3/8"
- * Torque 594 N·m
- * Double impact mechanism

Code	Art.#	
2662647	5250.100	2630




5250.300 AIR TOOL 1/2"

- * Stable aluminium housing
- * One-handed change-over
- * Handle insulated against cold
- * Incl. connection plug

Specifications:

- * Input pressure max. 6.2 bar
- * Velocity 7500 rpm
- * Air consumption max. 150 l/min
- * Connection size 3/8"
- * Torque 670 N-m
- * Double impact mechanism

Code	Art.#	
2662663	5250.300	2500



5250.310 AIR TOOL SET 1/2"

Set consisting of:

- * Air tool 5250.300
- * Impact screwdriver sockets 1/2" SW 9 10 11 13 14 17 19 22 24 27 mm
- * Impact screwdriver extension 125 mm
- * Oiler
- * Incl. connection plug

Specifications:

- * Input pressure max. 6.2 bar
- * Velocity 7500 rpm
- * Air consumption max. 128 l/min
- * Connection size 3/8"
- * Torque 670 Nm
- * Double impact mechanism

Code	Art.#
2662736	5250.310




8250.300 AIR TOOL 3/4"

- * Stable aluminium housing
- * One-handed change-over
- * Handle insulated against cold
- * Incl. connection plug

Specifications:

- * Input pressure max. 6.2 bar
- * Velocity 5500 rpm
- * Air consumption max. 167 l/min
- * Connection size 1/2"
- * Torque 1490 N-m
- * Double impact mechanism

Code	Art.#	
2662752	8250.300	5400




3250.100 NEEDLE SCALER

- * Ideal for removing coatings, rust and the like from metal parts; can also be used in tight spaces (not for sheet metal)
- * Incl. connection plug

Specifications:

- * Input pressure max. 6.2 bar
- * Air consumption max. 78.4 l/min
- * Connection size 3/8"
- * 2000 strokes/min

Code	Art.#	
2662809	3250.100	1940




3250.200 PNEUMATIC DRILL

- * Easy change-over
- * Bidirectional
- * Quick-change chuck
- * Drilling - Grinding - Compass sawing

Specifications:

- * Input pressure max. 6.2 bar
- * Velocity 500 rpm
- * Air consumption max. 140 l/min
- * Connection size 3/8"

Code	Art.#	
2662817	3250.200	1950




3250.300 ECCENTRIC GRINDER

- * Connection for dust extraction
- * Grinding disk 150 mm
- * Incl. connection plug

Specifications:

- * Input pressure max. 6.2 bar
- * Velocity 12000 rpm
- * Air consumption max. 70.8 l/min
- * Connection size 3/8"

Code	Art.#	
2662825	3250.300	710

3250.400 DIE GRINDER

- * Easy to handle for ease of use
- * Spanner for clamping sleeve
- * Incl. connection plug

Specifications:

- * Input pressure max. 6.2 bar
- * Velocity 20000 rpm
- * Air consumption max. 112 l/min
- * Connection size 3/8"



Code
2662833

Art.#
3250.400

 g
550



3250.410 SET OF DIE GRINDERS

- * Easy to handle for ease of use
- * 10 abrasive pencils with various contours
- * Spanner for clamping sleeve
- * Incl. connection plug

Specifications:

- * Input pressure max. 6.2 bar
- * Velocity 20000 rpm
- * Air consumption max. 112 l/min
- * Connection size 3/8"

Code
2662841

Art.#
3250.410



3250.500 KEYHOLE SAW

- * Incl. connection plug
- * Spanner for changing tools

Specifications:

- * Input pressure max. 6.2 bar
- * Air consumption max. 31 l/min
- * Connection size 3/8"
- * 9000 strokes/min



Code
2662868

Art.#
3250.500

 690

3250.510 KEYHOLE SAW

- * Saw blade toothing 1-2-3
- * Profile for each file: triangular, circular, semicircular, flat
- * Incl. connection plug

Specifications:

- * Input pressure max. 6.2 bar
- * Air consumption max. 31 l/min
- * Connection size 3/8"
- * 9000 strokes/min



Code
2662876

Art.#
3250.510





3250.600 VINYL ERASER

- * Eraser disk 90 mm
- * Spanner for clamping sleeve
- * For removing foils and labels
- * Incl. connection plug

Specifications:

- * Input pressure max. 6.2 bar
- * Velocity 4000 rpm
- * Connection size 1/4"

Code	Art.#	
2662884	3250.600	840



3250.620 REPLACEMENT ERASER DISK

- * Eraser disk 90 mm
- * For removing foils and labels
- * Up to 2500 rpm

Code	Art.#
2662892	3250.620




3250.700 BLOW GUN

- * Cleaning - Cooling - Drying
- * Short and long air nozzle
- * Adjustable short nozzle
- * Stable aluminium design
- * Incl. connection plug

Code	Art.#
2662906	3250.700

9950 WORK GLOVES

- * Optimum fit
- * Grip areas for small and smooth parts
- * Palms of one piece
- * Breathable space between the fingers
- * Adjustable wrist cuff preventing the glove from slipping
- * Adhesion to smooth surfaces ensured by internal coating
- * Protection of sensitive surfaces

Code	Art.#	Size	
2256940	9950.000	M	80
2309602	9950.100	L	95
2309610	9950.200	XL	90
2309629	9950.300	XXL	90






7 Lets Get Torqueing



carolus offers the right wrenches for all torques. If you need to tighten accurately, we offer the right tools to do it even under the most extreme demands.



4900 - 8900 TORQUE WRENCHES 5 - 550 N-M

- * NEW: with mushroom head
- * NEW: with fine adjustment 0.1 N-m - 4900.025
- * NEW: with fine adjustment 0.25 N-m - 6900.070
- * NEW: with fine adjustment 0.5 N-m - 5900.100
- * NEW: with fine adjustment 1.0 N-m - 5900.200, 5900.300, 8900.400, 8900.550

Use:

- * Controlled screw tightening from 5 to 550 N-m
- * For use in all areas of industrial manufacturing

Features:

- * Adjustable torque wrench with square drive and integrated ratchet-head function
- * For controlled bi-directional tightening
- * Actuation accuracy: +/- 3 % tolerance of the scale set torque
- * Dual scale N-m and lbf-ft

Scope of delivery:

- * Torque wrench with test certificate acc. to DIN EN ISO 6789
- * Operating instructions
- * Carrying bag from nylon (protects against dirt and damage)



Empty carrying bag
is also available -
see page 101

1/4" 3/8" 1/2" 3/4"

+/- 3%

Code	Art.#	Execution	"	N-m	(mm)
2648350	4900.025	with mushroom head	1/4	5-25	285
2648369	6900.070	with mushroom head	3/8	14-70	350
2648377	5900.100	with mushroom head	1/2	20-100	395
2648393	5900.200	with mushroom head	1/2	40-200	485
2648407	5900.300	with mushroom head	1/2	60-300	575
2648415	8900.400	with push through square	3/4	80-400	685
2648423	8900.550	with push through square	3/4	110-550	955



1/4" 3/8" 1/2"

3/4"

4901 - 8901 MUSHROOM HEAD / COUPLER

- * Black PPN plastic
- * Can also be used as a replacement for push-through square

Code	Art.#	"	
2655098	4901.025	1/4	21
2655101	6901.070	3/8	22
2655128	5901.000	1/2	60
2655136	8901.000	3/4	133

Note: Available as of July 2012



4912 - 8918 TORQUE WRENCH SE

Use:

- * Controlled screw tightening from 5 to 400 N·m
- * For use in all areas of industrial manufacturing

Features:

- * For controlled bi-directional tightening
- * Actuation accuracy: +/- 3 % tolerance of the scale set torque
- * Dual scale N·m and lbf·ft

Scope of delivery:

- * Torque wrench with test certificate acc. to DIN EN ISO 6789
- * Operating instructions
- * Carrying bag from nylon (protects against dirt and damage)




Empty carrying bag
is also available -
see page 101

+/- 3%

9x12

14x18

Code	Art.#	mm	N·m	mm	
2683806	4912.025	9 x 12	5-25	274.0	300
2683814	6912.050	9 x 12	10-50	324.0	450
2683822	5912.100	9 x 12	20-100	369.5	600
2683830	5912.150	9 x 12	30-150	460.5	800
2683849	5918.200	14 x 18	40-200	470.5	900
2683857	5918.300	14 x 18	60-300	561.5	1200
2683865	8918.400	14 x 18	80-400	648.5	1600



Note: All end fittings available as of July 2012



9x12

7709 RECTANGULAR OPEN END FITTINGS FOR TORQUE WRENCH SE 9X12

- * For torque wrench with 9x12 open end
- * For tight spaces
- * Quick tool change
- * With safety lock

Code	Art.#	□mm	○mm	g
2683040	7709.07	9 x 12	7	37
2683067	7709.08	9 x 12	8	38
2683075	7709.09	9 x 12	9	37
2683083	7709.10	9 x 12	10	42
2683091	7709.11	9 x 12	11	40
2683105	7709.12	9 x 12	12	41
2683113	7709.13	9 x 12	13	46
2683121	7709.14	9 x 12	14	55
2683148	7709.15	9 x 12	15	56
2683156	7709.16	9 x 12	16	58
2683164	7709.17	9 x 12	17	58
2683172	7709.18	9 x 12	18	60
2683180	7709.19	9 x 12	19	64



9x12

7710 RECTANGULAR RING END FITTINGS FOR TORQUE WRENCH SE 9X12

- * For torque wrench with 9x12 open end
- * For tight spaces
- * Quick tool change
- * With safety lock

Code	Art.#	□mm	○mm	g
2683377	7710.08	9 x 12	8	37
2683385	7710.10	9 x 12	10	40
2683393	7710.11	9 x 12	11	42
2683407	7710.12	9 x 12	12	51
2683415	7710.13	9 x 12	13	51
2683423	7710.14	9 x 12	14	53
2683431	7710.15	9 x 12	15	54
2683458	7710.16	9 x 12	16	56
2683466	7710.17	9 x 12	17	55
2683474	7710.18	9 x 12	18	60
2683482	7710.19	9 x 12	19	63
2683490	7710.21	9 x 12	21	68
2683504	7710.22	9 x 12	22	71



9x12

7711 RECTANGULAR FLARED END FITTINGS FOR TORQUE WRENCH SE 9X12

- * For torque wrench with 9x12 open end
- * For tight spaces
- * Quick tool change
- * With safety lock

Code	Art.#	□mm	○mm	g
2683687	7711.10	9 x 12	10	52
2683695	7711.11	9 x 12	11	52
2683709	7711.13	9 x 12	13	53
2683717	7711.17	9 x 12	17	60
2683725	7711.19	9 x 12	19	65
2683733	7711.22	9 x 12	22	70



14x18

7714 RECTANGULAR OPEN END FITTINGS FOR TORQUE WRENCH SE 14X18

- * For torque wrench with 14x18 open end
- * For tight spaces
- * Quick tool change
- * With safety lock

Code	Art.#	□mm	○mm	⚖
2683199	7714.13	14 x 18	13	117
2683202	7714.14	14 x 18	14	120
2683210	7714.15	14 x 18	15	117
2683229	7714.16	14 x 18	16	128
2683237	7714.17	14 x 18	17	138
2683245	7714.18	14 x 18	18	136
2683253	7714.19	14 x 18	19	140
2683261	7714.21	14 x 18	21	160
2683288	7714.22	14 x 18	22	163
2683296	7714.24	14 x 18	24	169
2683318	7714.27	14 x 18	27	239
2683326	7714.30	14 x 18	30	250
2683334	7714.32	14 x 18	32	248
2683342	7714.34	14 x 18	34	253
2683350	7714.36	14 x 18	36	245
2683369	7714.41	14 x 18	41	316




14x18

7715 RECTANGULAR RING END FITTINGS FOR TORQUE WRENCH SE 14X18

- * For torque wrench with 14x18 open end
- * For tight spaces
- * Quick tool change
- * With safety lock

Code	Art.#	□mm	○mm	⚖
2683512	7715.13	14 x 18	13	130
2683520	7715.14	14 x 18	14	132
2683539	7715.15	14 x 18	15	132
2683547	7715.16	14 x 18	16	137
2683555	7715.17	14 x 18	17	141
2683563	7715.18	14 x 18	18	139
2683571	7715.19	14 x 18	19	145
2683598	7715.21	14 x 18	21	152
2683601	7715.22	14 x 18	22	157
2683628	7715.24	14 x 18	24	162
2683636	7715.27	14 x 18	27	205
2683644	7715.30	14 x 18	30	204
2683652	7715.32	14 x 18	32	214
2683660	7715.36	14 x 18	36	230
2683679	7715.41	14 x 18	41	235



1/4" 3/8" 1/2" 9x12

7712 ADAPTORS FOR TORQUE WRENCHES SE

- * For torque wrench with 9x12 open end
- * For tight spaces
- * Quick tool change
- * With safety lock

Max. load:

- * 7712.00 = 30 N·m
- * 7712.01 = 135 N·m
- * 7712.02 = 150 N·m

Code	Art.#	mm	"
2683741	7712.00	9 x 12	1/4
2683768	7712.01	9 x 12	3/8
2683776	7712.02	9 x 12	1/2



1/2" 14x18

7716 ADAPTORS FOR TORQUE WRENCHES SE

- * For torque wrench with 14x18 open end
- * For tight spaces
- * Quick tool change
- * With safety lock
- * Max. load: 340 N·m

Code	Art.#	mm	"
2683784	7716.02	14 x 18	1/2



5/16" 9x12

7713 ADAPTORS FOR TORQUE WRENCHES SE

- * For torque wrench with 9x12 open end
- * For tight spaces
- * Quick tool change
- * With safety lock

Code	Art.#	mm	"
2683792	7713.00	9 x 12	5/16



2049 - 2089 TORQUE WRENCH BAG


- * Padded nylon bag
- * Protects against dirt and damage
- * Two pouches for sockets and extension
- * Carry strap facilitates transport
- * Stable zips


Code	Art.#	suitable for	mm
2683873	2049.69	4900.025 + 6900.070	285-350
		4912.025 + 6912.050	
2683881	2059.59	5900.100 + 5900.200	395-485
		5912.150 + 5918.200	
2683903	2059.89	5900.300 + 8900.400	575-685
		5918.300 + 8918.400	
2683911	2089.00	8900.550	955

8 Screwdrivers To Last








Quality screwdrivers which are easy to work with. Be it standard, short or long, we have a range of screwdrivers and quality bits at the right price.




3600 SCREWDRIVER SLOTTED


- * Blade from alloy steel in high SVCM quality
- * Surface chrome-plated with black tip
- * With 2-component handle
- * Hard component from PP, non-slip soft component from TPV








Code	Art.#	mm 	mm 	mm 	mm 	g 
2251256	3600.030	0.5	3.0	75	145	30
2251264	3600.040	0.8	4.0	100	170	40
2251272	3600.055	1.0	5.5	100	210	70
2251280	3600.065	1.2	6.5	150	260	110
2251299	3600.080	1.2	8.0	150	270	160
2251302	3600.100	1.6	10.0	200	320	220

**3620 SCREWDRIVER SLOTTED,
SHORT PATTERN "STUBBY"**


- * Blade from alloy steel in high SVCM quality
- * Surface chrome-plated with black tip
- * With 2-component handle
- * Hard component from PP, non-slip soft component from TPV



Code	Art.#	mm 	mm 	 mm	 mm	 g
2251353	3620.040	0.8	4.0	38	63	50
2251361	3620.065	1.2	6.5	38	63	50

3630 SCREWDRIVER PH


- * Blade from alloy steel in high SVCM quality
- * Surface chrome-plated with black tip
- * With 2-component handle
- * Hard component from PP, non-slip soft component from TPV






Code	Art.#	PH	mm $\frac{1}{2}$	mm	g
2251396	3630.000	0	75	145	30
2251426	3630.010	1	100	210	70
2251434	3630.020	2	100	210	100
2251442	3630.030	3	150	270	100



3640 SCREWDRIVER PZ




- * Blade from alloy steel in high SVCM quality
- * Surface chrome-plated with black tip
- * With 2-component handle
- * Hard component from PP, non-slip soft component from TPV

Code	Art.#	⊕ PZ			
2251450	3640.000	0	75	145	30
2251469	3640.010	1	100	210	70
2251477	3640.020	2	100	210	100
2251485	3640.030	3	150	270	160



3650 SCREWDRIVER PH, SHORT PATTERN "STUBBY"




- * Blade from alloy steel in high SVCM quality
- * Surface chrome-plated with black tip
- * With 2-component handle
- * Hard component from PP, non-slip soft component from TPV


Code	Art.#	⊕ PH			
2251493	3650.010	1	38	63	50
2251507	3650.020	2	38	63	50



3660 SCREWDRIVER PZ, SHORT PATTERN "STUBBY"

- * Blade from alloy steel in high SVCM quality
- * Surface chrome-plated with black tip
- * With 2-component handle
- * Hard component from PP, non-slip soft component from TPV

Code	Art.#	⊕ PZ			
2251515	3660.010	1	38	63	50
2251523	3660.020	2	38	63	50



3690 SCREWDRIVER TORX®

- * Blade from alloy steel in high SVCM quality
- * Surface chrome-plated with black tip
- * With 2-component handle
- * Hard component from PP, non-slip soft component from TPV

Code	Art.#		mm	mm	g
2251531	3690.060	T6	75	145	30
2251558	3690.070	T7	75	145	30
2251566	3690.080	T8	75	145	30
2251574	3690.090	T9	75	145	30
2251582	3690.100	T10	100	210	70
2251590	3690.150	T15	100	210	70
2251604	3690.200	T20	100	210	70
2251612	3690.250	T25	100	210	100
2251620	3690.270	T27	100	210	100
2251639	3690.300	T30	100	210	100
2251647	3690.400	T40	100	210	110
2251655	3690.450	T45	100	210	140



Sets

3603.000 SCREWDRIVER SET 6 PIECES

- * Blade from alloy steel in high SVCM quality
- * Surface chrome-plated with black tip
- * With 2-component handle
- * Hard component from PP, non-slip soft component from TPV

Contents:

- * Slotted screwdriver 3 5.5 6.5 mm
- * Cross-slotted screwdriver PH 0 1 2

Code	Art.#	g
2251671	3603.000	435



Sets

3604.000 SCREWDRIVER SET 6 PIECES

- * Blade from alloy steel in high SVCM quality
- * Surface chrome-plated with black tip
- * With 2-component handle
- * Hard component from PP, non-slip soft component from TPV

Contents:

- * Slotted screwdriver 3 5.5 6.5 mm
- * Cross-slotted screwdriver PZ 0 1 2

Code	Art.#	g
2251698	3604.000	435



Sets

3690.000 SCREWDRIVER SET 6 PIECES

- * Blade from alloy steel in high SVCM quality
- * Surface chrome-plated with black tip
- * With 2-component handle
- * Hard component from PP, non-slip soft component from TPV

Contents:

- * TORX® screwdriver T10 T15 T20 T25 T30 T40

Code
2251701

Art.#
3690.000

 550



Sets

3637.000 SCREWDRIVER SET XXL 12 PIECES

- * Blade from alloy steel in high SVCM quality
- * Surface chrome-plated with black tip
- * With 2-component handle
- * Hard component from PP, non-slip soft component from TPV

Contents:



- * Slotted screwdriver 3 4 5.5 6.5 8 mm
- * Cross-slotted screwdriver PH 1 2
- * Cross-slotted screwdriver PZ 1 2
- * VDE slotted screwdriver 2.5 mm
- * VDE cross-slotted screwdriver PH 1
- * Voltage tester 2 mm

Code
2254301

Art.#
3637.000

 927






3810 SCREWDRIVER INBUS®

- * With 2-component handle
- * Blade from bit steel, matt chrome-plated

Code	Art.#	mm	g
2250942	3810.025	2.5	28
2250950	3810.030	3.0	32
2250969	3810.040	4.0	46
2250977	3810.050	5.0	78
2250985	3810.060	6.0	98
2250993	3810.080	8.0	196
2251019	3810.100	10.0	274



Sets

3810.600 SCREWDRIVER SET 6 PIECES

- * With 2-component handle
- * Blade from bit steel, matt chrome-plated
- Contents:**
- * Hexagon screwdriver 2.5 3 4 5 6 8 mm

Code	Art.#	g
2254417	3810.600	761



3710 VOLTAGE TESTER

- * Max. 250 Volt

Code	Art.#	mm	mm	g
1695584	3710.03	3.0	135	28



3711 VOLTAGE TESTER

- * Max. 250 Volt

Code	Art.#	mm	mm	g
2254328	3711.030	3.0	135	30

3720 HEXAGON SOCKET KEY INBUS®


Code	Art.#	mm	L ₁	L ₂	
1671359	3720.02	2.0	50	16	2
1671391	3720.25	2.5	56	18	3
1671448	3720.03	3.0	63	20	5
1671685	3720.04	4.0	70	25	10
1671693	3720.05	5.0	80	28	16
1671707	3720.06	6.0	90	32	30
1671715	3720.07	7.0	95	34	42
1671723	3720.08	8.0	100	36	68
1670832	3720.10	10.0	105	40	105

3730 HEXAGON SOCKET KEY WITH BALL END, INBUS®

Code	Art.#	mm	L ₁	L ₂	
1695614	3730.02	2.0	100	16	3
1695703	3730.25	2.5	112	18	5
1695630	3730.03	3.0	126	20	8
1695649	3730.04	4.0	140	25	20
1695657	3730.05	5.0	160	28	30
1695665	3730.06	6.0	180	32	50
1695673	3730.08	8.0	200	36	100
1695681	3730.10	10.0	224	40	180

3740 HEXAGON SOCKET KEY TORX®

Code	Art.#		L ₁	L ₂	
1695746	3740.07	T7	48	16	3
1695770	3740.08	T8	80	16	3
1695797	3740.09	T9	48	16	3
1695819	3740.10	T10	86	17	3
1695827	3740.15	T15	54	18	5
1695835	3740.20	T20	95	19	7
1695843	3740.25	T25	60	20	10
1695851	3740.27	T27	64	21	15
1695886	3740.30	T30	70	24	20
1695894	3740.40	T40	73	26	30



**3720.00 HEXAGON SOCKET KEY SET
8 PIECES**

- * In plastic holder
- * For in-hex screws

Contents:

- * 2 2.5 3 4 5 6 8 10 mm

Code
1671324

Art.#
3720.00


416



**3730.00 HEXAGON SOCKET KEY SET
9 PIECES**

- * In plastic holder
- * With ball end
- * For in-hex screws

Contents:

- * 1.5 2 2.5 3 4 5 6 8 10 mm

Code
1695592

Art.#
3730.00


429



**3740.00 HEXAGON SOCKET KEY SET
7 PIECES**

- * In plastic holder
- * For recessed TORX® head screws

Contents:

- * T10 T15 T20 T25 T27 T30 T40

Code
1695711

Art.#
3740.00


120




This item is also available
in a display -
please refer to page 163

3800.000 EXTENDABLE SHANK SCREWDRIVER 13IN1

- * The all-rounder: 13 screwdriver profiles stored in one tool
- * Screwdriver handle with integrated ratchet function, reversible
- * Telescopic blade recessed 1/4" bit drive
- * Bit depot contains 13 bits 1/4":
- * Slotted 4 4.5 5.5 mm
- * Cross-slotted PH 1 PH 2 PH 3 PZ 1 PZ 2
- * TORX® T10 T15 T20 T25
- * Hexagon 4 mm
- * Compilation of the most used bits for slotted, cross-slotted, pozidrive and TORX® screws, as well as the hexagon bit 4 mm, e.g. for the assembly of Swedish furniture kits

Code	Art.#	
2251663	3800.000	280



Code	Art.#				
2255928	4125.00	1/4	100	210	110

4125.00 BIT SCREWDRIVER 1/4"

- * 2-component handle
- * Hex recess drive for bits 1/4"
- * With powerful magnetic holder




4080.40 MINIMUS® SET ESSENTIAL

- Contents:**
- * Handle Minimus® 1/4" 4002.42
 - * Hexagonal shaft with recessed 1/4" bit drive 4002.40
 - * Adaptor 1/4" 7080.50
 - * Adapter 1/4" with magnet 7055.00



Code	Art.#			
2252422	4080.40	1/4	1/4	230



This item is also available
in a **display** -
please refer to page 163



3000.01 BIT BOX 1/4" 31 PIECES

- * Bits: Hardness: 60 HRC +/-2, torque: 18.4 N.m
- * Box with clear cover
- Contents:**
- * TORX® T10 T15 T20 T25 T30 T40
- * In-hex 3 4 5
- * Slotted 0.6x4.5 1.0x5.5 1.2x6.5
- * Cross-slotted PH 1 2 3
- * Cross-slotted PZ 1 2 3
- * Quick change adaptor for 1/4" bits C 6.3 with magnet

Code	Art.#	g
2251159	3000.01	250



This item is also available
in a **display** -
please refer to page 163



3000.02 BIT BOX 1/4" "BICOLOR" 31 PIECES

- * Bits, two-color: Hardness: 60 HRC +/-2, torque: 18.4 N.m
- * Box with clear cover
- Contents:**
- * TORX® T10 T15 T20 T25 T30 T40
- * In-hex 3 4 5
- * Slotted 0.6x4.5 1.0x5.5 1.2x6.5
- * Cross-slotted PH 1 2 3
- * Cross-slotted PZ 1 2 3
- * Quick change adaptor with magnet

Code	Art.#	g
2251175	3000.02	251



3000.03 BIT BOX 1/4" "PROFI" 50 PIECES

- * Bits: Hardness: 60 HRC +/- 2, torque: 18.4 N.m
- * Box with clear cover
- Contents:**
- * TORX® T5 T6 T7 T8 T9 T10 T15 T20 T25 T27 T30 T40
- * In-hex 3 4 5 6
- * Slotted 0.6x3.5 0.8x4.0 1.0x5.5 1.2x6.5
- * Cross-slotted PH 0 1 2 3
- * Cross-slotted PZ 0 1 2 3
- * In-square 0 1 2 3
- * TORQ-SET 4 6 8 10
- * XZN 4 5 6 8
- * SIT 10 20 25 40
- * Tri-Wing 2 3 4 5
- * Adaptor 1/4" sq.dr. x 1/4" hex dr with magnet
- * Quick change adaptor for 1/4" bits C 6.3 with magnet



Code	Art.#	g
2251183	3000.03	368

BITS 1/4" DRIVE - VALUE PACKS



x10
x25



3401 - 3402 VALUE PACKS - SCREWDRIVER BITS 1/4" PH

- * Hexagon drive as per DIN 3126 - C 6.3
- * 10- and 25-piece value packs
- * Quantity price

Code	Art.#	Contents	
2254522	3401.01	10x PH 1	50
2254549	3401.02	10x PH 2	50
2254565	3401.03	10x PH 3	50
2254530	3402.01	25x PH 1	130
2254557	3402.02	25x PH 2	130
2254573	3402.03	25x PH 3	130



x10
x25



3501 - 3502 VALUE PACKS - SCREWDRIVER BITS 1/4" PZ

- * Hexagon drive as per DIN 3126 - C 6.3
- * 10- and 25-piece value packs
- * Quantity price

Code	Art.#	Contents	
2254468	3501.01	10x PZ 1	50
2254484	3501.02	10x PZ 2	50
2254506	3501.03	10x PZ 3	50
2254476	3502.01	25x PZ 1	130
2254492	3502.02	25x PZ 2	130
2254514	3502.03	25x PZ 3	130




x10
x25



3101 - 3102 VALUE PACKS - SCREWDRIVER BITS 1/4" TORX®

- * Hexagon drive as per DIN 3126 - C 6.3
- * 10- and 25-piece value packs
- * Quantity price

Code	Art.#	Contents		
2254654	3101.06	10x T6	M2	50
2254670	3101.07	10x T7	M2,5	50
2254697	3101.08	10x T8	M2,5	40
2254719	3101.09	10x T9	M3	50
2254735	3101.10	10x T10	M3 - M3,5	50
2254751	3101.15	10x T15	M3,5 - M4	50
2254786	3101.20	10x T20	M4 - M5	50
2254808	3101.25	10x T25	M4,5 - M5	50
2254824	3101.27	10x T27	M4,5 - M6	50
2254840	3101.30	10x T30	M6 - M7	50
2254867	3101.40	10x T40	M7 - M8	50
2254662	3102.06	25x T6	M2	130
2254689	3102.07	25x T7	M2,5	130
2254700	3102.08	25x T8	M2,5	130
2254727	3102.09	25x T9	M3	130
2254743	3102.10	25x T10	M3 - M3,5	130
2254778	3102.15	25x T15	M3,5 - M4	130
2254794	3102.20	25x T20	M4 - M5	130
2254816	3102.25	25x T25	M4,5 - M5	130
2254832	3102.27	25x T27	M4,5 - M6	130
2254859	3102.30	25x T30	M6 - M7	130
2254875	3102.40	25x T40	M7 - M8	130





x10



3151 VALUE PACKS - SCREWDRIVER BITS 1/4" TORX® WITH HOLE

- * Hexagon drive as per DIN 3126 - C 6.3
- * 10- piece value packs
- * Quantity price

Code	Art.#	Contents		
2254883	3151.10	10x TXB10	M3 - M3,5	50
2254891	3151.15	10x TXB15	M3,5 - M4	50
2254905	3151.20	10x TXB20	M4 - M5	50
2254913	3151.25	10x TXB25	M4,5 - M5	60
2254921	3151.27	10x TXB27	M4,5 - M6	60
2254948	3151.30	10x TXB30	M6 - M7	50
2254956	3151.40	10x TXB40	M7 - M8	50



x10



3201 VALUE PACKS - SCREWDRIVER BITS 1/4" SLOTTED

- * Hexagon drive as per DIN 3126 - C 6.3
- * 10- piece value packs
- * Quantity price

Code	Art.#	Contents	
2254581	3201.30	10x 3 mm	50
2254603	3201.45	10x 4,5 mm	50
2254611	3201.55	10x 5,5 mm	50
2254638	3201.65	10x 6,5 mm	60
2254646	3201.80	10x 8 mm	80




x10



3301 VALUE PACKS - SCREWDRIVER BITS 1/4" INBUS®

- * Hexagon drive as per DIN 3126 - C 6.3
- * 10- piece value packs
- * Quantity price

Code	Art.#	Contents	
2254964	3301.02	10x 2 mm	50
2254972	3301.03	10x 3 mm	50
2254980	3301.04	10x 4 mm	50
2254999	3301.05	10x 5 mm	80
2255006	3301.06	10x 6 mm	50
2255014	3301.08	10x 8 mm	50



BITS 5/16" DRIVE

6126.00 CONTERFLEX® BIT RATCHET 5/16" WITH LEVER CHANGE

- * With 180° swivel head
- * Can be fixed in 11 positions
- * 5/16" recessed bit drive for work in barely-accessible places



Code	Art.#	Hex "	Length mm	Weight g
1517864	6126.00	5/16	225	425

6400.25 BIT SET 5/16" 23 PIECES

Conterflex® ratchet

- * Reversible and vertically lockable in 11 positions
- * For use in barely-accessible places

Screwdriver bits:


- * TORX® 50 mm long: T20 T25 T27 T30 T40 T45 T50 T55
- * TORX® 100 mm long: T40 T45 T55
- * Sockets: External TORX®: E4 E5 E6 E7 E8 E10 E12 E14 E16

Adaptors:

- * 3/8" sq. dr. x 5/16" hex dr.
- * 5/16" hex dr. x 5/16" hex dr. with magnet, also usable as extension 80 mm



Code	Art.#	Weight g
1518305	6400.25	1940



5/16" 3/8" 1/2"

6460.10 BIT SET 5/16" 15 PIECES

Screwdriver bits:

- * INBUS® 50 mm long: 4 5 6 7 8 10 12 14 mm
- * INBUS® 100 mm long: 5 6 7 8 10 mm

Adaptors for ratchet use:

- * 3/8" sq. dr. x 5/16" hex dr.
- * 1/2" sq. dr. x 5/16" hex dr.

Code
1518364

Art.#
6460.10

g
960



5/16" 3/8" 1/2"

6460.20 BIT SET 5/16" 13 PIECES

Screwdriver bits:

- * TORX® 50 mm long: T20 T25 T27 T30 T40 T45 T50 T55
- * TORX® 100 mm long: T40 T45 T55

Adaptors for ratchet use:

- * 3/8" sq. dr. x 5/16" hex dr.
- * 1/2" sq. dr. x 5/16" hex dr.

Code
1518372

Art.#
6460.20

g
842



5/16" 3/8" 1/2"

6460.21 BIT SET 5/16" 13 PIECES

Screwdriver bits:

- * TORX® with hole, 50 mm long: TXB20 TXB25 TXB27 TXB30 TXB40 TXB45 TXB50 TXB55
- * TORX® 100 mm long: T40 T45 T55

Adaptors for traditional ratchet use:

- * 3/8" sq. dr. x 5/16" hex dr.
- * 1/2" sq. dr. x 5/16" hex dr.

Code
1518380

Art.#
6460.21

g
836



6460.40 BIT SET 5/16" 11 PIECES

Screwdriver bits:

- * Multi-point XZN 50 mm long: 5 6 8 10 12 mm
- * Multi-point XZN 100 mm long: 6 8 10 12 mm

Adaptors for ratchet use:

- * 3/8" sq. dr. x 5/16" hex dr.
- * 1/2" sq. dr. x 5/16" hex dr.

Code	Art.#	
1518402	6460.40	856



x2



6095 SCREWDRIVER BIT 5/16" TORX®

- * Supplied in a double pack
- * 5/16" bits - strong and rugged for everyday industrial

Code	Art.#	Contents		mm	
1517465	6095.20	2x T20	M4 - M5	50	20
1517473	6095.25	2x T25	M4,5 - M5	50	21
1517481	6095.27	2x T27	M4,5 - M6	50	22
1517503	6095.30	2x T30	M6 - M7	50	22
1517511	6095.40	2x T40	M7 - M8	50	22
1517538	6095.45	2x T45	M8 - M10	50	24
1517546	6095.50	2x T50	M10	50	24
1517554	6095.55	2x T55	M12	50	40
1517562	6095.60	2x T60	M14	50	50




x2



6098 SCREWDRIVER BIT 5/16" TORX®, EXTRA LONG

- * Supplied in a double pack
- * 5/16" bits - strong and rugged for everyday industrial

Code	Art.#	Contents		mm	
1517678	6098.40	2x T40	M7 - M8	100	47
1517686	6098.45	2x T45	M8 - M10	100	48
1517694	6098.55	2x T55	M12	100	80



x2



Code	Art.#	Contents	mm	g
1517570	6096.20	2x TXB20	M4 - M5	21
1517589	6096.25	2x TXB25	M4,5 - M5	21
1517597	6096.27	2x TXB27	M4,5 - M6	22
1517600	6096.30	2x TXB30	M6 - M7	22
1517619	6096.40	2x TXB40	M7 - M8	22
1517627	6096.45	2x TXB45	M8 - M10	23
1517635	6096.50	2x TXB50	M10	24
1517643	6096.55	2x TXB55	M12	38
1517651	6096.60	2x TXB60	M14	48

6096 SCREWDRIVER BIT 5/16" TORX® WITH HOLE

- * Supplied in a double pack
- * 5/16" bits - strong and rugged for everyday industrial



x2



Code	Art.#	Contents	mm	g
1517031	6035.04	2x 4	50	20
1517058	6035.05	2x 5	50	22
1517066	6035.06	2x 6	50	23
1517074	6035.07	2x 7	50	24
1517082	6035.08	2x 8	50	25
1517090	6035.10	2x 10	50	35
1517104	6035.12	2x 12	50	46
1517112	6035.14	2x 14	50	60

6035 SCREWDRIVER BIT 5/16" INBUS®

- * Supplied in a double pack
- * 5/16" bits - strong and rugged for everyday industrial



x2



Code	Art.#	Contents	mm	g
1517120	6038.04	2x 4	100	45
1517139	6038.05	2x 5	100	45
1517147	6038.06	2x 6	100	47
1517155	6038.07	2x 7	100	48
1517163	6038.08	2x 8	100	50
1517171	6038.10	2x 10	100	60

6038 SCREWDRIVER BIT 5/16" INBUS®, EXTRA LONG

- * Supplied in a double pack
- * 5/16" bits - strong and rugged for everyday industrial



x2



Code	Art.#	Contents	mm	g
1517295	6055.04	2x 4	50	20
1517309	6055.05	2x 5	50	21
1517317	6055.06	2x 6	50	22
1517325	6055.07	2x 7	50	23
1517333	6055.08	2x 8	50	24
1517341	6055.10	2x 10	50	31




6055 SCREWDRIVER BIT 5/16" INBUS®, WITH BALL END

- * Supplied in a double pack
- * 5/16" bits - strong and rugged for everyday industrial



x2



Code	Art.#	Contents			
1517198	6045.05	2x 5	M5	50	21
1517201	6045.06	2x 6	M6	50	22
1517228	6045.08	2x 8	M8	50	24
1517236	6045.10	2x 10	M10	50	30
1517244	6045.12	2x 12	M12	50	39




6045 SCREWDRIVER BIT 5/16" XZN

- * For multi-point screws
- * Supplied in a double pack
- * 5/16" bits - strong and rugged for everyday industrial



x2



Code	Art.#	Contents			
1517252	6048.06	2x 6	M6	100	47
1517260	6048.08	2x 8	M8	100	48
1517279	6048.10	2x 10	M10	100	60
1517287	6048.12	2x 12	M12	100	80

6048 SCREWDRIVER BIT 5/16" XZN, EXTRA LONG

- * For multi-point screws
- * Supplied in a double pack
- * 5/16" bits - strong and rugged for everyday industrial



Code	Art.#			
1517422	6070.50	1/2	5/16	37

6070.50 ADAPTOR 5/16" X 1/2"


- * For hand-operated sockets with square drive, with ball locking device
- * Turns a bit-ratchet 5/16" into a ratchet with 1/2" square



Code	Art.#			
1517392	6070.00	3/8	5/16	20

6070.00 ADAPTOR 5/16" X 3/8"

- * Turns a bit-ratchet 5/16" into a ratchet with 3/8" square



6015.13 ADAPTOR 5/16" X 13 MM WITH MAGNET

- * Hexagon drive 13 mm
- * Square drive 5/16"
- * All tools with size 13 mm can be used to drive 5/16" sockets etc.

Code
1597140

Art.#
6015.13

Hexagon "
5/16

Hexagon "
13.0

Weight
32



6070.40 ADAPTOR 5/16" WITH MAGNET

- * With magnetic holder

Code
1517414

Art.#
6070.40

Hexagon "
5/16

Hexagon "
5/16

Weight
60



5160.00 ADAPTOR 1/2" X 5/16"

- * With female hexagon and female square
- * Suitable for all bits and tools with 5/16" male hexagon

Code
1516655

Art.#
5160.00

Square "
1/2

Hexagon "
5/16

Weight
60



6070.10 ADAPTOR 3/8" X 5/16"

- * With female hexagon and female square
- * Suitable for all bits and tools with 5/16" male hexagon

Code
1517406

Art.#
6070.10

Hexagon "
5/16

Square "
3/8

Weight
36



3600.00 (DE)MAGNETIZER

- * Magnetizes screwdrivers etc.
- * Demagnetizes all tools which are used on electronic devices

Code
1797921

Art.#
3600.00

Weight
85

9 Great Pliers



carolus has a great range of pliers with combination pliers, diagonal cutters, snipe nose pliers and much more ... check out the range.





2830 COMBINATION PLIERS

- * Handles from chrome-molybdenum steel (CrMo)
- * Versatile grip faces for round and flat workpieces
- * Long cutting edge for cutting thick cable and wire
- * 2-component-handles
- * Matt satin chrome-plated finish

Code	Art.#	l mm	g
2247704	2830.160	160	200
2247720	2830.180	180	240
2247739	2830.200	200	305



2840 HEAVY-DUTY SIDE CUTTER

- * Handles from chrome-molybdenum steel (CrMo)
- * High cutting performance with low force
- * To cut all wire types including piano wire
- * Durable quality, cutting edge hardness higher than 60 HRC
- * 2-component-handles
- * Matt satin chrome-plated finish

Code	Art.#	l mm	g
2247798	2840.180	180	230
2247801	2840.200	200	295



2845 SIDE CUTTER

- * Handles from chrome-molybdenum steel (CrMo)
- * For hard and soft wire
- * 2-component-handles
- * Matt satin chrome-plated finish

Code	Art.#	l mm	g
2247763	2845.160	160	191



2850 TELEPHONE PLIERS STRAIGHT PATTERN

- * Combined pliers with long, flat-round jaws
- * Handles from chrome-molybdenum steel (CrMo)
- * Versatile grip faces for flat and round workpieces
- * With cutting edge for soft and hard wire and cable
- * 2-component-handles
- * Matt satin chrome-plated finish

Code
2247828
2247836

Art.#
2850.160
2850.200

l mm
160
200

g
150
200



2851 TELEPHONE PLIERS ANGLED PATTERN

- * Combined pliers with angled, flat-round jaws
- * Handles from chrome-molybdenum steel (CrMo)
- * Versatile grip faces for flat and round workpieces
- * With cutting edge for soft and hard wire and cable
- * 2-component-handles
- * Matt satin chrome-plated finish

Code
2247844

Art.#
2851.200

l mm
200

g
205



2890 PINCER

- * For heavy duty use
- * Black with polished head
- * Handles red dip-insulated

Code
2248093

Art.#
2890.180

l mm
180

g
285



2860 CIRCLIP PLIERS FOR EXTERNAL RETAINING RINGS STRAIGHT PATTERN

- * Acc. to DIN 5254 Form A
- * Straight nose
- * Type A2 for retaining rings as per DIN 471, with diam. 19-60 mm
- * Polished head with black tips
- * Handles red dip-insulated

Code
2247852

Art.#
2860.19


160



2861 CIRCLIP PLIERS FOR EXTERNAL RETAINING RINGS ANGLED PATTERN

- * Acc. to DIN 5254 Form B
- * 90 ° angled nose
- * Type B2 for retaining rings as per DIN 471, with diam. 19-60 mm
- * Polished head with black tips
- * Handles red dip-insulated

Code
2247860

Art.#
2861.19


160



2870 CIRCLIP PLIERS FOR INTERNAL RETAINING RINGS STRAIGHT PATTERN

- * Acc. to DIN 5254 Form C
- * Straight nose
- * Type C2 for retaining rings as per DIN 472, with diam. 19-60 mm
- * Polished head with black tips
- * Handles red dip-insulated

Code
2247879

Art.#
2870.19


150



2871 CIRCLIP PLIERS FOR INTERNAL RETAINING RINGS ANGLED PATTERN

- * Acc. to DIN 5254 Form D
- * 90 ° angled nose
- * Type D2 for retaining rings as per DIN 472, with diam. 19-60 mm
- * Polished head with black tips
- * Handles red dip-insulated

Code
2247887

Art.#
2871.19


150



Sets

2800.200 PLIERS SET 2 PIECES

Contents:

- * Combination pliers 180 mm
- * Heavy-duty side cutter 180 mm

Code
2254352

Art.#
2800.200


480



Sets

2800.300 PLIERS SET 3 PIECES

Contents:

- * Combination pliers 180 mm
- * Side cutter 160 mm
- * Telephone pliers 200 mm

Code
2254360

Art.#
2800.300


711



Sets

2800.400 PLIERS SET 4 PIECES

Contents:

- * Circlip pliers for external retaining rings straight / angled pattern
- * Circlip pliers for internal retaining rings straight / angled pattern
- * Acc. to DIN 5254 Form A - B - C - D
- * For retaining rings as per DIN 471
- * For retaining rings as per DIN 472
- * Diameter 19-60 mm

Code
2254379

Art.#
2800.400


680

PIPE WRENCHES

2175 PIPE WRENCH SWEDISH PATTERN

- * Heavy-duty pattern
- * Head angled 85 °
- * Teeth offset against direction of rotation
- * Roller secured against loss



Code	Art.#	↳ "inch" ↳	↳ mm ↳	⚖
1892118	2175.10	1	320	780
1892126	2175.15	1.1/2	420	1290
1892134	2175.20	2	555	2320
1892142	2175.30	3	635	3150

2176 ELBOW PIPE WRENCH STANDARD

- * For working in confined spaces
- * Teeth offset against direction of rotation
- * Roller secured against loss
- * Head ground



Code	Art.#	↳ "inch" ↳	↳ mm ↳	⚖
1892150	2176.05	1/2	230	400
1892169	2176.10	1	320	780
1892177	2176.15	1.1/2	415	1370
1892185	2176.20	2	535	2330
1892193	2176.30	3	665	4370

2179 ELBOW PIPE WRENCH S-PATTERN

- * For working in confined spaces
- * Teeth offset against direction of rotation
- * Roller secured against loss



Code	Art.#	↳ "inch" ↳	↳ mm ↳	⚖
1892207	2179.05	1/2	230	400
1892215	2179.10	1	325	840
1892223	2179.15	1.1/2	420	1390
1892231	2179.20	2	535	2450
1892258	2179.30	3	640	4260



Code
2247895
2247909
2247917

Art.#
2815.07
2815.10
2815.12

inch	mm
7	170
10	250
12	300

g
180
374
600

2815 WATER PUMP PLIERS WITH AUTOMATIC SINGLE-HAND ADJUSTMENT

- * Ideal for use in confined spaces
- * Time saving due to self-adjustment to the screw connection
- * Fast - easy - safe



Code
1919482
1680854
1919490

Art.#
2010.07
2010.10
2010.12

inch	mm
7	170
10	250
12	300

g
170
350
480

2010 WATER PUMP PLIERS 7 SETTINGS

- * 7 settings
- * Chrome-vanadium steel
- * With box joint

LOCKING PLIERS



Code
2247925
2247941
2247968


Art.#
2820.07
2820.10
2820.12

mm	mm
35	185
40	225
60	295

g
375
545
910

2820 CURVED JAW LOCKING PLIERS

- * For clamping and gripping of profile sections, round and flat stock
- * With adjusting screw and release lever
- * Surface phosphated



Code
2254409

Art.#
2820.300

g
1950

2820.300 LOCKING PLIERS SET 3 PIECES

Contents:

- * Curved jaw locking pliers 7" 10" 12"

Sets



2822 LONG NOSE LOCKING PLIER

- * For gripping and tightening in barely accessible places
- * For clamping and gripping of profile sections, round and flat stock
- * With adjusting screw and release lever
- * Surface phosphated

Code	Art.#	mm 	mm 	
2247976	2822.065	50	175	175
2247984	2822.09	70	215	380



2824 EUROPEAN TYPE CURVED JAW LOCKING PLIER

- * For clamping and gripping profiled, round and flat-section material
- * Will also grip adjacent profiled or flat material
- * Also suitable for profiles up to 25 mm wide
- * With adjusting screw and release lever
- * Surface nickel-plated

Code	Art.#	mm 	mm 	
2247992	2824.10	50	266	790



2826 C-CLAMP LOCKING PLIER

- * Clever jaw design allows high force to be applied to profiles, U-channel and other angles
- * Grips wide, bulky workpieces and profiles
- * With adjusting screw and release lever
- * Rotating jaws
- * Surface nickel-plated



Code	Art.#	mm 	mm 	
2248018	2826.06	50	195	265
2248026	2826.09	80	245	580
2248034	2826.11	100	290	800



⑩ Clamp it up



It's important to have the right clamp for the job. carolus clamps apply the right pressure with you, the customer, in control.



One-handed clamps

- * Thanks to the intelligent release mechanism, the upper section can be quickly converted from clamping to spreading - without the need for tools or releasing screws
- * The ergonomically shaped 2-component plastic handle with pump lever is positioned behind the rail, enabling a powerful grip
- * Soft pressure caps guarantee material protection and secure clamping



7900 ONE-HANDED CLAMP

- * Clamping force up to 2,000 N
- * Toolless conversion for spreading thanks to intelligent release mechanism in upper section
- * Ergonomically shaped 2-component plastic handle behind the rail



Code	Art.#	max. clamping length mm	max. spreading length mm		
2248999	7900.150	150	360	19 x 6	690
2249006	7900.300	300	510	19 x 6	800
2249014	7900.450	450	660	19 x 6	910
2249022	7900.600	600	810	19 x 6	1030
2249030	7900.900	900	1110	19 x 6	1250



7903.900 CLAMP SET "DOOR INSTALLATION" 3 PIECES

* 3x One-handed clamp 36" (900 / 1110 mm)



Code
2254425


Art.#
7903.900


4420



7902.150 CLAMP SET 2 PIECES

* 2x One-handed clamp 6" (150 / 360 mm)



Code
2254433

Art.#
7902.150


1540



7904.000 CLAMP SET 4 PIECES

* 2x One-handed clamp 6" (300 / 510 mm)
* 2x One-handed clamp 12" (150 / 360 mm)



Code
2254441

Art.#
7904.000


3460



7905.125 BENCH VICE FIXED

- * Jaw width 125 mm
- * Precise guidance



Code	Art.#	mm	kg
2661055	7905.125	125	19.0

7905.150 BENCH VICE SWIVEL

- * Jaw width 150 mm
- * Precise guidance
- * With anvil



Code	Art.#	mm	kg
2661071	7905.150	150	14.0

11 Strike with confidence



Our striking tools offer the perfect performance and GS-tested safety when smashing, hammering in and chiseling. carolus hammers and chisels are ideal - hammer hard top quality, and safe to use.





9200 ENGINEERS' HAMMER

- * With ash handle DIN 1041
- * Hammer head forged, black varnished, striking face and pein polished



Code	Art.#	g	mm	g
1696688	9200.20	200	280	255
1696696	9200.30	300	300	420
1696718	9200.50	500	320	610
1696726	9200.80	800	350	970
1696653	9200.00	1000	360	1235
2144018	9201.50	1500	380	1720
2144069	9202.00	2000	400	2200

9250 CLUB HAMMER

- * With ash handle DIN 6475
- * Hammer head forged, black varnished, striking faces polished



Code	Art.#	g	mm	g
1696734	9250.00	1000	260	1235
2144123	9250.12	1250	260	1350
2144131	9250.15	1500	280	1690
2144158	9250.20	2000	300	2110

9260 SLEDGE HAMMER

- * With ash handle
- * Hammer head forged, black varnished, striking face and pein polished



Code	Art.#	g	mm	g
1696742	9260.50	5000	800	5925



9270 RUBBER MALLET HARD

- * With ash handle
- * DIN 5128-90
- * With two flat surfaces



Code	Art.#	Ø mm	l mm	g
1696750	9270.02	65	340	540

9280 PLASTIC HAMMER

- * With ash handle
- * With exchangeable heads, made from impact-resistant Desmopan



Code	Art.#	Ø mm	l mm	g
1696777	9280.32	32	280	360

9210 ENGINEER'S BALL PEIN HAMMER

- * With hickory handle
- * Hardened and tempered steel to EN 10083
- * Varnished, face and ball ground



Code	Art.#	lbs	g
1954938	9210.25	1/4	176
1954946	9210.50	1/2	340
1954954	9210.75	3/4	470
1954962	9210.00	1	640
1954970	9210.15	1.1/2	920
1954989	9210.20	2	1060



9271 CLAW HAMMER, AMERICAN PATTERN

- * Version H: With hickory handle
- * Version F: With fibreglass handle and plastic grip
- * Version ST: With steel tube handle and plastic grip

Code	Art.#	Ø mm	oz	g	g
2209071	9271.27H	27	20	570	730
2209101	9271.27F	27	20	570	730
2209144	9271.27ST	27	20	570	730



Code	Art.#
2190095	9209.75

g	mm	g
600	300	810

9209.75 CARPENTER'S HAMMER

- * With steel tube handle and plastic grip
- * With magnetic nailholder
- * With secured head



Code	Art.#
2189623	9209.94

g	mm	g
600	270	890

9209.94 BRICKLAYER'S HAMMER BERLIN PATTERN

- * With steel tube handle and plastic grip



Code	Art.#
2189445	9209.93

g	mm	g
600	300	890

9209.93 BUILDER'S HATCHET

- * With steel tube handle and plastic grip




CHISELS / PUNCHES

9401.08 PROTECTIVE HAND GUARD

- * Made from PVC
- * Avoids injuries of the hand
- * No rolling away (rectangular shape)
- * Oil-resistant






Code	Art.#	
2146770	9401.08	160

9495 FLAT COLD CHISEL FLAT OVAL

- * Acc. to DIN 6453
- * Made from chrome-vanadium steel






Code	Art.#	mm 	mm 	
2142783	9495.125	15	125	125
2142791	9495.150	18	150	225
2142805	9495.175	21	175	270
2142813	9495.200	24	200	400
2142821	9495.250	25	250	480
2142848	9495.300	26	300	560

9496 CROSS-CUT CHISEL FLAT OVAL

- * Acc. to DIN 6451
- * Made from chrome-vanadium steel






Code	Art.#	mm 	mm 	
2143070	9496.125	5	125	140
2143089	9496.150	6	150	220
2143097	9496.200	8	200	380

9412.250 ELECTRICIANS' CHISEL SQUARE

- * For mortising slots, working on masonry, cutting wood and plasterboard



Code	Art.#	mm 	mm 	
2256002	9412.250	8	250	64



9401 SPLITTING CHISEL FLAT



* Made from chrome-vanadium steel

Code	Art.#	mm $\frac{1}{4}$	mm	g
2143755	9401.04	26	240	185

9410 BRICKLAYER'S CHISEL FLAT OVAL



* Acc. to DIN 7254 Form A
* Made from chrome-vanadium steel

Code	Art.#	mm $\frac{1}{4}$	mm	g
2143135	9410.925	26	250	410
2143143	9410.930	29	300	590
2143151	9410.935	29	350	690
2143178	9410.940	29	400	840

9410 BRICKLAYER'S CHISEL OCTAGONAL



* Acc. to DIN 7254 Form B
* Made from chrome-vanadium steel

Code	Art.#	mm $\frac{1}{4}$	mm	g
2143518	9410.250	23	250	380
2143569	9410.300	23	300	460
2143593	9410.350	26	350	700
2143607	9410.400	26	400	810

9411 POINT CHISEL OCTAGONAL



* Acc. to DIN 7256
* Made from chrome-vanadium steel
* * not standardised

Code	Art.#	*	s	mm	g
2143712	9411.250	*	16	250	380
2143720	9411.300	*	16	300	460
2143739	9411.350		18	350	700
2143747	9411.400		18	400	805



9499 DRIFT PUNCH OCTAGONAL



- * Acc. to DIN 6458
- * Made from chrome-vanadium steel

Code	Art.#	Ø	s	l mm	g
2142678	9499.101	1	10	120	60
2142694	9499.102	2	10	120	60
2142708	9499.103	3	10	120	60
2142767	9499.124	4	12	120	90
2142775	9499.125	5	12	120	90

9410 CENTRE PUNCH OCTAGONAL



- * Acc. to DIN 7250
- * Made from chrome-vanadium steel

Code	Art.#	Ø	s	l mm	g
2143038	9410.010	4	10	120	80
2143062	9410.012	5	12	120	95

9411 PIN PUNCH OCTAGONAL



- * Acc. to DIN 6450
- * Made from chrome-vanadium steel
- * * not standardised

Code	Art.#	*	Ø	s	l mm	g
2143771	9411.92		2	10	150	65
2143828	9411.93		3	10	150	65
2143836	9411.94		4	10	150	65
2143844	9411.95		5	10	150	65
2143852	9411.96		6	10	150	75
2143860	9411.97	*	7	12	150	105
2143879	9411.98		8	12	150	110
2143887	9411.910	*	10	12	150	125



9410.00 PIN PUNCH SET 6 PIECES

* In metal case

Contents:

* Pin punches Ø 3 4 5 6 7 8 mm

Code
1696823

Art.#
9410.00


800



9420.00 DRIFT PUNCH SET 6 PIECES

* In metal case

Contents:

* Drift punches Ø 1 2 3 4 5 10 mm

Code
1696831

Art.#
9420.00


720



9430.00 TOOL SET 6 PIECES

* In metal case

Contents:

- * Flat cold chisel, length 125 mm 150 mm
- * Cross-cut chisel, length 125 mm
- * Drift punch Ø 3 mm
- * Centre punch Ø 4 mm
- * Pin punch Ø 4 mm

Code
1696858

Art.#
9430.00


820



9430.310 PIN PUNCH SET 6 PIECES

* In metal case

Contents:

* Pin punches Ø 3 4 5 6 8 10 mm

Code
2143895

Art.#
9430.310



820

12 Close measure



From folding rule to feeler gauge all carolus measuring tools impress with highest accuracy and are the perfect helper in the work place.





9530 SPIRIT LEVEL

- * Smooth square alloy profile
- * One vertical and one horizontal spirit level
- * Measurement accuracy: ± 0.5 mm/m
- * Red powder-coating
- * End caps from black, impact-resistant plastic




Code	Art.#	l< mm >l
2250330	9530.0300	300
2250349	9530.1000	1000

9531 SPIRIT LEVEL WITH A MOVABLE SPIRIT LEVEL, MAGNETIC

- * Smooth square alloy profile
- * One vertical and one horizontal spirit level
- * Long version also includes a third, rotating angle spirit level for measuring inclined angles
- * With 2 magnets
- * Measurement accuracy: ± 0.5 mm/m
- * Brushed aluminium
- * End caps from black, impact-resistant plastic



Code	Art.#	l< mm >l	
2250357	9531.0300	300	170
2250365	9531.1000	1000	482

MEASURES

9533 WOOD SECTIONED FOLDING RULER

- * With easy to read metric dual scale
- * Accuracy class III
- * EG-design approval for continuous mm division
- * Beech wood



Code
2236540

Art.#
9533.20

L m
2

9534 TAPE MEASURE

- * Housing from 2-component ABS
- * Nylon-coated tape measure, abrasion resistant, waterproof, yellow paint finish
- * cm-division in black
- * Decimals highlighted in red
- * Automatic tape rewind and lock
- * Magnetic stop
- * Accuracy class II with MID certificate




This item is also available
in a display -
please refer to page 163

Code
2250373
2250381
2250403

Art.#
9534.03
9534.05
9534.08

L m
3
5
8

mm
19
19
25



9000.00 DIGITAL MEASURING CALLIPER

- * With mm and inch reading
- * With inside and outside jaws
- * Ground tips
- * In sturdy plastic case incl. spare battery

Code
1824910

Art.#
9000.00

mm 
153

"inch" 
6


290




9010 FEELER GAUGE SET

- * With protective handle, folding

Code
1887858

Art.#
9010.00

 5 10 15 20 25 30 40 50 60
70 80 90 100/100


100

MARKING



x12

9990.000 PENCIL PACKAGE WITH 12 PIECES

- * For drawing and marking on practically all materials
- * Oval shape, 175 mm long, fits in any bag

Code
2255421

Art.#
9999.000


20



9746.000 CARBIDE SCRIBER WITH CLIP

- * For drawing and marking on metallic and similar surfaces
- * Additionally equipped with a pencil lead
- * Pencil and carbide scriber in one

Code
2255448

Art.#
9746.000


20

13 We've got it all covered

Here you will find everything you could still need to make your project a success.










9310 - 9340 FILES

- * Red PVC handle
- * Cut: 2
- * File length 200 mm
- * Total length 310 mm



Code	Art.#	Description	Execution	
1887890	9310.00	Triangular file		50
1887904	9320.00	Flat file		50
1887912	9330.00	Round file		50
1887920	9340.00	Half-round file		50

9300 KEY FILE SET 6 PIECES

- * With five file types (flat, three-edged, square, half-round, round)
- * File length 100 mm
- * Total length 177 mm



Code	Art.#	5 types	
1887882	9300.00		850

KNIVES / SAWS



x5

Code
1855018
1855026

Art.#
9111.00
9111.11

Description
Utility knife small with 5 blades 10 mm
Spare blades, 10 pieces, 10 mm wide

mm
10
10

g
70
30

9111 UTILITY KNIFE SMALL

- * Blade 10 mm wide
- * Includes 5 blades



x5

Code
1825038
1825046

Art.#
9110.00
9110.10

Description
Utility knife with 5 blades 18 mm
Spare blades, 10 pieces, 18 mm wide

mm
18
18

g
150
90

9110 UTILITY KNIFE

- * With built-in sharpener
- * Blade 18 mm wide
- * Includes 5 blades



x5

Code
1880071
1880098

Art.#
9112.00
9112.12

Description
Utility knife with 5 blades 25 mm
Spare blades, 10 pieces, 25 mm wide

mm
25
25

g
280
170

9112 UTILITY KNIFE

- * With belt clip
- * Blade 25 mm wide
- * Includes 5 blades



x4



additionally available

Code
2250519
2524775
2477416

Art.#
9100.00
9100.05
9100.10

Description
Heavy-duty utility knife
Trapezoid blades for box cutter (10 pcs)
Hook blades for box cutter (10 pcs)

g
310
50

9100 HEAVY-DUTY UTILITY KNIFE

- * Multi-Component-Grip, Aluminium handle with ABS und TPR grip
- * Quick-change mechanism
- * One-handed operation
- * Supplied with 1 trapezoid blade and 4 spare trapezoid blades in cartridge
- * Sturdy design

This item is also available
in a **display**
please refer to page 163



9160.00 UNIVERSAL SHEARS

- * Suitable for cutting seals and other materials (paper, cardboard, foil, leather etc.)
- * Additional small blade for thin wires and cables
- * With wire stripper for 1.0, 1.5 and 2.0 mm cables

This item is also available
in a **display** -
please refer to page 163

Code
2652021

Art.#
9160.00


190



9150.00 MULTIFUNCTIONAL SAW

Multifunctional:

- * Saw blade and bracket can be turned through 90° = saw blade parallel to the wall and floor
- * Bracket can be turned through 180° = low height for use in tight spaces



Code
2250497

Art.#
9150.00


470



9130.000 SMALL SAW

- * Aluminium
- * Stable and lightweight
- * Saw blade for various materials
- * Easy to tension and adjust
- * Spare saw blade see 9130.001

Code
2268124
2665204

Art.#
9130.000
9130.001

Description
Small saw
Saw blade


216



DRILLS



HSS twist drill, rolled version

- * Applications: Standard bit for drilling steel, non-ferrous alloy, cast steel, grey cast iron, etc.; also suitable for drilling plastics and, within limits, wood
- * Ideal for hand drills



HSS twist drill, ground version

- * Applications: Standard bit for drilling steel, non-ferrous alloy, cast steel, grey cast iron, etc.; also suitable for drilling plastics and, within limits, wood
- * True running
- * Ideal for hand drills and pillar drills



Cutting form: 118°, conical

- * Advantages: Suitable for hand regrinding, relatively resilient cutting edges



Tungsten-carbide hammer drill bit

- * Suitable for drilling concrete, masonry and natural stone



9700.019 TWIST DRILL BIT SET, ROLLED 19 PIECES

- * HSS Twist drill bit DIN 338, type N, right hand thread
- * Tip angle 118°
- * In metal case
- Contents:**
- * Ø 1-10 mm x 0.5 mm pitch



Code
2250713

Art.#
9700.019

617



9700.025 TWIST DRILL BIT SET, ROLLED 25 PIECES

- * HSS Twist drill bit DIN 338, type N, right hand thread
- * Tip angle 118°
- * In metal case
- Contents:**
- * Ø 1-13 mm x 0.5 mm pitch



Code
2250721

Art.#
9700.025

1263



9700.170 TWIST DRILL BIT SET, ROLLED 170 PIECES

- * HSS Twist drill bit DIN 338, type N, right hand thread
- * Tip angle 118°
- * In metal case

Contents:

- * 10 pieces each Ø 1.0-8.0 mm x 0.5 mm pitch,
- 5 pieces each Ø 8.5-10.0 mm x 0,5 mm pitch

Code
2250764

Art.#
9700.170


3724



9710.019 TWIST DRILL BIT SET, BLANK 19 PIECES

- * HSS Twist drill bit DIN 338, type N, right hand thread
- * Tip angle 118°
- * In metal case

Contents:

- * Ø 1-10 mm x 0.5 mm pitch

Code
2250748

Art.#
9710.019


617



9710.025 TWIST DRILL BIT SET, BLANK 25 PIECES

- * HSS Twist drill bit DIN 338, type N, right hand thread
- * Tip angle 118°
- * In metal case

Contents:

- * Ø 1-13 mm x 0.5 mm pitch

Code
2250756

Art.#
9710.025


1263



9710.170 TWIST DRILL BIT SET, BLANK 170 PIECES

- * HSS Twist drill bit DIN 338, type N, right hand thread
- * Tip angle 118°
- * In metal case

Contents:

- * 10 pieces each Ø 1.0-8.0 mm x 0.5 mm pitch,
- 5 pieces each Ø 8.5-10.0 mm x 0,5 mm pitch

Code
2250772

Art.#
9710.170


3724



9720.017 SDS MASONRY DRILL BIT SET 17 PIECES

- * Carbide hammer drill bits and chisels for SDS-PLUS® machines
- * Drill bits with helical groove for quick removal of drill dust
- * In metal case

Contents:

- * 1 piece each Carbide hammer drill bits Ø 5x110 – Ø 6x110 – Ø 8x110 – Ø 10x110 – Ø 6x160 – Ø 8x160 – Ø 10x160 – Ø 12x160 – Ø 8x210 – Ø 10x210 – Ø 12x260 – Ø 14x260 mm
- * 1 piece each Flat cold chisel 250x40 mm, Flat cold chisel 140x20 mm, Flat cold chisel 140 mm, Point chisel 140 mm and 250 mm

Code
2250780

Art.#
9720.017


3364



9720.056 SDS MASONRY DRILL BIT SET 56 PIECES

- * Carbide hammer drill bits for SDS-PLUS® machines
- * With helical groove for quick removal of drill dust
- * In metal case

Contents:

- * 3 pieces each Ø 8x210 – Ø 10x210 mm
- * 5 pieces each Ø 4x110 – Ø 5x160 – Ø 6x160 – Ø 8x160 – Ø 10x160 – Ø 12x160 mm
- * 10 pieces each Ø 5x110 – Ø 6x110 mm

Code
2250802

Art.#
9720.056


4014



9730.005 SDS HAMMER DRILL BIT SET 5 PIECES

- * Carbide hammer drill bits for SDS-PLUS® machines
- * With helical groove for quick removal of drill dust
- * In plastic box

Contents:

- * 1 piece each Ø 5x110 – Ø 6x110 – Ø 6x160 – Ø 8x160 – Ø 10x160 mm



Code
2250810

Art.#
9730.005


2595



9730.007 SDS HAMMER DRILL BIT SET 7 PIECES

- * Carbide hammer drill bits for SDS-PLUS® machines
- * With helical groove for quick removal of drill dust
- * In metal box

Contents:


- * 1 piece each Ø 5x110 – Ø 6x110 – Ø 8x110 – Ø 6x160 – Ø 8x160 – Ø 10x160 – Ø 12x160 mm



Code
2250829


Art.#
9730.007


6119



14 Gas, water and a ham sandwich

Ten to twelve and eating already? No wonder. Our new installation tool means you reach your goal much faster! Whether sawing, shifting, filling or measuring: carolus now has the full range for anyone with a pipe to lay.





9990.600 CARTRIDGE CAULKING GUN

- * For processing silicon, packed in bag or cartridge form, for 310 ml contents
- * With stable aluminium pipe
- * Easy to handle and clean

Code
2256096

Art.#
9990.600


840



9175.000 ACRYLIC/SILICONE FUGUE SCRAPER

- * Suitable for hollow profiles and angles

Code
2256037

Art.#
9175.000


40



9995.000 PLASTER BOWL

- * For minor improvements/repairs
- * Easy to clean
- * Approx. 120 mm diameter and 90 mm high

Code
2256029

Art.#
9995.000


100



9175.060 SCRAPER

- * For minor improvements/repairs combined with the plaster bowl
- * Apply, spread and smooth down
- * Blade 60 mm wide

Code
2256010

Art.#
9175.060


100



1810 INSTALLATION WRENCH

- * For all standard wall installations and removals

Code
2256053

Art.#
1810.1719

Size
M10, 17x19 mm

 223


260



9228.416 SMALL PIPE CUTTER

- * For copper pipes 3-22 mm

Code
2256061

Art.#
9228.416

140



9229.335 PIPE CUTTER

- * For copper pipes 3-35 mm
- * With retractable deburring tool

Code
2256088

Art.#
9229.335

560



9228.328 PIPE CUTTER

- * For copper/inox pipes 3-28 mm
- * Compact design
- * Spare cutting wheel see 9228.3280

Code
2524740

Art.#
9228.328

51



x5

9228.229 SPARE CUTTING WHEEL FOR COPPER PIPES

- * For pipe cutter 9228.416 and 9229.335
- * Value pack contains 5 pieces

Code
2524724

Art.#
9228.229



x5

9228.3280 SPARE CUTTING WHEEL FOR 9228.416 + 9229.335 FOR COPPER/STAINLESS STEEL PIPES

- * For copper / stainless steel pipes
- * For pipe cutter 9228.328 and 9229.335

Code
2524767

Art.#
9228.3280



Code
2255529

Art.#
9620.000

Ø mm
4,5-38,0

Ø inch
3/16-1.1/2


40

9620.000 PIPE DEBURRING REAMER

- * Lightweight plastic casing
- * For internal and external deburring of thin-walled pipes



Code
2255537

Art.#
9625.000

Ø mm
10-54


500

9625.000 PIPE DEBURRING REAMER

- * Aluminium casing
- * For internal and external deburring of all standard pipes



Code
2250497

Art.#
9150.00


470

9150.00 MULTIFUNCTIONAL SAW

Multifunctional:

- * Saw blade and bracket can be turned through 90° = saw blade parallel to the wall and floor
- * Bracket can be turned through 180° = low height for use in tight spaces



Code
2268124
2665204

Art.#
9130.000
9130.001

Description
Small saw
Saw blade


216

9130.000 SMALL SAW


- * Aluminium
- * Stable and lightweight
- * Saw blade for various materials
- * Easy to tension and adjust
- * Spare saw blade see 9130.001



15 Lights on



Darkness is a thing of the past! carolus now has powerful LED lamps to shine into any corner, and they're cord-free!



9930.000 LED-TORCH



- * Aluminium housing
- * Delivery with batteries (three AAA batteries)
- * Hanger
- * 14 LED



Code
2250705

Art.#
9930.000

 156



9915.000 HAND LAMP AKKU LED FLEX

- * Bendable lighting unit
- * 5 LEDs on the front
- * 18 LEDs on the side
- * Magnetic base
- * 2 functions, 1 switch
- * Metal hasp for hanging
- * Incl. charger



Code
2288702

Art.#
9915.000

 413



9920.000 HAND LAMP AKKU LED

- * Bendable lighting unit
- * 5 LEDs on the front
- * 22 LEDs on the side
- * Extremely magnetic base
- * 2 plastic hooks for hanging, countersunk on the back of the light head and base
- * Incl. charger
- * Practical strap



Code
2250691

Art.#
9920.000

 487



16 For safety



Working with carolus is now even safer, as all our VDE-insulated special tools meet the requirements of the DIN EN 60900:2004. Choose your product from a vast assortment for safe working use.

- * Only tools bearing this marks  1000 V and  are suitable for working under voltage
- * Guaranteed protection for working under voltage up to AC 1000 V (alternating current) and DC 1500 V (direct current)
- * VDE insulation as per DIN EN 60900:2004 and VDE standard

VDE SCREWDRIVER








3675 VDE SCREWDRIVER SLOTTED

- * Ergonomic, two colour multi-component handle
- * Blade from alloy steel in high SVCM quality



Code	Art.#
2250632	3675.025
2250640	3675.030
2250659	3675.040
2250667	3675.055

mm 	mm 	mm 	mm 	g 
0.4	2.5	75	145	30
0.5	3.0	100	170	36
0.8	4.0	100	210	71
1.0	5.5	125	235	91






3685 VDE SCREWDRIVER PH

- * Ergonomic, two colour multi-component handle
- * Blade from alloy steel in high SVCM quality



Code	Art.#
2250675	3685.01
2250683	3685.02

PH	mm 	mm 	g 
1	80	180	70
2	100	210	105



3686 VDE SCREWDRIVER PZ


- * Ergonomic, two colour multi-component handle
- * Blade from alloy steel in high SVCM quality



Code	Art.#
2256819	3686.01
2256827	3686.02

PZ	mm 	mm 	g 
1	80	180	70
2	100	210	104


VDE PLIERS



2930 VDE COMBINATION PLIERS

- * For gripping and separating workpieces
- * Two colour multi-component handles with insulating sleeves
- * Complies with VDE 0682 Part 201 and EN/IEC 60900
- * Versatile grip faces for flat and round workpieces
- * With cutting edge for soft and hard wire and cable
- * Matt satin chrome-plated finish



Code	Art.#	mm 	g 
2250543	2930.180	180	275
2250551	2930.200	200	360



Code
2550423

2945 VDE SIDE CUTTER

- * Two colour multi-component handles with insulating sleeves
- * Complies with VDE 0682 Part 201 and EN/IEC 60900
- * For hard and soft wire
- * Matt satin chrome-plated finish

Art.#	◀ mm ▶	⚖
2945.180	180	280



Code
2250586

2950 VDE TELEPHONE PLIERS STRAIGHT PATTERN

- * With long, flat-round jaws for gripping and separating workpieces
- * Two colour multi-component handles with insulating sleeves
- * Complies with VDE 0682 Part 201 and EN/IEC 60900
- * With cutting edge for soft and hard wire as well as cables
- * Matt satin chrome-plated finish

Art.#	◀ mm ▶	⚖
2950.200	200	260



Code
2250608

2951 VDE TELEPHONE PLIERS ANGLED PATTERN

- * With long, flat-round jaws for gripping and separating workpieces
- * Two colour multi-component handles with insulating sleeves
- * Complies with VDE 0682 Part 201 and EN/IEC 60900
- * Versatile grip faces for flat and round workpieces
- * With cutting edge for soft and hard wire as well as cables
- * Matt satin chrome-plated finish

Art.#	◀ mm ▶	⚖
2951.200	200	260



Code
2670720

2910 VDE WATER PUMP PLIERS

- * Two colour multi-component handles with insulating sleeves
- * Complies with VDE 0682 Part 201 and EN/IEC 60900
- * 7 settings
- * With box joint

Art.#	◀ mm ▶	⚖
2910.10	250	

VDE SETS



Sets

2900.300 VDE SET 3 PIECES

Contents:

- * VDE Combination pliers 180 mm
- * VDE Side cutter 160 mm
- * VDE Telephone pliers 200 mm, straight pattern

Code
2254395

Art.#
2900.300

920



Sets

2936.500 VDE SET 5 PIECES

Contents:

- * VDE Screwdriver
- * Slotted 3 5.5 mm
- * Cross-slotted PH 2
- * VDE Side cutter 160 mm
- * VDE Telephone pliers 200 mm, straight pattern

Code
2254387

Art.#
2936.500

833



9520 VDE CABLE KNIFE

- * Blade from stainless steel
- * Ergonomic multi-component handle with non-slip protection
- * With fixed, sturdy blade with straight cutter and protective cap

Code
2250527

Art.#
9520.00

l mm
185

143



9525 VDE CABLE KNIFE

- * Complies with DIN EN/IEC 60900
- * Exchangeable blade from stainless steel with special cut
- * With fixed, sturdy blade with straight cutter and fold-away blade protection
- * Back of the blade covered with plastic to prevent short circuits
- * Handle with non-slip protection

Code
2250535
2256045

Art.#
9525.00
9525.09

Description
VDE Cable knife
Spare blades (4 pcs)

95
100

3715 UNIVERSAL VOLTAGE TESTER

- * 8 LED indications
- * Measures AC/DC
- * Displays 6 / 12 / 24 / 50 / 120 / 230 / 400 V AC/DC
- * Frequency range 0 - 60 Hz
- * Protection classification IP44



Code
2256932

Art.#
3715.000

120



17 Red is the new black.

carolus, the emotional screwdriver brand, has dug deep into its pockets for you! Wear your heart on your sleeve and show the world that you're a screwdriver fan! Trendy banners and much more available for workshops.





Code Display	Art.#	Description	Content	
2321041	3000.01D	Display with 12 bit boxes 3000.01	12x 3000.01	3040
2321068	3000.02D	Display with 12 bit boxes 3000.02	12x 3000.02	3040
2663074	9100.00D	Display with 8 heavy-duty utility knives	8x 9100.00	2600
2013312	VS 9110.00	Display with 12 utility knives	12x 9110.00	
2013320	VS 9111.00	Display with 12 utility knives	12x 9111.00	
2013339	VS 9112.00	Display with 8 utility knives	8x 9112.00	
2652153	9999.900D	Display with 6 multifunctional pliers	6x 9999.900	
2652161	9160.00D	Display with 8 universal scissors	8x 9160.00	1680
2659166	9534.03D	Display with 12 tape measures 3 m	12x 9534.03	
2659190	9534.05D	Display with 12 tape measures 5 m	12x 9534.05	
2671042	3800.000D	Display with 8 extendable shank screwdrivers 13in1	8x 3800.000	



9999 BANNER

- * With ring eyes for securing to masts, gates, fences etc.
- * Canvas cover for outdoor use
- * L 193 x H 70 cm

Code
2653036
2653044

Art.#
9999.01
9999.02

Description
Banner DE
Banner EN


800
800



9999.900 MULTIFUNCTIONAL TOOL



Code
2651955

Art.#
9999.900





9999.66 BIKER JACKET

Code
2684314
2684322
2684330

Art.#
9999.66L
9999.66XL
9999.66XXL

Size
L
XL
XXL



9999.60 + 9999.61 HOODY WORK + FUN

- * Claim DE = Spielzeug haben die Anderen
- * Claim EN = No Toys

Code
2680521
2680556
2680564
2680572
2680580
2680599

Art.#
9999.60L
9999.60XL
9999.60XXL
9999.61L
9999.61XL
9999.61XXL

Claim
DE
DE
DE
EN
EN
EN

Size
L
XL
XXL
L
XL
XXL



**9999.62 + 9999.63 SHIRT WORK + FUN
LONG SLEEVES**

Code	Art.#	Claim	Size
2680602	9999.62L	DE	L
2680629	9999.62XL	DE	XL
2680637	9999.62XXL	DE	XXL
2680645	9999.63L	EN	L
2680653	9999.63XL	EN	XL
2680661	9999.63XXL	EN	XXL



**9999.64 + 9999.65 T-SHIRT WORK + FUN
SHORT SLEEVES**

Code	Art.#	Claim	Size
2680688	9999.64L	DE	L
2680696	9999.64XL	DE	XL
2680718	9999.64XXL	DE	XXL
2680734	9999.65L	EN	L
2680742	9999.65XL	EN	XL
2680750	9999.65XXL	EN	XXL



9999.82 BASEBALL CAP WORK + FUN

Code	Art.#
1850962	9999.82

 80

9999.90 LANYARD



Code	Art.#
1851047	9999.90

Art.#	Page
A	
Acrylic/Silicone fugue scraper	153
Adaptor 1/2" x 5/16"	56, 64, 119
Adaptor 1/2" x 19 mm	64
Adaptor 1/4"	47, 48
Adaptor 1/4" x 10 mm	47
Adaptor 3/4" - 1"	69
Adaptor 3/8" x 1/4"	55
Adaptor 3/8" x 5/16"	55, 119
Adaptor 3/8" x 15 mm	55
Adaptor 5/16"	56, 119
Adaptor 5/16" x 1/2"	56, 64, 118
Adaptor 5/16" x 3/8"	55, 118
Adaptor 5/16" x 13 mm	56, 119
Adaptor for holding rail	72
Adaptors for torque wrenches SE	101
Adjustable wrench	39
Air gun 1/2"	90
Air gun 1/4"	89
Air gun 3/8"	89
Air tool 1/2"	90, 91
Air tool 3/4"	91
Air tool 3/8"	90
Air tool set 1/2"	91
B	
Banner	164
Baseball Cap Work + Fun	165
Bench vice	131
Biker jacket	164
Bit adaptor 1/4" x 8 mm	47
Bit box 1/4"	111
Bit box 1/4" "BICOLOR"	111
Bit box 1/4" "PROFI"	111
Bit ratchet 1/4"	42
Bit screwdriver 1/4"	46, 110
Bit set 5/16"	114, 115, 116
Blow gun	95
Bricklayer's chisel	137
Bricklayer's hammer	135
Builder's hatchet	135
C	
Can holder	19
Carbide scribe with clip	143
Carpenter's hammer	135
Cartridge caulking gun	153
C-Clamp locking plier	127
Centre punch	138
Circlip pliers for external retaining rings	123
Circlip pliers for internal retaining rings	123
Circlip pliers set in 1/3 module	29
Clamp set	130
Clamp set "Door installation"	130
Claw hammer, American pattern	135

Art.#	Page
Clothes locker	21
Club hammer	133
Combibag	13
Combination pliers	121
Combination spanners	38
Combination spanner set and hexagon socket keys in 2/3 module	24
Combination spanner sets	38
Conterflex® Bit ratchet 5/16"	114
Cross-cut chisel	136
Curved jaw locking pliers	126
D	
(De)Magnetizer	119
Die grinder	93
Digital measuring calliper	143
Double box ratchet wrench	34
Double box ratchet wrench 4in1	35
Double box ratchet wrench in 1/3 module	25
Double box ratchet wrench set	35
Double ended ring spanners	36
Double ended ring spanner set in 1/3 module	24
Double ended ring spanner sets	36
Double open ended spanners	37
Double open ended spanner set in 1/3 module	24
Double open ended spanner sets	37
Drift punch	138
Drift punch set	139
Driving handle 1/4"	46
E	
Eccentric grinder	92
Elbow pipe wrench	125
Electricians' chisel	136
Engineer's ball pein hammer	134
Engineers' hammer	133
European type curved jaw locking plier	127
Extendable shank screwdriver 13in1	110
Extension 1/2"	63
Extension 1/4"	46
Extension 3/4"	69
Extension 3/8"	54
F	
Feeler gauge set	143
Files	145
Flat cold chisel	136
Flexible combination ratchet wrench	34
Flexible combination ratchet wrench set in 1/3 module	25
Flexible combination ratchet wrench sets	34

Art.#	Page
-------	------

H

Hammer and chisel set in 1/3 module	29
Hand lamp Akku LED	157
Hand lamp Akku LED flex	157
Handle Minimus®	49
Heavy-duty side cutter	121
Heavy-duty utility knife	146
Hexagonal shaft 1/4"	49
Hexagon socket key	108
Hexagon socket key set	109
Holding rail 8" long sockets with 1/4" socket holders	73
Holding rail 8" screwdriver sockets IN-IS-PH with 1/4" socket holders	73
Holding rail 8" TORX sockets with 1/4" socket holders	72
Holding rail 12" impact screwdriver sockets with 1/2" socket holders	73
Holding rail 12" screwdriver sockets with 1/2" socket holders	73
Holding rails	72
Hoody Work + Fun	164
Hook assortments	23

I

Impact socket 1/2"	65, 66
Impact socket 3/4"	70
Impact socket 3/8"	56, 57
Impact socket extension 1/2"	67
Impact socket extension 3/4"	71
Impact socket extension 3/8"	57
Impact socket extension piece 1/2" to 3/4"	67
Impact socket extension piece 3/4" to 1"	71
Impact socket reducer 1/2" to 3/8"	67
Impact socket reducer 3/4" to 1/2"	71
Impact socket set 1/2"	86, 87
Installation wrench	153

J

Jaw insertion tools	99, 100
---------------------------	---------

K

Key file set	145
Keyhole saw	94

L

Lanyard	165
LED-torch	157
Lockable extension 1/2"	63
Lockable extension 3/8"	54
Locker with hinged doors	21
Locking pliers set	126
Long nose locking plier	127

M

Magnetic pick-up 1/4"	48
Minimus® Set Essential	49, 110
Multifunctional saw	147, 155
Multifunctional tool	164
Mushroom head / Coupler	98

N

Needle scaler	92
---------------------	----

O

One-handed clamp	129
Open end fittings 1/4"	51
Open ring insertion tools	99

P

Panel 22	
Paper roll holder	19
Pencil	143
Pincer	122
Pin punch	138
Pin punch set	139
Pipe cutter	154
Pipe deburring reamer	155
Pipe wrench	125
Plaster bowl	153
Plastic hammer	134
Pliers set	124
Pliers set in 1/3 module	29
Pneumatic drill	92
Point chisel	137
Protective hand guard	136

Q

Quick change adaptor 1/4"	48
---------------------------------	----

R

Rastoflex®tk Control handle 1/4"	50
Rastoflex®tk Set 1/4"	79
Ratchet 1/2" with square coupler	59
Ratchet and accessories 1/2" in 1/3 module	26
Ratchet head 1/4"	50
Ratchet ring fittings 1/4"	51
Ratchet wrench	31
Ratchet wrench set	33, 35
Ratchet wrench set in 1/3 module	25
Ratchet wrench sets	31
Readyflex® 1/2"	58
Readyflex® 1/4"	41
Readyflex® 3/8"	52
Readyflex® Bit ratchet 1/4"	42
Replacement eraser disk	95

Art.#	Page
Reversible ratchet 1/2"	59
Reversible ratchet 1/2", SLIM SIXTY	58
Reversible ratchet 1/4"	41, 42
Reversible ratchet 1/4", SLIM SIXTY	41
Reversible ratchet 3/4"	68
Reversible ratchet 3/8"	52
Reversible ratchet 3/8", SLIM SIXTY	52
Reversible ratchet wrench	32
Reversible ratchet wrench set in 2/3 module	24
Reversible ratchet wrench sets	32
Ring end fittings 1/4"	51
Ring insertion tools	99, 100
Rubber mallet	134

S

Safety set	67, 71
Scraper	153
Screwdriver	103, 104, 105, 107
Screwdriver bit 5/16"	116, 117, 118
Screwdriver bit socket 1/2"	62
Screwdriver bit socket 1/4"	44, 45
Screwdriver bit socket set 1/2" in 1/3 module	27, 28
Screwdriver set	105, 106, 107
Screwdriver set in 1/3 module	28
Screwdriver set XXL	106
SDS Hammer drill bit set	151
SDS Masonry drill bit set	150
Set of die grinders	93
Shirt Work + Fun Long Sleeves	165
Side cutter	121
Sledge hammer	133
SLIM SIXTY Socket set 1/2"	82, 83
SLIM SIXTY Socket set 1/2" + 1/4"	83, 84
SLIM SIXTY Socket set 1/4"	75, 76
SLIM SIXTY Socket set 3/8"	80, 81
Small pipe cutter	154
Small saw	147, 155
Socket 1/2"	60, 61
Socket 1/4"	43, 44
Socket 3/4"	68
Socket 3/8"	53
Socket set 1/2"	84, 85, 86
Socket set 1/2" + 1/4"	85
Socket set 1/2" in 1/3 module	27
Socket set 1/2" TORX®	86
Socket set 1/4"	77, 78
Socket set 1/4" in 1/3 module	26
Socket set 3/4"	87
Spare cutting wheel	154
Spare cutting wheel for 9228.416 + 9229.335	154
Spark plug socket 1/2"	62
Spark plug socket 3/8"	54
Special set "ELECTRO-TECHNICS"	9
Special set "ELECTRO-TECHNICS" in case/box	9
Special set "INSTALLATION"	10
Special set "INSTALLATION" in case/box	10
Special set "METAL WORK"	11

Art.#	Page
Special set "METAL WORK" in case/box	11
Spirit level	141
Splitting chisel	137
Strap wrench	39

T

Tape measure	142
Telephone pliers	122
Tommy bar with sliding T 1/2"	64
Tommy bar with sliding T 1/4"	46
Tommy bar with sliding T 3/4"	69
Tool box	12
Toolbox 16"	13
Tool cabinet	22
Tool case	12, 13
Tool chest	15
Tool set	139
Tool trolley	16
Tool trolley with assortment	17
Tool wallet for spanners	39
Torque wrench bag	101
Torque wrenches	97
Torque wrench SE	98
T-Shirt Work + Fun Short Sleeves	165
Twist drill bit set, blank	149, 150
Twist drill bit set, rolled	148, 149

U

Universal joint 1/2"	63
Universal joint 1/4"	47
Universal joint 3/4"	69
Universal joint 3/8"	55
Universal set "ALL-IN"	8
Universal set "ALL-IN" in case/box	8
Universal set "ALLROUND"	6
Universal set "ALLROUND" in case/box	6
Universal set "BASIC"	5
Universal set "BASIC" in case/box	5
Universal set "MECHANIC"	7
Universal set "MECHANIC" in case/box	7
Universal shears	147
Universal voltage tester	161
Utility knife	146
Utility knife small	146

V

Value packs - Screwdriver bits 1/4" INBUS®	113
Value packs - Screwdriver bits 1/4" PH	112
Value packs - Screwdriver bits 1/4" PZ	112
Value packs - Screwdriver bits 1/4" SLOTTED	113
Value packs - Screwdriver bits 1/4" TORX®	112
Value packs - Screwdriver bits 1/4" TORX® with hole	113
VDE Cable knife	161
VDE Combination pliers	159

Art.#	Page
VDE Screwdriver	159
VDE Screwdriver set in 1/3 module	29
VDE set	161
VDE Side cutter	160
VDE Telephone pliers	160
VDE water pump pliers	160
Vinyl eraser	95
Voltage tester	107

W

Waste basket	19
Water pump pliers	126
4-way wheel wrench for cars	39
Wood sectioned folding ruler	142
Workbench 1.5 m	20
Workbench 2 m	20
Work gloves	95
Workshop table trolley	18
Workshop trolley	15, 18

Art.#	Page	Art.#	Page
01	36	2065.2090	19
05	37	2067	18
09	38	2071	22
100	36	2082.8901	23
0300	39	2082.8902	23
0400	39	2082.8903	23
0450	39	2175	125
0500	37	2176	125
0900	38	2179	125
1507.00	33	2200.000	5
1512.00	33	2200.010	6
1520.00	35	2200.020	7
1700	31	2200.030	8
1710	32	2200.040	9
1720	34	2200.050	10
1730	34, 35	2200.060	11
1740	35	223x.000	5
1810	153	223x.010	6
2010	126	223x.020	7
2020.14	16	223x.030	8
2020.85	26	223x.040	9
2020.91	24	223x.050	10
2020.92	24	223x.060	11
2020.93	29	2800.200	124
2020.94	29	2800.300	124
2020.95	28	2800.400	124
2020.96	27	2815	126
2020.97	26	2820	126
2020.140x	17	2820.300	126
2020.709	25	2822	127
2020.710	24	2824	127
2020.711	24	2826	127
2020.712	25	2830	121
2020.714	25	2840	121
2020.715	25	2845	121
2020.716	26	2850	122
2020.717	27	2851	122
2020.718	27	2860	123
2020.719	28	2861	123
2020.720	28	2870	123
2020.721	28	2871	123
2020.723	29	2890	122
2020.724	29	2900.300	161
2023	20	2910	160
203x.00	39	2930	159
2030.00	12	2936.500	161
2032.00	12	2945	160
2034.00	13	2950	160
2035.00	13	2951	160
2036.00	13	3000.01	111
2049 - 2089	101	3000.02	111
2052	21	3000.03	111
2053	21	3101 - 3102	112
2058	22	3151	113
2060	15	3201	113
2062	15	3250.100	92
2063	18	3250.200	92
2065.2050	19	3250.300	92
2065.2080	19	3250.400	93


Art.#	Page
3250.410	93
3250.500	94
3250.510	94
3250.600	95
3250.620	95
3250.700	95
3301	113
3401 - 3402	112
3501 - 3502	112
3600	103
3600.00	119
3603.000	105
3604.000	105
3620	103
3630	103
3637.000	106
3640	104
3650	104
3660	104
3675	159
3685	159
3686	159
3690	105
3690.000	106
3710	107
3711	107
3715	161
3720	108
3720.00	109
3730	108
3730.00	109
3740	108
3740.00	109
3800.000	110
3810	107
3810.600	107
4002.40	49
4002.42	49
4004.77	77
4004.79	77
4004.84	78
4004.90	78
4004.91	78
4004.99	77
4080.40	49, 110
4115.10	47
4120.00	46
4125.00	46, 110
4171	44
4172	45
4173	44
4174	44
4176	43
4177	43
4177.20	41
4177.26	42
4178	45
4178.50	48
4178.60	48

Art.#	Page
4179	45, 46
4179.70	46
4179.80	47
4180	43
4190.50	41
4250.200	89
4400.000	75
4400.100	75
4430.100	75
4430.205	76
4430.505	76
4900 - 8900	97
4901 - 8901	98
4912 - 8918	98
5000.00	84
5012.00	85
5100	60
5106	61
5112	61
5115.19	64
5130.00	63
5135 - 5142	62
5140.00	64
5150	63
5151	63
5160.00	56, 64, 119
5170.00	59
5180	60, 62
5190.20	59
5190.30	59
5190.50	58
5225.00	58
5250.100	90
5250.300	91
5250.310	91
5250.500	90
5290.00	58
5300	61
5303	62
5400	66
5406	66
5430	66
5435	65
5450	67
5464.00	67
5484.00	67
5500.000	82
5500.100	82
5500.400	82
5500.525	83
5530.00	86
5540.00	87
5544.400	83
5544.550	84
5560.00	86
5565.00	86
5570	67
5575	65
5575.00	87

Art.#	Page	Art.#	Page
5800.00	85	7220	51
6015.13	56, 119	7225.00	41
6015.15	55	7226.00	42
6035	117	7230	51
6038	117	7290.30	41
6045	118	7709	99
6048	118	7710	99
6055	117	7711	99
6070.00	55, 118	7712	101
6070.10	55, 119	7713	101
6070.40	56, 119	7714	100
6070.50	56, 64, 118	7715	100
6070.60	55	7716	101
6080	54	7900	129
6095	116	7902.150	130
6096	117	7903.900	130
6098	116	7904.000	130
6100	53	7905.125	131
6126.00	114	7905.150	131
6130.00	55	8100	68
6150	54	8100.00	87
6151	54	8106	70
6180	53	8130.00	69
6190.20	52	8140.00	69
6190.30	52	8150	69
6190.50	52	8160.00	69
6225.00	52	8170.00	68
6250.200	90	8250.300	91
6250.400	89	8406	70
6250.500	89	8435	70
6290.00	52	8450	71
6300	53	8454.00	71
6400	57	8470	71
6400.25	114	8494.00	71
6406	57	9000.00	143
6435	56	9010	143
6450	57	9100	146
6460.10	115	9110	146
6460.20	115	9111	146
6460.21	115	9112	146
6460.40	116	9130.000	147, 155
6600.000	80	9150.00	147, 155
6600.100	80	9160.00	147
6600.300	81	9175.000	153
6600.400	81	9175.060	153
6600.500	81	9200	133
7055.00 - 7075.00	47	9209.75	135
7060.00	47	9209.93	135
7070.00	48	9209.94	135
7080.00	48	9210	134
7080.50	48	9228.229	154
7190.30	42	9228.328	154
7200.00tk	50	9228.416	154
7200.25	50	9228.3280	154
7200.26	50	9229.335	154
7200.30	50	9250	133
7200.100	79	9260	133
7200.300	79	9270	134
7210	51	9271	135

Art.#	Page
9280	134
9300	145
9310 - 9340	145
9401	137
9401.08	136
9410	137, 138
9410.00	139
9411	137, 138
9412.250	136
9420.00	139
9430.00	139
9430.310	139
9495	136
9496	136
9499	138
9520	161
9525	161
9530	141
9531	141
9533	142
9534	142
9620.000	155
9625.000	155
9630	72
9630.471	72
9630.476	73
9630.478	73
9630.535	73
9630.540	73
9700.019	148
9700.025	148
9700.170	149
9710.019	149
9710.025	149
9710.170	150
9720.017	150
9720.056	150
9730.005	151
9730.007	151
9746.000	143
9915.000	157
9920.000	157
9930.000	157
9950	95
9990.000	143
9990.600	153
9995.000	153
9999	164
9999.60 + 9999.61	164
9999.62 + 9999.63	165
9999.64 + 9999.65	165
9999.66	164
9999.82	165
9999.90	165
9999.900	164
x195.09	72







CONTACTS

GEDORE Austria GmbH

Gedore-Str. 1
8190 Birkfeld / Stmk.
AUSTRIA

Tel. +43 (0) 3174 / 363 60
Fax +43 (0) 3174 / 363 83 20

verkauf@gedore.at
www.gedore.at

GEDORE IBÉRICA S.L.

Arangutxi 12
Poligono Industrial de Jundiz
01015 Vitoria Alava
SPAIN

Tel. +34-902-29 22 62
Fax +34-945-29 21 99

gedore@gedore.es
www.gedore.es

GEDORE Tool Center KG

Remscheider Straße 149
42899 Remscheid · Germany
Tel. + 49 (0) 21 91- 596 - 0
Fax + 49 (0) 21 91- 596 - 230
gtc@gedore.com
www.gedore.com

Vertrieb DEUTSCHLAND

Tel. + 49 (0) 21 91- 596 - 900
Fax + 49 (0) 21 91- 596 - 999

Sales INTERNATIONAL

Tel. + 49 (0) 21 91- 596 - 910
Fax + 49 (0) 21 91- 596 - 911

GEDORE-KLANN France SARL

Parc d'activités des Béthunes
10, rue du Bois du Pont
BP 79144 Saint-Ouen-l'Aumône
95074 CERGY PONTOISE CEDEX
FRANCE

Tél. +33 (0)1 34 40 16 60
Fax +33 (0)1 34 40 16 61

info-klann@gedore.fr
www.gedore.fr www.klann.fr

OMNITOOL GmbH

Fluestr. 25
8957 Spreitenbach
SWITZERLAND

Tel. +41 (0) 56 / 418 40 50
Fax +41 (0) 56 / 418 40 55

omnitool@gedore.com
www.omnitool.ch

GEDORE UK Limited

Marton Street
SKIPTON BD23 1TF
North Yorkshire
UNITED KINGDOM

Tel. +44 (0) 1756 / 70 67 00
Fax +44 (0) 1756 / 79 80 83

sales@gedoreuk.com
www.gedoreuk.com

TECHNAG B.V.

Flemingweg 7
2408 AV Alphen aan den Rijn
NETHERLANDS

Tel. +31 (0) 172 / 42 73 50
Fax +31 (0) 172 / 42 73 60

info@technag.nl
www.gedore.nl

GEDORE POLSKA Sp. z o.o.

ul. Żwirki i Wigury 56a
43-190 Mikołów
POLAND

Tel. +48 (0) 32 / 738-40 10
Fax +48 (0) 32 / 738-40 20

gedore@gedore.pl
www.gedore.pl

GEDORE Nordic ApS

Haderslevvej 88
6000 Kolding
DENMARK

Tel. +45 29808404

tim.lissau@gedore.com
www.gedore.com

GEDORE Werkzeuge GmbH

Novatorov Str. 1
119421 Moskau
RUSSIA

Tel. +7 (0) 495 / 748 2000
Fax +7 (0) 495 / 988 5757

info@gedore.ru
www.gedore.ru

GEDORE TOOLS, INC.

7187 Bryhawke Circle, Suite 700
North Charleston, SC 29418
USA

Tel. +1-843 / 225 50 15
Fax +1-843 / 225 50 20

info@gedorettools.com
www.gedorettools.com

GEDORE Tool Trading (Shanghai) Co. Ltd.

Bldg. #76, 3700 Huayang Rd.,
Xinzhuang Industry Zone
201108 Minhang District, Shanghai
CHINA P.R.

Tel. +86-21-51 59 18 58
Fax +86-21-51 59 18 59
Service Hotline: 400 880 1858

info@gedore.cn
www.gedore.cn

GEDORE Tools (Beijing) Co. Ltd.

Floor 2, Building 16, Area 7,
Advanced Business Park, 188 South 4th Ring Road
100071 Fentai District, Beijing
CHINA P.R.

Tel. +86-10-83 61 36 21
Fax +86-10-63 70 13 00
Service Hotline: 400 880 1858

info@gedore.cn
www.gedore.cn

GEDORE Altaş El Aletleri Döyme Çelik San. ve Tic. Ltd. Şti.

Istanbul Ankara Karayolu 35. km
TR-34 940 Tuzla - Istanbul
TURKEY

Tel. +90 (216) 395 32 00
Fax +90 (216) 395 32 03

info@gedore.com.tr
www.gedore.com.tr

Ferramentas GEDORE do Brasil S.A.

Rua Vincentina Maria Fidelis, 275
Sao Leopoldo-RS CEP 93025-340
BRAZIL

Tel. +55 51-59 01 66
Fax +55 51-59 04 241

sales@gedore.com.br
www.gedore.com.br

GEDORE Tools S.A. (Pty) Ltd.

P.O. Box 68
New Germany 3620
SOUTH AFRICA / AFRICA

Tel. +27 (0) 31/ 705 3587
Fax +27 (0) 31/ 705 3277

general@gedoresa.co.za
www.gedore.co.za

GEDORE (India) Pvt Ltd.

Plot No. 229, Phase IV
Udyog Vihar
Gurgaon-Haryana 122001
INDIA

Tel. +91 124 4894000
Fax. +91 124 4894016

info@gedore.in
www.gedore.in

DISCLAIMER

This catalogue replaces all previous editions. The photographs and technical details are of the articles at present offered.

Since we are constantly updating and improving our products to keep them at the present state of the art, we reserve the right to make modifications and changes with regard to appearance, dimensions (always in "mm", if not otherwise stated), weights and properties, as well as in performance. No claim for correction or replacement supplies may thus be made with regard to products already delivered. Cancellations may be made at any time without there being any grounds for legal claim.

All information on use or safety is non-binding; nor does it replace any legal regulations or those made by professional or trade associations.

We do not accept any liability for printing errors. No supplemental items (tools etc.) are included in the scope of supply. Reprinting, even of excerpts, requires the previous permission in writing by GEDORE. All rights reserved worldwide.

We refer to our current general agreements and commercial conditions as well as our delivery and payment conditions in the imprint under www.gedore.com

GEDORE Tool Center KG

Remscheider Straße 149
42899 Remscheid
Postfach 120361
42873 Remscheid
Amtsgericht Wuppertal, HRA 17944

Overall concept, design and layout:
GEDORE Tool Center KG, Remscheid
in cooperation with **BAGO DIWA®**, Solingen

© Copyright GEDORE Remscheid

www.carolus.de



www.carolus.de

Your favourite dealer